

# PA-RISC User Binaries

---

This is the current list of installed user program binaries on Utah's PA-RISC Mach4/Lites system. All are in ELF object format.

/bin:

[	df	machid	rcp	stty
cat	echo	mkdir	rm	sync
chmod	ed	ms	rmail	test
cp	hostname	mv	rmdir	thstate
csch	kill	pax	sh	vminfo
date	ln	ps	sleep	vmread
dd	ls	pwd	snames	

/sbin:

XNSrouted	halt	mount_nfs	nfsiod	scsiformat
badsect	ifconfig	mount_null	nologin	shutdown
clri	init	mount_portal	ping	slattach
disklabel	mknod	mount_procfs	quotacheck	startslip
dump	mount	mount_umap	rdump	swapon
dumpfs	mount_cd9660	mount_union	reboot	tunefs
dumpifs	mount_fdesc	mountd	restore	umount
fastboot	mount_kernfs	newfs	route	
fasthalt	mount_lfs	newlfs	routed	
fsck	mount_mfs	nfsd	rrestore	

/usr/bin:

Mail	hexdump	sccs
X11	hppa1.1-hp-bsdelf-gcc	sed
apply	id	sendbug
apropos	indent	shar
ar	install	showmount
as	join	size
awk	jot	soelim
banner	kdestroy	sort
basename	kinit	split
bdes	klist	strings
biff	ksrvtgt	strip
c++filt	lam	su
cal	last	tail
calendar	lastcomm	talk
cap_mkdb	ld	tar
cc	leave	tcopv
chatr	lex	tee
chflags	locate	telnet
chfn	lock	tftp
chgrp	logger	time
chpass	login	tip

chsh	logname	tn3270
cksum	look	touch
clear	lorder	tput
cmp	m4	tr
colrm	mail	true
column	make	tset
comm	man	tsort
compress	mesg	tty
cpp	mkdep	ul
ctags	mkfifo	uname
cu	mkstr	uncompress
cut	mset	unexpand
dirname	mt	unifdef
du	nice	uniq
egrep	nm	unprotoize
env	nohup	unvis
error	objcopy	users
expand	objdump	uudecode
expr	od	vacation
false	pagesize	vgrind
fgrep	passwd	wall
find	paste	wc
finger	patch	what
flex	pr	whatis
fmt	printenv	whereis
fold	printf	who
fpr	protoize	whoami
from	quota	whois
fsplit	ranlib	window
ftp	register	write
gasp	renice	xargs
gawk	reset	xstr
gcc	rev	yacc
gmake	rlogin	yes
gprof	rs	yyfix
grep	rsh	zcat
groups	ruptime	
head	rwho	

/usr/contrib/bin:

ci	merge	nvi	rctmerge
co	nex	rct	rlog
ident	nroff	rctdiff	

/usr/libexec:

bugfiler	getty	lpr	registerd	uucpd
comsat	kpasswd	mail.local	rexecd	vfontedpr
fingerd	lfs_cleaner	makekey	rlogind	
ftpd	locate.bigram	ntalkd	rshd	
gcc2	locate.code	pascal	telnetd	
getNAME	locate.updatedb	plot	tftpd	

/usr/sbin:				
accton	edquota	kstash	mk-amd-map	sliplogin
amd	ext_srvtab	make_fp	mtree	syslogd
amq	fsinfo	make_ip	portmap	traceroute
arp	inetd	make_key_perm	pwd_mkdb	update
chown	kdb_destroy	make_keypair	quotaoff	vipw
chroot	kdb_edit	make_odd	quotaon	
compile_et	kdb_init	make_p	repquota	
dev_mkdb	kdb_util	make_p_table	rmt	
diskpart	kerberos	make_s_table	rwhod	

[UP to PA overview]

---

Last modified December 18, 1994.

*Jeff Law* <law@cs.utah.edu>