

## Index

## #

#define, 63, 340  
#include, 415

## \$

\$HOME/.Xdefaults-*name*, 462  
\$HOME/.Xdefaults, 462

## /

/etc/X?.hosts, 193

, 325

## &lt;

<stdio.h>, 454  
<X11/cursorfont.h>, 4  
<X11/keysym.h>, 4, 267  
<X11/keysymdef.h>, 4, 267, 395  
<X11/X.h>, 2, 3, 129, 197, 200  
<X11/X10.h>, 4, 463  
<X11/Xatom.h>, 3, 63, 166, 340, 372  
<X11/Xcms.h>, 3, 79  
<X11/Xlib.h>, 3, 4, 9, 79, 198, 338, 408, 432, 442, 443  
<X11/Xlibint.h>, 4, 431, 445, 446, 448  
<X11/Xproto.h>, 4, 216, 243, 446, 447, 448  
<X11/Xprotostr.h>, 4  
<X11/Xresource.h>, 3, 376  
<X11/Xutil.h>, 3, 352, 354, 359, 364, 399, 400, 407, 410, 416, 457

## A

Above, 46, 47, 225  
Access control list, 193, **468**  
Active grab, **248**, **468**  
AllHints, 352  
AllocAll, 86, 87, 95, 374  
Allocation:  
  colormap, 90  
  read-only colormap cells, 89, 90, 91  
  read/write colormap cells, 92  
  read/write colormap planes, 93

AllocNamedColor, 243  
AllocNone, 86  
AllowEvents, 258  
AllowExposures, 190, 192  
AllPlanes, **10**, 130  
AllTemporary, 190  
AlreadyGrabbed, 250, 254  
Always, 23, 37, 53, 59, 215  
Ancestors, **468**  
AnyButton, 251, 253  
AnyKey, 255, 256  
AnyModifier, 251, 253, 255, 256  
AnyPropertyType, 66, 68  
ArcChord, 133, 145, 161  
ArcPieSlice, 129, 133, 145, 161  
Arcs:  
  drawing, 156  
  filling, 160  
Areas:  
  clearing, 147  
  copying, 148  
AsyncBoth, 256, 257  
AsyncKeyboard, 256, 257, 258  
AsyncPointer, 256, 257, 258  
Atom, 62, 63, 324, 344, 447, 449, **468**  
  getting name, 65  
  interning, 64, 65  
  predefined, 62, 340  
Authentication, 193  
AutoRepeatModeDefault, 262  
AutoRepeatModeOff, 262, 264  
AutoRepeatModeOn, 262, 263

## B

B16, 446  
B32, 446  
Background, **468**  
Backing store, **468**  
BadAccess, 54, 95, 96, 97, 98, 194, 195, 196, **243**, 253, 256  
BadAlloc, 41, 42, 65, 69, 73, 74, 75, 76, 86, 87, 134, 135, 137, 138, 139, 140, 142, 143, 144, 145, 146, 165, **243**, 270, 272, 348, 350, 351, 354, 357, 358, 360, 361, 362, 363, 364, 367, 368, 374, 405, 406, 413, 415, 416, 457, 458, 459, 460  
BadAtom, 65, 66, 68, 69, 70, 71, 72, **243**, 245, 282, 283, 315, 317, 324, 348, 349, 358, 359, 374, 459, 460

- BadColor, 41, 54, 56, 87, 88, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 187, **243**, 245, 315, 317, 324
  - BadCursor, 41, 54, 56, 77, 78, **243**, 245, 250, 251, 253, 317, 325
  - BadDrawable, 59, 60, 73, 77, 134, 141, 142, 149, 150, 152, 154, 155, 157, 159, 160, 161, 175, 176, 178, 180, 181, 183, **243**, 245, 413, 414, 415, 460
  - BadFont, 75, 134, 135, 143, 166, 172, 174, 175, **243**, 245, 296
  - BadGC, 26, 134, 135, 136, 137, 138, 139, 140, 142, 143, 144, 145, 146, 149, 150, 152, 154, 155, 157, 159, 160, 161, 172, 175, 176, 178, 180, 183, **243**, 245, 413, 415, 416
  - BadIDChoice, **243**
  - BadImplementation, 243, **245**
  - BadLength, 243, **245**, 272, 446
  - BadMatch, 33, 35, 36, 38, 39, 41, 42, 46, 47, 48, 52, 54, 55, 56, 69, 70, 76, 86, 132, 133, 134, 135, 141, 142, 143, 144, 145, 148, 149, 150, 152, 154, 155, 157, 159, 160, 161, 175, 176, 178, 180, 181, 182, 183, 185, 186, 243, **245**, 260, 262, 263, 343, 407, 414, 415
  - BadName, 98, 165, 243, **245**
  - BadPixmap, 41, 54, 55, 74, 76, 134, 135, 142, 143, 144, 243, **245**, 315, 317, 324
  - BadRequest, 243, **245**
  - BadValue, 26, 39, 41, 42, 46, 48, 49, 50, 51, 54, 65, 68, 69, 73, 74, 75, 86, 93, 94, 95, 96, 97, 98, 99, 100, 133, 134, 135, 137, 138, 139, 140, 141, 145, 146, 148, 150, 152, 154, 160, 180, 181, 183, 185, 188, 190, 191, 192, 194, 195, 196, 240, 243, **245**, 250, 251, 253, 254, 256, 258, 260, 262, 263, 264, 265, 266, 269, 270, 272, 343, 348, 415
  - BadWindow, 41, 42, 44, 45, 48, 49, 50, 51, 52, 53, 54, 55, 56, 58, 59, 61, 62, 68, 69, 70, 71, 72, 86, 148, 185, 186, 188, 232, 240, 242, 243, **245**, 250, 253, 254, 256, 259, 260, 315, 317, 320, 343, 348, 349, 350, 351, 352, 354, 357, 358, 359, 360, 361, 362, 363, 364, 365, 367, 368, 374, 457, 458, 459, 460
  - Base font name, **468**
  - Below, 46, 47
  - Bit:
    - gravity, **468**
    - plane, **468**
  - Bitmap, 2, **469**
  - BitmapBitOrder, **19**
  - BitmapFileInvalid, 412
  - BitmapNoMemory, 412, 414
  - BitmapOpenFailed, 412, 414
  - BitmapPad, **19**
  - BitmapSuccess, 412, 414
  - BitmapUnit, **19**
  - BlackPixel, **10**
  - BlackPixelOfScreen, **21**
  - Bool, **4**, 199, 236, 237, 314, 436
  - Border, **469**
  - BottomIf, 46, 47, 48
  - Button1, 206
  - Button1Mask, 206, 208
  - Button1Motion, 38
  - Button1MotionMask, 200, 203, 206, 249
  - Button2, 206
  - Button2Mask, 206, 208
  - Button2Motion, 38
  - Button2MotionMask, 200, 206, 249
  - Button3, 206
  - Button3Mask, 206, 208
  - Button3Motion, 38
  - Button3MotionMask, 200, 206, 249
  - Button4, 206
  - Button4Mask, 206, 208
  - Button4Motion, 38
  - Button4MotionMask, 200, 206, 249
  - Button5, 206
  - Button5Mask, 206, 208
  - Button5Motion, 38
  - Button5MotionMask, 200, 203, 206, 249
  - Button:
    - grabbing, 251, **469**
    - ungrabbing, 253
  - ButtonMotion, 38
  - ButtonMotionMask, 200, 201, 203, 249
  - ButtonPress, 38, 197, 200, **203**, 210, 232, 252, 257
  - ButtonPressMask, 53, 200, 203, 232, 249
  - ButtonRelease, 38, 197, **203**, 210, 257
  - ButtonReleaseMask, 200, 203, 249
  - Byte:
    - order, **469**
- ## C
- CallbackPrototype, **326**
  - calloc, 453
  - CapButt, 129, 131, 138
  - CapNotLast, 131, 138
  - CapProjecting, 131, 138
  - CapRound, 131, 138
  - CARD16, 454
  - CARD32, 454
  - CCC, 85
    - creation, 104
    - default, 85, 100, 101
    - freeing, 105
    - of colormap, 85, 100, 101
  - CellsOfScreen, **21**

- CenterGravity, 36, 59
- Changing:
  - pointer grab, 251
- char, 66, 68, 69, 454
- Character glyph, **469**
- Character set, **469**
- Character, **469**
- Charset, **469**
- CharSetEncoding, 287, 288, 468, 471
- CharSetRegistry, 287, 288, 468, 471
- Child window, 1
- Child Window, 57
- Children, **469**
- Chroma, 117, 118, 119
  - maximum, 117, 118, 119
- CIE metric lightness, 113, 114, 115, 116, 117
  - maximum, 114, 116
  - minimum, 115, 117
- CirculateNotify, 51, 197, 201, 207, **217**, 223
- CirculateRequest, 51, 197, **224**, 232
- Class, **469**
- Clearing:
  - areas, 147
  - windows, 148
- Client White Point, 85
  - of Color Conversion Context, 103
- Client, **470**
- ClientMessage, 63, 197, 200, **227**, 342
- ClientWhitePointOfCCC, **102**
- ClipByChildren, 129, 133, 146, 147
- Clipping region, **470**
- Coded character set, **470**
- Coded character, **470**
- Codepoint, **470**
- Color Characterization Data, 125
- Color Conversion Context, 85
  - creation, 85, 100, 104
  - default, 85, 100, 101
  - freeing, 105
  - of colormap, 85, 100, 101
- Color conversion, 106
- Color map, 80, 90
- Color, 80
  - allocation, 89, 90, 91, 92, 93
  - conversion, 106
  - deallocation, 94
  - naming, 87, 88, 90, 91, 97
  - querying, 98, 99
  - storing, 95, 96, 97
- Colormap, 2, 26, 27, 324, 447, **470**
  - CCC of, 100, 101
- ColormapChangeMask, 200, 227
- ColormapInstalled, 227
- ColormapNotify, 53, 87, 187, 197, **226**, 227
- Colormaps:
  - standard, 372
- ColormapUninstalled, 227
- Complex, 159
- ConfigureNotify, 46, 197, 201, 207, 217, **218**, 223
- ConfigureRequest, 3, 46, 48, 49, 50, 51, 52, 197, 224, **225**, 232
- ConfigureRequestEvent, 343
- ConfigureWindow, 225, 343
- Connection, **470**
- ConnectionNumber, **11**
- Containment, **470**
- Control, 272
- ControlMask, 206, 209, 249, 253
- ConvertSelection, 230
- Convex, 159
- Coordinate system, **470**
- CoordModeOrigin, 152, 153, 154, 159
- CoordModePrevious, 152, 153, 154, 159
- CopyArea, 150
- CopyFromParent, 34, 36, 39, 53, 55
- Copying:
  - areas, 148
  - planes, 149
- CreateNotify, 40, 41, 197, 201, 217, **219**
- CurrentTime, 71, 72, 200, 230, 241, **248**, 249, 250, 251, 253, 254, 255, 256, 259, 260, 480
- Cursor, 2, 26, 27, 325, 447, **470**
  - Initial State, 41
  - limitations, 77
- CursorShape, 140, 141
- Cut Buffers, 405
- CWBackingPixel, 33
- CWBackingPlanes, 33
- CWBackingStore, 33
- CWBackPixel, 33
- CWBackPixmap, 33
- CWBitGravity, 33
- CWBorderPixel, 33
- CWBorderPixmap, 33
- CWBorderWidth, 45
- CWColormap, 33
- CWCursor, 33
- CWDontPropagate, 33
- CWEventMask, 33
- CWHeight, 45
- CWOverrideRedirect, 33
- CWSaveUnder, 33
- CWSibling, 45
- CWStackMode, 45
- CWWidth, 45
- CWWinGravity, 33

CWX, 45

CWY, 45

## D

Data16, 450

Data32, 450

Data, 449, 450, 453

Debugging:

error event, 243

error handlers, 243

error message strings, 245

error numbers, 243

synchronous mode, 242

Default Protection, 193

DefaultBlanking, 190, 192

DefaultColormap, **11**, 80

DefaultColormapOfScreen, **22**

DefaultDepth, **12**

DefaultDepthOfScreen, **22**

DefaultExposures, 190, 192

DefaultGC, **12**

DefaultGCOfScreen, **22**

DefaultRootWindow, **13**

DefaultScreen, 8, 9, **13**

DefaultScreenOfDisplay, **13**

DefaultVisual, **14**, 80

DefaultVisualOfScreen, **22**

Depth, **471**

Destination, **129**

DestroyAll, 26, 27

DestroyCallback, **313**, **327**

DestroyNotify, 42, 197, 201, 217, **219**

Device Color Characterization, 124

Device profile, 85, 125

Device, **471**

DirectColor, 31, 32, 80, 86, 93, 94, 373, **471**, 480

DisableAccess, 195

Display Functions, **129**

Display, 9, 10, 26, 272, 442, 443, 448, 450, **471**, 478

data structure, 10

structure, 471, 478

DisplayCells, **14**

DisplayHeight, **20**

DisplayHeightMM, **20**

DisplayOfCCC, **101**

DisplayOfScreen, **23**

DisplayPlanes, **14**

DisplayString, **15**

DisplayWidth, **20**

DisplayWidthMM, **21**

DoBlue, 80, 88, 96, 97, 98, 99

DoesBackingStore, **23**

DoesSaveUnders, **23**

DoGreen, 80, 88, 96, 97, 98, 99

DontAllowExposures, 190, 192

DontPreferBlanking, 190, 192

DoRed, 80, 88, 96, 97, 98, 99

Drawable, 2, 447, 449, **471**

Drawing:

arcs, 156

image text, 176

lines, 152

points, 151

polygons, 152

rectangles, 154

strings, 175

text items, 173

## E

EastGravity, 36, 59

EnableAccess, 195

Encoding, **471**

EnterNotify, 197, **207**, 208, 209, 210, 211, 214, 223, 250, 251

EnterWindowMask, 200, 207, 249

Environment:

DISPLAY, 8

Error:

codes, 243

handlers, 243

handling, 3

Escapement, **471**

EvenOddRule, 129, 133, 140, 401

Event mask, **199**

Event, 2, 197, **471**

categories, 197

Exposure, **472**

mask, **472**

propagation, 231, **472**

source, **472**

synchronization, **472**

types, 197

EventMaskOfScreen, **23**

Events:

ButtonPress, 203

ButtonRelease, 203

CirculateNotify, 217

CirculateRequest, 224

ClientMessage, 227

ColormapNotify, 226

ConfigureNotify, 218

ConfigureRequest, 225

CreateNotify, 219

- DestroyNotify, 219
  - EnterNotify, 207
  - Expose, 215
  - FocusIn, 210
  - FocusOut, 210
  - GraphicsExpose, 216
  - GravityNotify, 220
  - KeymapNotify, 214
  - KeyPress, 203
  - KeyRelease, 203
  - LeaveNotify, 207
  - MapNotify, 220
  - MappingNotify, 221
  - MapRequest, 225
  - MotionNotify, 203
  - NoExpose, 216
  - PropertyNotify, 228
  - ReparentNotify, 222
  - ResizeRequest, 226
  - SelectionClear, 229
  - SelectionNotify, 230
  - SelectionRequest, 229
  - UnmapNotify, 222
  - VisibilityNotify, 223
  - Expose, 2, 33, 36, 37, 42, 43, 44, 45, 48, 49, 50, 51, 147, 148, 185, 191, 197, 207, 211, **215**, 223
  - ExposureMask, 200, 215
  - Extension, **472**
- F**
- False, **4**, 23, 29, 34, 38, 43, 46, 48, 49, 50, 51, 52, 59, 61, 62, 64, 97, 106, 148, 166, 200, 203, 206, 208, 225, 226, 227, 232, 234, 235, 237, 238, 239, 240, 242, 249, 254, 274, 281, 291, 292, 314, 335, 353, 385, 386, 387, 390, 431, 437, 439, 451
  - FamilyChaos, 193
  - FamilyDECnet, 193
  - FamilyInternet, 193
  - Files:
    - \$HOME/.Xdefaults, 462
    - /etc/X?.hosts, 193
    - <stdio.h>, 454
    - <X11/cursorfont.h>, 4
    - <X11/keysym.h>, 4, 267
    - <X11/keysymdef.h>, 4, 267, 395
    - <X11/X.h>, 2, 3, 129, 197, 200
    - <X11/X10.h>, 4, 463
    - <X11/Xatom.h>, 3, 63, 166, 340, 372
    - <X11/Xcms.h>, 3, 79
    - <X11/Xlib.h>, 3, 4, 9, 79, 198, 338, 408, 432, 442, 443
    - <X11/Xlibint.h>, 4, 431, 445, 446, 448
    - <X11/Xproto.h>, 4, 216, 243, 446, 447, 448
    - <X11/Xprotostr.h>, 4
    - <X11/Xresource.h>, 3, 376
    - <X11/Xutil.h>, 3, 352, 354, 359, 364, 399, 400, 407, 410, 416, 457
  - Filling:
    - arcs, 160
    - polygon, 159
    - rectangles, 158
  - FillOpaqueStippled, 132, 140, 150
  - FillPolygon, 158
  - FillSolid, 129, 132, 140, 178
  - FillStippled, 132, 140
  - FillTiled, 132, 140
  - FlushGC, **444**, 445
  - FocusChangeMask, 200, 210
  - FocusIn, 197, **210**, 211, 212, 213, 214, 254, 255, 260
  - FocusOut, 197, 207, **210**, 211, 212, 213, 214, 223, 254, 255, 260
  - Font glyph, **472**
  - Font, 2
  - font, 6
  - Font, 26, 27, 161, 447, **472**
  - FontLeftToRight, 163, 169, 170, 171
  - FontRightToLeft, 163, 169, 170, 171
  - Fonts, 465
    - freeing font information, 164
    - getting information, 164
    - unloading, 164
  - Forget, 37
  - ForgetGravity, 34, 36, 37, 59
  - fork, 15
  - free, 453
  - Freeing:
    - colors, 94
    - resources, 33, 54, 55
  - Frozen events, **472**
  - Function set, 124
    - LINEAR\_RGB, 124
- G**
- Gamut compression, 85
    - client data, 103
    - procedure, 103
    - setting in Color Conversion Context, 103
  - Gamut handling, 85
  - Gamut querying, 111
  - GC, 442, **472**
  - GCArcMode, 127, 135
  - GCBackground, 127, 135
  - GCCapStyle, 127, 135

GCClipMask, 127, 135  
 GCClipXOrigin, 127, 135  
 GCClipYOrigin, 127  
 GCCLipYOrigin, 135  
 GCDashList, 127, 135  
 GCDashOffset, 127, 135  
 GCFillRule, 127, 135  
 GCFillStyle, 127, 135  
 GCFont, 127, 135  
 GCForeground, 127, 135  
 GCFunction, 127, 135  
 GCGraphicsExposures, 127, 135  
 GCJoinStyle, 127, 135  
 GCLineStyle, 127, 135  
 GCLineWidth, 127, 135  
 GContext, 2, 26, 27, 136, 164, 165, 171, 243, 447  
 GCPlaneMask, 127, 135  
 GCStipple, 127, 135  
 GCSubwindowMode, 127, 135  
 GCTile, 127, 135  
 GCTileStipXOrigin, 127, 135  
 GCTileStipYOrigin, 127, 135  
 GeometryCallback, **326**  
 GetEmptyReq, 448, 449  
 GetKeyboardControl, 448, 450  
 GetReq, 448, 449, 453  
 GetReqExtra, 448, 449  
 GetResReq, 448, 449  
 GetWindowAttributes, 448, 450, 451  
 Glyph image, **473**  
 Glyph, **472**  
 Grab, **473**  
 Grabbing:  
   buttons, 251  
   keyboard, 253  
   keys, 255  
   pointer, 249  
   server, 189  
 GrabFrozen, 250, 254  
 GrabInvalidTime, 250, 254  
 GrabModeAsync, 203, 249, 250, 251, 253, 254, 255  
 GrabModeSync, 249, 250, 251, 253, 254, 255  
 GrabNotViewable, 250, 254  
 GrabSuccess, 249  
 Graphics context, 127, **473**  
   initializing, 134  
   path, 131  
 GraphicsExpose, 134, 146, 149, 197, 198, 200, **216**, 217  
 Gravity, **473**  
 GravityNotify, 37, 46, 197, 201, 207, 217, **220**, 223

GrayScale, 31, 32, 76, 80, 86, 93, 372, 373, 460, **473**, 479  
 GXand, 129  
 GXandInverted, 129  
 GXandReverse, 129  
 GXclear, 129  
 GXcopy, 129, 148, 149, 178  
 GXcopyInverted, 129  
 GXequiv, 129  
 GXinvert, 129  
 GXnand, 129  
 GXnoop, 129  
 GXnor, 129  
 GXor, 129  
 GXorInverted, 129  
 GXorReverse, 129  
 GXset, 129  
 GXxor, 129

## H

Hash Lookup, 465

Headers:

<stdio.h>, 454  
 <X11/cursorfont.h>, 4  
 <X11/keysym.h>, 4, 267  
 <X11/keysymdef.h>, 4, 267, 395  
 <X11/X.h>, 2, 3, 129, 197, 200  
 <X11/X10.h>, 4, 463  
 <X11/Xatom.h>, 3, 63, 166, 340, 372  
 <X11/Xcms.h>, 3, 79  
 <X11/Xlib.h>, 3, 4, 9, 79, 198, 338, 408, 432, 442, 443  
 <X11/Xlibint.h>, 4, 431, 445, 446, 448  
 <X11/Xproto.h>, 4, 216, 243, 446, 447, 448  
 <X11/Xprotostr.h>, 4  
 <X11/Xresource.h>, 3, 376  
 <X11/Xutil.h>, 3, 352, 354, 359, 364, 399, 400, 407, 410, 416, 457  
 HeightMMOfScreen, **24**  
 HeightOfScreen, **24**  
 HeightValue, 399  
 Host Portable Character Encoding, **473**  
 Hotspot, **473**

## I

IconicState, 342, 353  
 IconMaskHint, 352  
 IconPixmapHint, 352  
 IconPositionHint, 352  
 IconWindowHint, 352  
 Identifier, **473**

## Image text:

drawing, 176

ImageByteOrder, **19**IMInstantiateCallback, **310**

IncludeInferiors, 133, 146

Inferiors, **473**

InitExtension, 246

Input Control, 197

## Input:

focus, **473**manager, **473**

InputFocus, 239, 240

InputHint, 352

InputOnly, 33, 34, 36, 38, 39, 41, 46, 54, 55, 59, 60, 73, 141, 142, 148, 185, 215, 223, 243, 469, 471, 474, 475

InputOutput, 33, 34, 35, 36, 37, 38, 39, 41, 44, 59, 133, 468, 469, 474, 475

int, 5, 324, 436, 454

Internationalization, **474**IsCursorKey, **396**IsFunctionKey, **396**IsKeypadKey, **396**IsMiscFunctionKey, **396**IsModifierKey, **396**ISO2022, **474**IsPFKey, **396**IsPrivateKeypadKey, **396**

isspace, 480

IsUnmapped, 59

IsUnviewable, 59

IsViewable, 59

**J**

JoinBevel, 131, 138

JoinMiter, 129, 131, 138

JoinRound, 131, 138

**K**

KBAutoRepeatMode, 261

KBBellDuration, 261

KBBellPercent, 261

KBBellPitch, 261

KBKey, 261

KBKeyClickPercent, 261

KBLed, 261

KBLedMode, 261

## Key:

grabbing, 255, **474**

ungrabbing, 256

## Keyboard:

bell volume, 261

bit vector, 261

grabbing, 253, **474**

keyclick volume, 261

ungrabbing, 254

KeymapNotify, 197, **214**

KeymapStateMask, 200, 214

KeyMapStateMask, 249

KeyPress, 38, 197, **203**, 214, 254, 255, 257, 262, 267, 336, 337, 393

KeyPressMask, 200, 203

KeyRelease, 38, 197, **203**, 214, 254, 257, 262, 336, 393

KeyReleaseMask, 200, 203

Keysym, **474****L**LastKnownRequestProcessed, **16**Latin Portable Character Encoding, **474**Latin-1, **474**LeaveNotify, 197, **207**, 208, 209, 210, 211, 223, 250, 251

LeaveWindowMask, 200, 207, 249

LedModeOff, 262

LedModeOn, 262

LineDoubleDash, 131, 132, 138

LineOnOffDash, 131, 132, 138

## Lines:

drawing, 152

LineSolid, 129, 131, 132, 138

Locale name, **475**Locale, **474**Localization, **475**

Lock, 268, 272, 397

LockDisplay, **448**

LockMask, 206, 209, 249, 253

long, 66, 68, 69, 321, 324, 436, 454

LookupColor, 243

LowerHighest, 51, 52

LSBFirst, 19

**M**

malloc, 453

MapNotify, 43, 197, 201, 207, 217, **220**, 221, 223Mapped window, **475**

MappingBusy, 265, 272

MappingFailed, 272

MappingKeyboard, 221, 222, 394

MappingModifier, 221, 394

MappingNotify, 197, 200, 217, **221**, 265, 270, 272,

394  
 MappingPointer, 221, 222  
 MappingSuccess, 265, 272  
 MapRequest, 43, 197, 224, **225**, 226, 232  
 MapWindow, 27, 184, 185  
 MaxCmapsOfScreen, **24**  
 mblen, 276  
 mbtowc, 276  
 Menus, 189  
 MinCmapsOfScreen, **25**  
 Mod1, 268, 272  
 Mod1Mask, 206, 209, 249, 253  
 Mod2, 272  
 Mod2Mask, 206, 209, 249, 253  
 Mod3, 272  
 Mod3Mask, 206, 209, 249, 253  
 Mod4, 272  
 Mod4Mask, 206, 209, 249, 253  
 Mod5, 268, 272  
 Mod5Mask, 206, 209, 249, 253  
 Modifier keys, **475**  
 Monochrome, **475**  
 MotionNotify, 197, 201, **203**, 204, 207, 241  
 Mouse:  
   programming, 261  
 MSBFirst, 19  
 Multibyte, **475**

**N**

NextRequest, **16**, 243  
 NoEventMask, 38, 200  
 NoExpose, 146, 149, 197, 200, **216**  
 Nonconvex, 159, 160  
 None, **4**, 34, 35, 36, 39, 53, 54, 56, 59, 61, 62, 64,  
 67, 71, 72, 74, 75, 87, 129, 133, 144, 145, 148,  
 149, 173, 174, 203, 206, 208, 213, 218, 225, 227,  
 230, 249, 250, 251, 259, 260, 297, 335, 349, 374,  
 416, 456  
 NoOperation, 25  
 NormalState, 353  
 NorthEastGravity, 36, 59, 400  
 NorthGravity, 36, 59  
 NorthWestGravity, 34, 36, 37, 59, 400  
 NoSymbol, 267, 269, 270, 393, 394, 395  
 NotifyAncestor, 209, 211, 212  
 NotifyDetailNone, 211, 213, 214  
 NotifyGrab, 209, 210, 211, 214  
 NotifyHint, 204, 206  
 NotifyInferior, 209, 211, 212  
 NotifyNonlinear, 209, 210, 211, 212, 213  
 NotifyNonlinearVirtual, 209, 210, 211, 212, 213  
 NotifyNormal, 206, 209, 211

NotifyPointer, 211, 212, 213, 214  
 NotifyPointerRoot, 211, 213, 214  
 NotifyUngrab, 209, 210, 211, 214  
 NotifyVirtual, 209, 211, 212  
 NotifyWhileGrabbed, 211  
 NotUseful, 23, 34, 37, 59  
 NULLQUARK, 390

**O**

Obscure, **475**  
 Occlude, **475**  
 OpenFont, 243  
 Opposite, 46, 47, 48  
 Output Control, 197  
 OwnerGrabButtonMask, 200, 203

**P**

PackData, 454  
 Padding, **476**  
 PAllHints, 355, 357  
 Parent Window, 1, 57  
 ParentRelative, 33, 35, 53, 54, 185  
 PAspect, 355  
 Passive grab, 248, **476**  
 PBaseSize, 355  
 Pixel value, 130, **476**  
 Pixmap, 2, 26, 27, 324, 447, 449, **476**  
 Pixmaps, 465  
 PlaceOnBottom, 217, 218, 225  
 PlaceOnTop, 217, 225  
 Plane, **476**  
   copying, 149  
   mask, 130, **476**  
 PlanesOfScreen, **25**  
 PMaxSize, 355  
 PMinSize, 355  
 Pointer, **476**  
   grabbing, 249, 251, **476**  
   ungrabbing, 250  
 PointerMotion, 38  
 PointerMotionHintMask, 200, 204, 249  
 PointerMotionMask, 200, 201, 204, 249  
 PointerRoot, 27, 213, 214, 259, 260, 353  
 PointerWindow, 239, 240  
 Pointing device, **476**  
 Points:  
   drawing, 151  
 poll, 30  
 Polygons:  
   drawing, 152  
   filling, 159



PolyLine, 154, 155  
 POSIX Portable Filename Character Set, **477**  
 POSIX System Call:  
   fork, 15  
 POSIX, **476**  
 PPosition, 355  
 PreeditCaretCallback, **332**  
 PreeditDoneCallback, **329**  
 PreeditDrawCallback, **330**  
 PreeditStartCallback, **329**  
 PreeditStateNotifyCallback, **327**  
 PreferBlanking, 190, 192  
 PResizeInc, 355  
 Property list, **477**  
 Property, **477**  
   appending, 69  
   changing, 69  
   deleting, 70  
   format, 69  
   getting, 66  
   listing, 68  
   prepending, 69  
   replacing, 69  
   type, 69  
 PropertyChangeMask, 200, 228  
 PropertyDelete, 228, 229  
 PropertyNewValue, 228  
 PropertyNotify, 68, 69, 70, 197, 227, **228**  
 PropModeAppend, 69  
 PropModePrepend, 69  
 PropModeReplace, 69  
 Protocol:  
   DECnet, 9  
   TCP, 9  
 ProtocolRevision, **16**  
 ProtocolVersion, **16**  
 PseudoColor, 31, 32, 80, 86, 92, 93, 94, 373, 473, **477**, 479  
 PSize, 355  
 Psychometric Chroma, 113, 114, 115, 116  
   maximum, 113, 114, 115, 116  
 Psychometric Hue Angle, 113, 114, 115, 116, 117  
 PWinGravity, 355

## Q

QLength, **17**  
 QueryFont, 243, 448, 450  
 QueryKeymap, 448, 450  
 QueuedAfterFlush, 233  
 QueuedAfterReading, 233

QueuedAlready, 233

## R

RaiseLowest, 51, 52  
 Read-only colormap cells, 89  
 read-only colormap cells, 90  
 Read-only colormap cells:  
   allocating, 89, 90, 91  
 Read/write colormap cells, 89  
   allocating, 92  
 Read/write colormap planes:  
   allocating, 93  
 Rectangle, **477**  
   filling, 158  
 RectangleIn, 405  
 RectangleOut, 405  
 RectanglePart, 405  
 Rectangles:  
   drawing, 154  
 Redirecting control, **477**  
 Region, 400  
 ReleaseByFreeingColormap, 371  
 ReparentNotify, 184, 197, 201, 217, **222**  
 ReplayKeyboard, 256, 257, 258  
 ReplayPointer, 256, 257, 258  
 Reply, **477**  
 Request, **477**  
 Requests, **197**  
 ResizeRedirect, 226  
 ResizeRedirectMask, 43, 46, 53, 200, 232  
 ResizeRequest, 43, 46, 197, 224, **226**, 232  
 Resource IDs, 2, 26, 465  
   Cursor, 2  
   Font, 2  
   freeing, 33, 54, 55  
   GContext, 2  
   Pixmap, 2  
   Window, 2  
 Resource, **477**  
 ResourceName, 389  
 RetainPermanent, 26, 27, 190  
 RetainTemporary, 26, 27, 190  
 RevertToNone, 259, 260  
 RevertToParent, 259, 260  
 RevertToPointerRoot, 259, 260  
 RGB values, **477**  
 Root, 127, **478**  
 RootWindow, **17**, 301

RootWindowOfScreen, **25**

## S

Save set, **478**

Save Unders, 38

Scanline, **478**

order, **478**

Screen White Point, 111

Screen, 1, 8, 9, 10, 21, 22, 23, 24, 25, 442, **478**

structure, 478

ScreenCount, **17**

ScreenFormat, 442

ScreenNumberOfCCC, **102**

ScreenOfDisplay, **13**

ScreenSaverActive, 191

ScreenSaverReset, 191, 192

ScreenWhitePointOfCCC, **102**

select, 30

Selection, 70, **478**

converting, 72

getting the owner, 71

setting the owner, 71

SelectionClear, 71, 197, 200, 227, **229**

SelectionNotify, 72, 197, 200, 227, **230**, 239

SelectionRequest, 71, 72, 197, 200, 227, **229**

SendEvent, 198, 436

Serial Number, 243

Server, **478**

grabbing, 189, **479**

ServerVendor, **17**

setlocale, 273, 275, 474, 475

SetModeDelete, 185

SetModeInsert, 185

Shift sequence, **479**

Shift, 268, 272, 397

ShiftMask, 206, 209, 249, 253

short, 66, 68, 69, 454

Sibling, **479**

Source, **129**

SouthEastGravity, 36, 59, 400

SouthGravity, 36, 59

SouthWestGravity, 36, 59, 400

special, 6

Stacking order, 2, **479**

Standard Colormaps, 372

State-dependent encoding, **479**

State-independent encoding, **479**

StateHint, 352

StaticColor, 31, 32, 80, 86, **479**

StaticGravity, 37, 59

StaticGray, 31, 32, 76, 80, 86, 475, **479**

Status, 3, 85, **479**

StatusDoneCallback, **334**

StatusDrawCallback, **334**

StatusStart, 334

StatusStartCallback, **333**

Stipple, **479**

StippleShape, 140, 141

STRING encoding, **479**

String Equivalence, **479**

StringConversionCallback, **328**

Strings:

drawing, 175

strlen, 389

strtok, 276

StructureNotify, 217, 218, 220, 221, 222, 223

StructureNotifyMask, 200, 217, 218, 219, 220,

221, 222

SubstructureNotify, 217, 218, 220, 221, 222, 223

SubstructureNotifyMask, 200, 201, 217, 218, 219,

220, 221, 222, 342

SubstructureRedirectMask, 38, 43, 46, 48, 49, 50,

51, 52, 53, 200, 224, 225, 226, 232, 342

Success, 68, 343, 345, 346

SyncBoth, 256, 257

SyncHandle, 452

SyncKeyboard, 256, 257, 258

SyncPointer, 256, 257, 258

## T

Text:

drawing, 173

this, 6

Tile, 2, **480**

mode, 33

pixmap, 33

TileShape, 140, 141

Time, **248**

Timestamp, **480**

TopIf, 46, 47, 48

True, **4**, 23, 29, 38, 43, 59, 61, 62, 68, 93, 94, 97,

106, 107, 109, 123, 129, 148, 149, 163, 166, 184,

198, 200, 203, 206, 208, 216, 219, 221, 222, 223,

227, 229, 232, 234, 235, 236, 237, 238, 239, 240,

242, 250, 254, 266, 274, 281, 286, 291, 292, 314,

335, 345, 353, 384, 385, 386, 387, 390, 396, 404,

431, 437, 439, 451

TrueColor, 31, 32, 80, 86, **480**

Type, **480**

## U

Ungrabbing:  
 buttons, 253  
 keyboard, 254  
 keys, 256  
 pointer, 250  
 UngrabKeyboard, 255  
 UngrabPointer, 251  
 UnlockDisplay, **448**  
 UnmapGravity, 37, 59, 223  
 UnmapNotify Event, 45  
 UnmapNotify, 37, 45, 197, 201, 207, 211, 217, **222**, 223, 342  
 UnmapWindow, 184, 185  
 unsigned, 321, 324, 436, 454  
 Unsorted, 144, 145  
 UrgencyHint, 352, 354  
 USPosition, 355  
 USSize, 355

## V

Value, 118, 119  
 maximum, 118, 119  
 minimum, 119  
 VendorRelease, **18**  
 Vertex, **463**  
 VertexCurved, **463**, 464  
 VertexDontDraw, **463**, 464  
 VertexDrawLastPoint, 462  
 VertexEndClosed, **463**, 464  
 VertexRelative, **463**, 464  
 VertexStartClosed, **463**, 464  
 Viewable, **480**  
 VisibilityChangeMask, 200, 223  
 VisibilityFullyObscured, 223, 224  
 VisibilityNotify, 39, 197, 207, 211, 217, **223**  
 VisibilityPartiallyObscured, 223, 224  
 VisibilityUnobscured, 223, 224  
 Visible, **480**  
 Visual Classes:  
 GrayScale, 31  
 PseudoColor, 31  
 StaticColor, 31  
 StaticGray, 31  
 TrueColor, 31  
 Visual Type, **31**  
 Visual, **31**, 32, 58, 409, 442  
 VisualAllMask, 407  
 VisualBitsPerRGBMask, 407  
 VisualBlueMaskMask, 407  
 VisualClassMask, 407  
 VisualColormapSizeMask, 407  
 VisualDepthMask, 407

VisualGreenMaskMask, 407  
 VisualID, 447  
 VisualIDMask, 407  
 VisualNoMask, 407  
 VisualOfCCC, **102**  
 VisualRedMaskMask, 407  
 VisualScreenMask, 407  
 VoidSymbol, 267

## W

wctomb, 276  
 WestGravity, 36, 59  
 WhenMapped, 23, 37, 53, 59, 215  
 White point adjustment, 85  
 client data, 104  
 procedure, 104  
 setting in Color Conversion Context, 104  
 White point, 85  
 WhitePixel, 10, **11**  
 WhitePixelOfScreen, **21**  
 Whitespace, **480**  
 WidthMMOfScreen, **24**  
 WidthOfScreen, **24**  
 WidthValue, 399  
 WindingRule, 133, 140, 401  
 Window, **2**, 26, 33, 320, 447, 449  
 attributes, 33  
 background, 54  
 clearing, 148  
 defining the cursor, 56  
 determining location, 398, 461  
 gravity, **480**  
 icon name, 351  
 IDs, 465  
 InputOnly, 39, **474**  
 InputOutput, **474**  
 manager, **481**  
 managers, 189  
 mapping, 33  
 name, 349  
 parent, **476**  
 root, **478**  
 RootWindow, 17  
 undefining the cursor, 56  
 XRootWindow, 17  
 WindowGroupHint, 352  
 Windows, 465

WithdrawnState, 353

## X

X Portable Character Set, **481**

X10 compatibility:

  XDraw, 462, 463

  XDrawDashed, 462, 463

  XDrawFilled, 462, 464

  XDrawPatterned, 462, 463

  XDrawTiled, 462, 464

XActivateScreenSaver, **192**

XAddConnectionWatch, **29**

XAddExtension, **433**

XAddHost, **193**, 194

XAddHosts, **194**

XAddPixel, **411**

XAddToExtensionList, 442, **443**

XAddToSaveSet, **185**, 186

XAllocClassHint, **359**

XAllocColor, 87, **89**, 90, 92, 95, 111

XAllocColorCells, 86, 87, **92**, 93, 95

XAllocColorPlanes, 86, 87, **93**, 94, 95, 372

XAllocIconSize, **364**

XAllocID, **443**, 449

XAllocIDs, **443**

XAllocNamedColor, 83, 87, **90**, 91, 92, 95

XAllocSizeHints, **355**

XAllocStandardColormap, **371**

XAllocWMHints, **352**

XAllowEvents, 248, 250, 254, **256**, 257, 258

XAllPlanes, **10**

XAnyEvent, **198**

XAppendVertex, 462

XArc, **151**

XAssocTable, 465, 466

XAutoRepeatOff, **264**

XAutoRepeatOn, **264**

XBaseFontNameListOfFontSet, 287, **290**

XBell, **264**

XBitmapBitOrder, **19**

XBitmapPad, **19**

XBitmapUnit, **19**

XBlackPixel, **10**

XBlackPixelOfScreen, **21**

XBufferOverflow, 336

XButtonEvent, **204**

XButtonPressedEvent, **204**, 206

XButtonReleasedEvent, **204**, 206

Xcalloc, 453

XCellsOfScreen, **21**

XChangeActivePointerGrab, 203, **251**

XChangeGC, **134**, 135, 145, 449

XChangeKeyboardControl, 261, **263**, 264

XChangeKeyboardMapping, 221, **270**

XChangePointerControl, **266**

XChangeProperty, 15, **69**, 228, 229

XChangeSaveSet, **185**

XChangeWindowAttributes, 33, **53**, 54, 87, 187, 227, 231

XChar2b, **161**, 171, 172, 175

XCharStruct, **161**, 163, 164, 169, 170, 171, 172

XCheckIfEvent, 234, **235**

XCheckMaskEvent, **237**, 238

XCheckTypedEvent, **238**

XCheckTypedWindowEvent, **238**, 239

XCheckWindowEvent, **236**, 237

XCirculateEvent, **217**

XCirculateRequestEvent, **224**

XCirculateSubwindows, **51**, 52, 217, 224

XCirculateSubwindowsDown, **52**, 217, 224

XCirculateSubwindowsUp, **51**, 52, 217, 224

XClassHint, **359**, 360, 365, 366, 367, 368

XClearArea, **147**, 148

XClearVertexFlag, 463

XClearWindow, 53, **148**

XClientMessageEvent, **227**

XClipBox, **402**

XCloseDisplay, **26**, 434

XCloseIM, 302, 307, **309**, 313, 321

XCloseOM, **278**, 280

XcmsAddColorSpace, 107, 110, **120**, 121

XcmsAddFunctionSet, 120, **124**, 125

XcmsAllocColor, **90**, 110

XcmsAllocNamedColor, 83, **91**, 92

XcmsCCC, 101, 125

XcmsCCCOFColormap, **100**

XcmsCIELab, **81**, 110

XcmsCIELabClipab, 108

XcmsCIELabClipL, 108

XcmsCIELabClipLab, 108

XcmsCIELabFormat, 81, 124

XcmsCIELabQueryMaxC, 108, **113**, 114

XcmsCIELabQueryMaxL, **114**

XcmsCIELabQueryMaxLC, **114**, 115

XcmsCIELabQueryMinL, **115**

XcmsCIELabToCIEXYZ, 124

XcmsCIELabWhiteShiftColors, 110

XcmsCIELuv, **81**, 110

XcmsCIELuvClipL, 108

XcmsCIELuvClipLuv, 108

XcmsCIELuvClipuv, 108

XcmsCIELuvFormat, 81, 124

XcmsCIELuvQueryMaxC, 108, **116**

XcmsCIELuvQueryMaxL, **116**

XcmsCIELuvQueryMaxLC, **116**, 117

XcmsCIELuvQueryMinL, **117**  
 XcmsCIELuvToCIEuvY, 124  
 XcmsCIELuvWhiteShiftColors, 110  
 XcmsCIEuvY, **81**, 110, 111  
 XcmsCIEuvYFormat, 81, 103, 124  
 XcmsCIEuvYToCIELuv, 124  
 XcmsCIEuvYToCIEXYZ, 124  
 XcmsCIEuvYToTekHVC, 124  
 XcmsCIExyY, **81**  
 XcmsCIExyYFormat, 81, 103, 124  
 XcmsCIExyYToCIEXYZ, 124  
 XcmsCIEXYZ, **81**, 106, 107, 110  
 XcmsCIEXYZFormat, 81, 103, 124  
 XcmsCIEXYZToCIELab, 124  
 XcmsCIEXYZToCIEuvY, 124  
 XcmsCIEXYZToCIExyY, 124  
 XcmsCIEXYZToRGBi, 124  
 XcmsClientWhitePointOfCCC, **102**  
 XcmsColor, **80**, 92, 96, 97, 99, 100, 106, 107, 109, 120, 122, 123  
 XcmsColorFormat, 81  
 XcmsColorSpace, 121, 122, 123, 124, 125  
 XcmsColorSpaces, 121  
 XcmsCompressionProc, **107**  
 XcmsConvertColors, **106**  
 XcmsCreateCCC, **104**, 105  
 XcmsDefaultCCC, **101**  
 XcmsDisplayOfCCC, **101**  
 XcmsFailure, 85, 89, 90, 103, 104, 106, 114, 115, 116, 117, 126  
 XcmsFormatOfPrefix, 81, **121**, 122, 124  
 XcmsFreeCCC, 101, 104, **105**  
 XcmsFunctionSet, 125, 126  
 XcmsInitFailure, 126  
 XcmsInitNone, 126  
 XcmsInitSuccess, 126  
 XcmsLookupColor, 83, **88**, 89, 92  
 XcmsPad, **81**  
 XcmsParseStringProc, **122**  
 XcmsPerScrnInfo, 125, 126  
 XcmsPrefixOfFormat, 81, **121**, 122, 124  
 XcmsQueryBlack, **111**  
 XcmsQueryBlue, **112**  
 XcmsQueryColor, 97, **99**  
 XcmsQueryColors, 97, **99**, 100  
 XcmsQueryGreen, **112**  
 XcmsQueryRed, **112**, 113  
 XcmsQueryWhite, **113**  
 XcmsRGB, **81**, 83, 110, 111  
 XcmsRGBFormat, 81, 90, 92, 106, 124  
 XcmsRGBi, **81**, 83, 106, 107, 110, 111  
 XcmsRGBiFormat, 81, 106, 124  
 XcmsRGBiToCIEXYZ, 124  
 XcmsRGBiToRGB, 124  
 XcmsRGBToRGBi, 124  
 XcmsScreenFreeProc, **126**  
 XcmsScreenInitProc, **125**  
 XcmsScreenNumberOfCCC, **102**  
 XcmsScreenWhitePointOfCCC, **102**  
 XcmsSetCCCOOfColormap, **101**  
 XcmsSetCompressionProc, **103**, 104  
 XcmsSetWhiteAdjustProc, **104**  
 XcmsSetWhitePoint, **103**  
 XcmsStoreColor, **96**, 97  
 XcmsStoreColors, **97**  
 XcmsSuccess, 85, 89, 97, 121, 126  
 XcmsSuccessWithCompression, 85, 89  
 XcmsTekHVC, **81**, 110  
 XcmsTekHVCClipC, 109  
 XcmsTekHVCClipV, 109  
 XcmsTekHVCClipVC, 109  
 XcmsTekHVCFormat, 81, 124  
 XcmsTekHVCQueryMaxC, 111, **117**, 118  
 XcmsTekHVCQueryMaxV, **118**  
 XcmsTekHVCQueryMaxVC, **118**, 119  
 XcmsTekHVCQueryMaxVSamples, **119**  
 XcmsTekHVCQueryMinV, **119**, 120  
 XcmsTekHVCToCIEuvY, 124  
 XcmsTekHVCWhiteShiftColors, 110  
 XcmsUndefinedFormat, 81, 88, 91, 103, 121  
 XcmsVisualOfCCC, **102**  
 XcmsWhiteAdjustProc, **109**  
 XCNOENT, 417  
 XCNOEMEM, 416  
 XColor, 77, **80**, 83, 90, 95, 96, 97, 98, 99  
 XColormapEvent, **227**  
 XComposeStatus, 397  
 XCompoundTextStyle, 344  
 XConfigureEvent, **218**  
 XConfigureRequestEvent, **225**  
 XConfigureWindow, 45, **47**, 48, 218, 220, 225, 226  
 XConnectionNumber, **11**  
 XContextDependentDrawing, **292**  
 XContextualDrawing, 281, **291**, 292  
 XConvertCase, **394**, 395  
 XConverterNotFound, 344, 345  
 XConvertSelection, **72**, 229  
 XCopyArea, 134, 146, **148**, 149, 200, 216  
 XCopyColormapAndFree, **86**, 87  
 XCopyGC, **134**  
 XCopyPlane, 73, 134, 146, **149**, 150, 200, 216  
 XCreateAssocTable, **465**  
 XCreateBitmapFromData, **415**, 416  
 XCreateColormap, **86**, 95, 371  
 XCreateFontCursor, **74**, 430

- XCreateFontSet, 275, **286**, 287, 288, 289, 290, 294, 296, 297, 298, 299, 346, 347
- XCreateGC, 127, **134**, 135, 145, 216, 401, 449
- XCreateGlyphCursor, **74**, 75
- XCreateIC, 275, 302, **315**, 318, 322
- XCreateImage, **409**, 410, 411
- XCreateOC, 275, **282**, 283, 284, 286
- XCreatePixmap, **73**, 449
- XCreatePixmapCursor, **75**, 76
- XCreatePixmapFromBitmapData, **414**, 415
- XCreateRegion, **401**
- XCreateSimpleWindow, 39, **41**, 42, 187, 219
- XCreateWindow, 33, **39**, 40, 41, 53, 87, 187, 219, 231
- XCreateWindowEvent, **219**
- XCrossingEvent, **207**
- XDefaultColormap, **11**
- XDefaultColormapOfScreen, **22**
- XDefaultDepth, **12**
- XDefaultDepthOfScreen, **22**
- XDefaultGC, **12**
- XDefaultGCOfScreen, **22**
- XDefaultRootWindow, **13**
- XDefaultScreen, 8, 9, **13**
- XDefaultScreenOfDisplay, **13**
- XDefaultString, **346**
- XDefaultVisual, **14**
- XDefaultVisualOfScreen, **22**
- XDefineCursor, 41, **56**
- XDeleteAssoc, **466**
- XDeleteContext, **417**
- XDeleteModifiermapEntry, **271**
- XDeleteProperty, **70**, 229
- XDestroyAssocTable, **466**
- XDestroyIC, **315**, 321
- XDestroyImage, 410, **411**
- XDestroyOC, **282**, 285, 286
- XDestroyRegion, **401**
- XDestroySubwindows, **42**, 219
- XDestroyWindow, **42**, 219
- XDestroyWindowEvent, **220**
- XDirectionalDependentDrawing, 281, **291**
- XDisableAccessControl, **196**
- XDisplayCells, 10, **14**
- XDisplayHeight, 10, **20**
- XDisplayHeightMM, 10, **20**
- XDisplayKeycodes, **268**, 269, 270
- XDisplayMotionBufferSize, **241**
- XDisplayName, **246**
- XDisplayOfIM, **309**, 310
- XDisplayOfOM, **279**
- XDisplayOfScreen, **23**
- XDisplayPlanes, 10, **14**
- XDisplayString, **15**
- XDisplayWidth, 10, **20**
- XDisplayWidthMM, 10, **21**
- XDoesBackingStore, **23**
- XDoesSaveUnders, **23**
- xDoSomethingReply, **447**
- xDoSomethingReq, **446**, 449
- XDraw, 462, **463**
- XDrawArc, 132, **156**, 157
- XDrawArcs, 15, **156**, 157
- XDrawDashed, 462, 463
- XDrawFilled, 462, **464**
- XDrawImageString16, 176, **177**, 178
- XDrawImageString, 173, **176**, 177, 178, 296
- XDrawLine, 132, 147, **152**, 154
- XDrawLines, 15, 152, **153**, 154, 462, 463
- XDrawPatterned, 462, 463
- XDrawPoint, 147, **151**, 152, 444
- XDrawPoints, 15, 151, **152**
- XDrawRectangle, 132, 147, **154**, 155
- XDrawRectangles, 15, 154, **155**
- XDrawSegments, 15, 132, 152, **153**, 154, 462
- XDrawString16, **175**, 176
- XDrawString, **175**, 176, 296
- XDrawText16, 132, 173, **174**, 175
- XDrawText, 132, **173**, 174, 175, 296
- XDrawTiled, 462, 464
- XEObject, 442
- XEHeadOfExtensionList, **442**
- XEmptyRegion, **404**
- XEnableAccessControl, **196**
- XEnterWindowEvent, **207**, 209, 210
- XEqualRegion, **404**
- XErrorEvent, 243, 439, 441
- XESetBeforeFlush, **441**
- XESetCloseDisplay, **433**, 434
- XESetCopyGC, **434**, 435, 441
- XESetCreateFont, **435**, 436
- XESetCreateGC, **434**
- XESetError, **439**
- XESetErrorString, **440**
- XESetEventToWire, 436, **438**
- XESetFlushGC, **441**
- XESetFreeFont, **436**
- XESetFreeGC, **435**
- XESetPrintErrorValues, **440**
- XESetWireToError, **438**, 439, 441
- XESetWireToEvent, 436, **437**
- XEvent, **198**, 199, 234, 235, 236, 237, 238, 239, 240, 335, 436, 437
- xEvent, 437
- XEvent, 438
- xEvent, 438

XEvent, 439, 441  
 XEventMaskOfScreen, **23**  
 XEventsQueued, 17, **233**  
 XExposeEvent, **215**  
 XExtCodes, **432**, 433, 454, 455  
 XExtData, **442**  
 XExtendedMaxRequestSize, **15**  
 XExtentsOfFontSet, 275, **292**, 293  
 XFetchBuffer, **406**  
 XFetchBytes, 405, **406**  
 XFetchName, **350**  
 XFillArc, 132, 147, **160**, 161  
 XFillArcs, 15, 133, **160**, 161  
 XFillPolygon, 15, 132, 133, **159**, 160  
 XFillRectangle, 132, 147, **158**, 159  
 XFillRectangles, 15, **158**, 159  
 XFilterEvent, **335**  
 XFindContext, **416**, 417  
 XFindOnExtensionList, **443**  
 XFlush, **232**  
 XFlushGC, **136**  
 XFocusChangeEvent, **211**  
 XFocusInEvent, **211**, 212, 213, 214  
 XFocusOutEvent, **211**, 212, 213, 214  
 XFontProp, **161**  
 XFontSet, 275, 277, 282, 286, 287, 288, 289, 290, 292, 293, 294, 296, 297, 298, 299, 324, 346, 468  
 XFontSetExtents, 291, **292**, 293  
 XFontsOfFontSet, **289**  
 XFontStruct, **161**, 163, 165, 166, 169, 170, 173, 285, 286, 289, 290, 291, 442  
 XFontStructs, 289  
 XFontStructSet, 286, 289  
 XForceScreenSaver, **191**, 192  
 XFree, 12, 18, **25**, 26, 30, 58, 65, 68, 188, 194, 242, 269, 277, 280, 312, 314, 316, 318, 345, 347, 350, 352, 354, 355, 359, 360, 362, 363, 364, 365, 371, 382, 406, 408, 413, 453  
 XFreeColormap, **87**, 227  
 XFreeColors, 86, **94**, 95  
 XFreeCursor, 39, **77**, 78  
 XFreeExtensionList, **432**  
 XFreeFont, 75, **166**, 436  
 XFreeFontInfo, 165, **168**  
 XFreeFontNames, **167**, 168  
 XFreeFontPath, **189**  
 XFreeFontSet, 286, 289, **290**, 291, 293  
 XFreeGC, **136**  
 XFreeModifiermap, **271**, 272  
 XFreePixmap, **73**, 74, 413, 416  
 XFreeStringList, 289, 346, **347**, 369  
 XGContextFromGC, **136**, 165  
 XGCValues, **127**, 135  
 xGenericReply, 448  
 XGeometry, **461**  
 XGetAtomName, **65**, 66  
 XGetAtomNames, **65**, 66  
 XGetClassHint, **360**  
 XGetCommand, **368**, 369  
 XGetDefault, **462**  
 XGetErrorDatabaseText, **246**, 275  
 XGetErrorText, **245**, 275, 440  
 XGetFontPath, **188**, 189  
 XGetFontProperty, **166**  
 XGetGCValues, **135**  
 XGetGeometry, **59**, 60  
 XGetIconName, **351**, 352  
 XGetIconSizes, **364**, 365  
 XGetICValues, 308, **317**, 318, 323  
 XGetImage, **180**, 181, 182, 409, 410, 411  
 XGetIMValues, 304, 306, 308, **309**, 311, 314, 315, 319, 321, 322  
 XGetInputFocus, **260**, 261  
 XGetKeyboardControl, **263**  
 XGetKeyboardMapping, **269**, 270  
 XGetModifierMapping, **272**  
 XGetMotionEvents, 204, **241**, 242  
 XGetNormalHints, **457**, 458, 459  
 XGetOCValues, 282, **283**, 284  
 XGetOMValues, **279**, 285  
 XGetPixel, **410**  
 XGetPointerControl, **266**, 267  
 XGetPointerMapping, **265**, 266  
 XGetRGCColormap, 460  
 XGetRGCColormaps, 324, **374**  
 XGetScreenSaver, **192**  
 XGetSelectionOwner, **71**, 72  
 XGetSizeHints, **459**  
 XGetStandardColormap, **460**  
 XGetSubImage, **181**, 182, 183  
 XGetTextProperty, **348**, 349, 351, 370  
 XGetTransientForHint, **361**  
 XGetVisualInfo, **407**, 408  
 XGetWindowAttributes, **58**, 59  
 xGetWindowAttributesReply, 451  
 XGetWindowProperty, **66**, 67, 68, 69, 229  
 XGetWMClientMachine, **369**, 370  
 XGetWMColormapWindows, **363**, 364  
 XGetWMHints, **354**  
 XGetWMIconName, **351**  
 XGetWMName, **349**  
 XGetWMNormalHints, **357**, 358, 457  
 XGetWMProtocols, **362**  
 XGetWMSizeHints, **358**, 359, 459  
 XGetZoomHints, **458**, 459  
 XGrabButton, 203, **251**, 252, 253, 257

- XGrabKey, **255**, 256, 257
- XGrabKeyboard, 214, 248, **253**, 254, 255, 256, 257
- XGrabPointer, 207, 210, 248, **249**, 250, 251, 252, 257
- XGrabServer, **189**
- XGraphicsExposeEvent, 198, **216**, 217
- XGravityEvent, **220**
- XHeightMMOfScreen, **24**
- XHeightOfScreen, **24**
- XHostAddress, **193**
- XIC, 275, 302, 304
- XICCEncodingStyle, **344**
- XIconifyWindow, **342**
- XIconSize, 340, **364**
- XID, **4**
- XIfEvent, 234, **235**
- XIM, 273, 275, 302, 335
- XIMAbsolutePosition, 329, **333**
- XImage, **178**, 180, 181, 182, 408, 409, 411
- XImageByteOrder, **19**
- XIMBackwardChar, **333**
- XIMBackwardWord, **333**
- XIMCallback, 313, 320, 321, **325**
- XIMCaretDirection, 328, **333**
- XIMCaretDown, **333**
- XIMCaretStyle, **332**
- XIMCaretUp, **333**
- XIMDontChange, **333**
- XIMFeedback, 314, 331
- XIMForwardChar, **333**
- XIMForwardWord, **333**
- XIMHighlight, **332**
- XIMHotKeyStateOFF, 323
- XIMHotKeyStateON, 323
- XIMHotKeyTriggers, 322
- XIMInitialState, **322**
- XIMLineEnd, **333**
- XIMLineStart, 329, **333**
- XIMNextLine, **333**
- XIMOfIC, **316**, 317
- XIMPreeditArea, 304, **312**, **313**, 323
- XIMPreeditCallbacks, **312**, **313**, 325
- XIMPreeditCaretCallbackStruct, **332**
- XIMPreeditDisable, 325
- XIMPreeditDrawCallbackStruct, 314, **330**
- XIMPreeditEnable, **325**
- XIMPreeditNone, **312**, **313**
- XIMPreeditNothing, **312**, **313**
- XIMPreeditPosition, **312**, **313**, 323, 324
- XIMPreeditStateNotifyCallbackStruct, **327**
- XIMPreeditUnknown, 325
- XIMPreserveState, 322
- XIMPreviousLine, **333**
- XIMPrimary, **332**
- XIMProc, **325**
- XIMResetState, 322
- XIMReverse, **332**
- XIMSecondary, **332**
- XIMStatusArea, 304, **312**, **313**, 323
- XIMStatusCallbacks, **312**, **313**, 325
- XIMStatusDataType, **334**
- XIMStatusDrawCallbackStruct, **334**
- XIMStatusNone, **312**, **313**
- XIMStatusNothing, **312**, **313**
- XIMStringConversionCallbackStruct, 328
- XIMStringConversionOperation, 329
- XIMStringConversionPosition, 328
- XIMStringConversionRetrieval, 307, 328, 329
- XIMStringConversionSubstitution, 307, 328, 329
- XIMStringConversionText, 321, 328
- XIMStyle, **312**
- XIMStyles, 304, **312**
- XIMTertiary, **332**
- XIMText, 305, 314, 330, 331
- XIMUnderline, **332**
- XIMValuesList, 314
- XIMVisibleCenter, 331, **332**
- XIMVisibleToBackward, 331, **332**
- XIMVisibleToForward, 331, **332**
- XInitExtension, 432, **433**, 443, 454
- XInitImage, **179**
- XInitThreads, **28**
- XINPreserveState, **322**
- XInsertModifiermapEntry, **271**
- XInstallColormap, 38, 53, 80, **186**, 187, 227
- XInternalConnectionNumbers, **30**
- XInternAtom, 62, **64**, 65
- XInternAtoms, **65**
- XIntersectRegion, **402**
- XKeyboardControl, **261**, 263
- XKeyboardState, **263**
- XKeycodeToKeysym, **393**, 394
- XKeyEvent, **204**
- XKeymapEvent, **214**
- XKeyPressedEvent, **204**, 206, 393, 397
- XKeyReleasedEvent, **204**, 206, 393, 397
- XKeysymToKeycode, **394**
- XKeysymToString, **395**
- XKillClient, **190**, 372
- XLastKnownRequestProcessed, **16**
- XLeaveWindowEvent, **207**, 209, 210
- XLFD, **481**
- XlibSpecificationRelease, **3**
- XListDepths, **12**
- XListExtensions, 431, **432**



- XListFonts, **167**
- XListFontsWithInfo, **167**, 168
- XListHosts, **194**
- XListInstalledColormaps, **187**, 188
- XListPixmapFormats, **18**
- XListProperties, **68**
- XLoadFont, **164**, 165, 166
- XLoadQueryFont, 161, **165**, 166, 168, 436
- XLocaleNotSupported, 274, 344, 345
- XLocaleOfFontSet, **290**
- XLocaleOfIM, 275, **310**
- XLocaleOfOM, 275, **279**
- XLockDisplay, **28**, 29, 234
- XLookupAssoc, **466**
- XLookupBoth, 336
- XLookupChars, 336
- XLookupColor, 83, **87**, 88
- XLookupKeySym, 336
- XLookupKeysym, **393**
- XLookupNone, 336
- XLookupString, **397**, 398
- XLowerWindow, **50**, 51, 218, 225
- XMakeAssoc, **465**, 466
- Xmalloc, 453
- XMapEvent, **221**
- XMappingEvent, **221**
- XMapRaised, **44**, 218, 220, 225
- XMapRequestEvent, **226**
- XMapSubwindows, **44**, 220, 225
- XMapWindow, 33, 41, **43**, 44, 220, 225, 226
- XMaskEvent, **237**
- XMatchVisualInfo, 12, **408**
- XMaxCmapsOfScreen, **24**
- XMaxRequestSize, **15**
- XmbDrawImageString, **298**, 299
- XmbDrawString, 291, **297**, 298
- XmbDrawText, 275, 296, **297**
- XmbLookupString, 275, 303, 304, 305, 306, 308, **335**, 336, 337
- XmbPerCharExtents, 292
- XmbResetIC, 306, **316**, 322, 325
- XmbSetWMProperties, 275, **365**, 366, 367
- XmbTextEscapement, **293**, 294
- XmbTextExtents, 275, 292, **293**, 294, 296, 297, 299
- XmbTextItem, **296**
- XmbTextListToTextProperty, 275, **344**
- XmbTextPerCharExtents, 291, **294**, 295, 296, 297
- XmbTextPropertyToTextList, 275, **345**, 346, 347, 382
- XMinCmapsOfScreen, **25**
- XModifierKeymap, **270**, 271, 272
- XMotionEvent, **204**
- XMoveResizeWindow, **49**, 50, 218, 220, 225, 226, 449
- XMoveWindow, **48**, 218, 225, 449
- XNArea, 304, 313, **323**, **338**, **339**
- XNAreaNeeded, 304, 313, **323**, **338**, **339**
- XNBackground, **324**, **338**, **339**
- XNBackgroundPixmap, 324, 338
- XNBaseFontName, 284, **339**
- XNClientWindow, **320**, **338**
- XNColormap, **324**, **338**, **339**
- XNContextualDrawing, 281, **339**
- XNCursor, 325, **338**, **339**
- XNDefaultString, 285, **339**
- XNDestroyCallback, 307, 313, 321, **338**
- XNDirectionalDependentDrawing, 281, **339**
- XNegative, 399
- XNewModifiermap, **271**
- XNextEvent, 2, 232, **233**, 234, 335
- XNextRequest, **16**
- XNFilterEvents, 304, 315, 317, **320**, **338**
- XNFocusWindow, 313, **320**, 323, **338**
- XNFontInfo, 285, **339**
- XNFontSet, 304, **324**, **338**, **339**
- XNForeground, **324**, **338**, **339**
- XNGeometryCallback, **320**, **338**
- XNHotKey, 322, **339**
- XNHotKeyState, 323, **339**
- XNInputStyle, 304, 319, 324, **338**
- XNLineSpace, 324, **338**, **339**
- XNLineSpacing, 304
- XNMissingCharSet, 284, **339**
- XNoExposeEvent, **216**
- XNOMAutomatic, 286
- XNoMemory, 344, 345
- XNoOp, **25**
- XNOrientation, 285, **339**
- XNPreeditAttributes, **323**, **338**
- XNPreeditCaretCallback, 313, **325**, **338**
- XNPreeditDoneCallback, 313, **325**, **338**
- XNPreeditDrawCallback, 313, **325**, **338**
- XNPreeditStartCallback, 313, **325**, **338**
- XNPreeditState., 308
- XNPreeditState, 308, 322, 325, **339**
- XNPreeditStateCallback, 308
- XNPreeditStateNotifyCallback, **338**
- XNQueryICValues, 306, 308, 321, 322
- XNQueryICValuesList, 314, **339**
- XNQueryIMValues, 314, 315
- XNQueryIMValuesList, 314, **339**
- XNQueryInputStyle, 319, **338**
- XNQueryOrientation, 280, 285, 339
- XNR6PreeditCallbackBehavior, 314, 315
- XNRequiredCharSet, 280, **339**

XNResetState, 322, **339**  
 XNResourceClass, 285, 313, **320, 338**  
 XNResourceName, 285, 313, **320, 338**  
 XNSpotLocation, 313, **324, 338, 339**  
 XNStatusAttributes, **323, 338, 339**  
 XNStatusDoneCallback, 313, **325, 338, 339**  
 XNStatusDrawCallback, 313, **325, 338, 339**  
 XNStatusStartCallback, 313, **325, 338, 339**  
 XNStdColormap, **324, 338, 339**  
 XNStringConversion, 306, 321, **339**  
 XNStringConversionCallback, 306, 307, 321, **339**  
 XNStringConversionCallbackStruct, 328  
 XNStringConversionCallbackStruct, **328**  
 XNVaNestedList, **338**  
 XNVisiblePosition, 314  
 XOC, 277, 281, 282, 285, 286  
 XOffsetRegion, **402**  
 XOM, 273, 275, 277, 280, 286, 290  
 XOMCharSetList, **280, 284**  
 XOMFontInfo, 285, 286  
 XOMOfOC, **282**  
 XOMOrientation, 280  
 XOMOrientation\_Context, 281, 285  
 XOMOrientation\_LTR\_TTB, 280, 281, 285  
 XOMOrientation\_RTL\_TTB, 281  
 XOMOrientation\_TTB\_LTR, 281  
 XOMOrientation\_TTB\_RTL, 281  
 XOpenDisplay, **8, 9, 13, 15, 31, 197, 246, 382**  
 XOpenIM, 275, 302, 307, **308, 309**  
 XOpenOM, 275, **277, 278**  
 XOrientation, 285  
 XParseColor, 83, **88**  
 XParseGeometry, **398, 399, 400, 461**  
 XPeekEvent, **234**  
 XPeekIfEvent, 234, **235, 236**  
 XPending, 232, **233**  
 Xpermalloc, **398**  
 XPixmapFormatValues, 18  
 XPlanesOfScreen, **25**  
 XPoint, **151, 154, 324**  
 XPointer, **4, 276**  
 XPointerMovedEvent, **204, 206**  
 XPointInRegion, **404**  
 XPolygonRegion, **401**  
 XProcessInternalConnection, **30**  
 XPropertyEvent, **228**  
 XProtocolRevision, **16**  
 XProtocolVersion, **16**  
 XPutBackEvent, **239**  
 XPutImage, 15, **179, 180, 409, 415**  
 XPutPixel, **410**  
 XQLength, **17, 233**  
 XQueryBestCursor, 74, **76, 77**  
 XQueryBestSize, **140, 141**  
 XQueryBestStipple, **142**  
 XQueryBestTile, **141**  
 XQueryColor, **98**  
 XQueryColors, **98, 99**  
 XQueryExtension, **431, 432**  
 XQueryFont, **165, 166, 436**  
 XQueryKeymap, **264, 265**  
 XQueryPointer, 60, **61, 62, 204**  
 XQueryTextExtents16, **171, 172**  
 XQueryTextExtents, **171, 172, 178**  
 XQueryTree, **57, 58**  
 XRaiseWindow, 2, **50, 218, 225**  
 XReadBitmapFile, **412, 413**  
 XReadBitmapFileData, **413**  
 XRebindKeysym, **397, 398**  
 XRecolorCursor, 74, **77**  
 XReconfigureWMWindow, **343**  
 XRectangle., 323  
 XRectangle, **151, 292, 296, 323**  
 XRectangles, 296  
 XRectInRegion, **404, 405**  
 XRefreshKeyboardMapping, 222, **394, 397**  
 XRegisterIMInstantiateCallback, 275, 307, **310**  
 XRemoveConnectionWatch, **29**  
 XRemoveFromSaveSet, **186**  
 XRemoveHost, **194, 195**  
 XRemoveHosts, **195**  
 XReparentEvent, **222**  
 XReparentWindow, **184, 185, 220, 222**  
 xReply, 450  
 xReq, 444, 447  
 XResetScreenSaver, **192**  
 XResizeRequestEvent, **226**  
 XResizeWindow, **49, 218, 220, 225, 226**  
 XResourceManagerString, **381, 382**  
 xResourceReq, **447**  
 XRestackWindows, **52, 53, 218, 225**  
 XrmBindingList, 380  
 XrmBindLoosely, 380  
 XrmBindTightly, 380  
 XrmCombineDatabase, **384**  
 XrmCombineFileDatabase, **383, 384**  
 XrmDatabase, 275, **380**  
 XrmDestroyDatabase, **383**  
 XrmEnumAllLevels, 389, 390  
 XrmEnumerateDatabase, **389, 390**  
 XrmEnumOneLevel, 389, 390  
 XrmGetDatabase, **383**  
 XrmGetFileDatabase, 275, **381, 382**  
 XrmGetResource, **385, 386, 387**  
 XrmGetStringDatabase, 275, **382**  
 XrmInitialize, **381**

XrmLocaleOfDatabase, 275, **382**, 383  
 XrmMergeDatabases, **384**, 385  
 XrmOptionDescRec.value, 391  
 XrmOptionDescRec, **391**  
 XrmOptionKind, **390**  
 XrmoptionNoArg, 392  
 XrmoptionSkipArg, 391  
 XrmoptionSkipNArgs, 391  
 XrmParseCommand, 390, **391**  
 XrmPermStringToQuark, **378**, 379  
 XrmPutFileDatabase, 275, **381**  
 XrmPutLineResource, **389**  
 XrmPutResource, 385, **387**  
 XrmPutStringResource, **388**  
 XrmQGetResource, **385**, 387  
 XrmQGetSearchList, **386**, 387  
 XrmQGetSearchResource, 385, **386**, 387  
 XrmQPutResource, 385, 387, **388**, 389  
 XrmQPutStringResource, **388**, 389  
 XrmQuark, 378  
 XrmQuarkToString, **379**  
 XrmSetDatabase, **383**, 462  
 XrmStringToBindingQuarkList, **380**, 387, 388  
 XrmStringToQuark, **378**, 379  
 XrmStringToQuarkList, **379**, 380  
 XrmUniqueQuark, **378**  
 XrmValue, 380, **381**, 389  
 XRootWindow, **17**  
 XRootWindowOfScreen, **25**  
 XRotateBuffers, **406**, 407  
 XRotateWindowProperties, **70**, 228, 229  
 XSaveContext, **416**, 417  
 XScreenCount, **17**  
 XScreenNumberOfScreen, **23**  
 XScreenOfDisplay, **13**  
 XScreenResourceString, **382**  
 XSegment, **151**, 154  
 XSelectInput, **231**, 232  
 XSelectionClearEvent, **229**  
 XSelectionEvent, **230**  
 XSelectionRequestEvent, **229**  
 XSendEvent, 227, 230, **239**, 240  
 XServerVendor, **17**  
 XSetAccessControl, **195**, 196  
 XSetAfterFunction, **242**  
 XSetArcMode, **145**, 146  
 XSetBackground, **137**, 138, 449  
 XSetClassHint, **359**, 360, 368  
 XSetClipMask, **144**, 145  
 XSetClipOrigin, **144**  
 XSetClipRectangles, 15, 133, 135, **144**, 145  
 XSetCloseDownMode, **26**, 27, 374  
 XSetCommand, 367, **368**  
 XSetDashes, 133, 135, **139**, 140  
 XSetErrorHandler, **243**  
 XSetFillRule, **140**  
 XSetFillStyle, **140**  
 XSetFont, **143**  
 XSetFontPath, 167, **188**  
 XSetForeground, 127, **137**  
 XSetFunction, **138**  
 XSetGraphicsExposures, **146**, 216  
 XSetICFocus, 303, **315**, 316  
 XSetIconName, **351**  
 XSetIconSizes, **364**  
 XSetICValue, 307  
 XSetICValues, 308, **317**, 318, 320, 323  
 XSetIMValue, 307  
 XSetIMValues, **309**, 311  
 XSetInputFocus, **259**, 260  
 XSetIOErrorHandler, **246**, 247  
 XSetLineAttributes, 127, **138**, 139  
 XSetLocaleModifiers, **274**, 275, 276, 278, 308  
 XSetModifierMapping, 221, **272**  
 XSetNormalHints, **457**, 459  
 XSetOCValues, 282, **283**  
 XSetOMValues, **278**, 279  
 XSetPlaneMask, **138**  
 XSetPointerMapping, 221, **265**  
 XSetRegion, 15, 133, **401**  
 XSetRGBColormap, 460  
 XSetRGBColormaps, **373**, 374  
 XSetScreenSaver, **190**, 191  
 XSetSelectionOwner, 27, **71**, 229  
 XSetSizeHints, **459**  
 XSetStandardColormap, **460**  
 XSetStandardProperties, **456**, 457  
 XSetState, **137**  
 XSetStipple, **142**, 143  
 XSetSubwindowMode, **146**  
 XSetTextProperty, **348**, 349, 351, 369  
 XSetTile, **142**  
 XSetTransientForHint, **360**, 361  
 XSetTSTOrigin, **143**  
 XSetWindowAttributes, **33**, 53, 227, 231  
 XSetWindowBackground, **54**, 55  
 XSetWindowBackgroundPixmap, **54**, 55  
 XSetWindowBorder, **55**  
 XSetWindowBorderPixmap, **55**  
 XSetWindowBorderWidth, **50**, 218, 225  
 XSetWindowColormap, **55**, 56, 87, 187, 227  
 XSetWMClientMachine, 366, 367, **369**  
 XSetWMCOLormapWindows, **363**  
 XSetWMHints, **354**, 365, 366, 368  
 XSetWMIconName, **350**, 351, 367  
 XSetWMName, **349**, 367

- XSetWMNormalHints, **357**, 358, 366, 368, 457
  - XSetWMProperties, **367**, 368, 456
  - XSetWMProtocols, **361**, 362
  - XSetWMSizeHints, **358**, 459
  - XSetZoomHints, **458**, 459
  - XShrinkRegion, **402**
  - XSizeHints, 340, 354, **355**, 357, 358, 400, 457, 459
  - XStandardColormap, **371**, 372, 373, 374, 456, 460
  - XStdICCTextStyle, 344
  - XStoreBuffer, **405**, 406
  - XStoreBytes, **405**
  - XStoreColor, 94, **95**, 96, 97
  - XStoreColors, 94, **96**, 97, 374
  - XStoreName, **349**, 350
  - XStoreNamedColor, 83, 94, **97**, 98
  - XStringListToTextProperty, **346**, 347
  - XStringStyle, 344, 345
  - XStringToKeysym, **395**
  - XSubImage, **410**, 411
  - XSubtractRegion, **403**
  - XSupportsLocale, **274**, 275, 345
  - XSync, 2, 3, 26, **232**
  - XSynchronize, **242**, 452
  - XTextExtents16, **170**, 172
  - XTextExtents, **169**, 170, 172
  - XTextItem16, **173**
  - XTextItem, **173**
  - XTextProperty, **343**, 344, 345, 346, 347, 348, 349, 350, 351, 369
  - XTextPropertyToStringList, **347**
  - XTextStyle, 344
  - XTextWidth16, **169**
  - XTextWidth, **169**
  - XTimeCoord, **241**
  - XTranslateCoordinates, **60**, 61
  - XUndefineCursor, **56**
  - XUngrabButton, **253**
  - XUngrabKey, **256**
  - XUngrabKeyboard, 27, **254**, 255
  - XUngrabPointer, 27, 203, 207, **250**, 251
  - XUngrabServer, 27, **189**, 190
  - XUninstallColormap, 80, 87, 186, **187**, 227
  - XUnionRectWithRegion, **403**
  - XUnionRegion, **403**
  - XUniqueContext, **417**
  - XUnloadFont, 165, **166**, 168
  - XUnlockDisplay, **28**
  - XUnmapEvent, **223**
  - XUnmapSubwindows, **45**
  - XUnmapWindow, **44**, 45
  - XUnregisterIMInstantiateCallback, 275, 307, **311**
  - XUnsetICFocus, 303, 315, **316**
  - XVaNestedList, 276, 318
  - XVendorRelease, **18**
  - XVisibilityEvent, **223**, 224
  - XVisualIDFromVisual, **32**
  - XVisualInfo, 31, **407**
  - XWarpPointer, **259**
  - XWatchProc, **29**
  - XwcDrawImageString, **298**, 299
  - XwcDrawString, **297**, 298
  - XwcDrawText, 275, 296, **297**
  - XwcFreeStringList, **346**
  - XwcLookupString, 275, 303, 304, 305, 306, 308, **335**, 336, 337
  - XwcPerCharExtents, 292
  - XwcResetIC, 306, 316, 322, 325
  - XwcTextEscapement, **293**, 294
  - XwcTextExtents, 275, 292, **293**, 294, 296, 297, 299
  - XwcTextItem, **296**
  - XwcTextListToTextProperty, 275, **344**
  - XwcTextPerCharExtents, 291, **294**, 295, 296, 297
  - XwcTextPropertyToTextList, 275, **345**, 346
  - XWhitePixel, **11**
  - XWhitePixelOfScreen, **21**
  - XWidthMMOfScreen, **24**
  - XWidthOfScreen, **24**
  - XWindowAttributes, **58**
  - XWindowChanges, **45**, 47, 48, 343
  - XWindowEvent, 2, 232, **236**
  - XWithdrawWindow, **342**, 343
  - XWMGeometry, **399**, 400, 461
  - XWMHints, 340, **352**, 354, 365, 367
  - XWriteBitmapFile, **413**, 414, 415
  - XXorRegion, **403**
  - XY format, **481**
  - XYBitmap, 180, 409
  - XPixmap, 180, 181, 182, 409
  - X\_CopyArea, 216
  - X\_CopyPlane, 216
  - X\_MapWindow, 449
- ## Y
- YNegative, 399
  - YSorted, 144, 145
  - YValue, 399
  - YXBanded, 144, 145

YXSorted, 144, 145

## Z

Z format, **481**

ZPixmap, 180, 181, 182, 409

–

\_XAllocScratch, **453**

\_XAllocTemp, **453**, 454

\_Xdebug, 242

\_XFlushGCCache, **444**

\_XFreeTemp, **453**

\_XRead16, 451

\_XRead16Pad, 452

\_XRead32, 452

\_XRead, 451, 453

\_XReadPad, 452

\_XReply, 439, 440, **450**, 451, 453

\_XSend, 449, 450, 453

\_XSetLastRequestRead, 437, **438**