

Tru64 UNIX

Master Index

Part Number: AA-RH94A-TE

July 1999

Product Version: Tru64 UNIX Version 5.0 or higher

This book contains index entries for the most commonly used manuals in the Compaq Tru64 UNIX (formerly DIGITAL UNIX) documentation set.

© Compaq Computer Corporation 1999
All rights reserved.

COMPAQ, the Compaq logo, and the Digital logo are registered in the U.S. Patent and Trademark Office.

Microsoft and Windows NT are registered trademarks of Microsoft Corporation. Intel, Pentium, and Intel Inside are registered trademarks of Intel Corporation. UNIX is a registered trademark and The Open Group is a trademark of The Open Group in the US and other countries. Other product names mentioned herein may be the trademarks of their respective companies.

Possession, use, or copying of the software described in this publication is authorized only pursuant to a valid written license from Compaq Computer Corporation or an authorized sublicensee.

Compaq Computer Corporation shall not be liable for technical or editorial errors or omissions contained herein. The information in this document is subject to change without notice.

About This Manual

The *Master Index* provides an index for the most commonly used books in the Compaq Tru64™ UNIX® (formerly DIGITAL UNIX) documentation set. Books with index entries in the *Master Index* are listed in Table 1.

Audience

This book is for anyone who needs to access information about the Tru64 UNIX operating system. It can help you find a specific topic in the documentation set by pointing you to the location in the book where the topic is discussed.

New and Changed Features

In past releases of the documentation set, the *Master Index* was part of the *Documentation Overview, Glossary, and Master Index*. With this release, the *Documentation Overview* and the *Master Index* exist as separate books in both online and printed formats.

Conventions

In the printed version of the *Master Index*, each master index page reference is preceded by an abbreviated book title. For example, the following entry points to page 3–2 in the guide *Sharing Software on a Local Area Network*:

installation

RIS software subset, *SharingSW* 3-2

Table 1 maps the abbreviated title for each book to its complete book title.

The online version of the *Master Index* does not contain page numbers. Instead, the abbreviated book title appears as a hot link. Clicking on this link takes you either to the beginning of the book being referenced or, in many cases, to the actual location of the information in the book.

Table 1: Book Title Abbreviations

Abbreviation	Book Title
AdvFSAdmin	<i>AdvFS Administration</i>
AsmLangGde	<i>Assembly Language Programmer's Guide</i>
AsynchronousTM	<i>Asynchronous Transfer Mode</i>
CallingStandard	<i>Calling Standard for Alpha Systems</i>
CDECompanion	<i>CDE Companion</i>
CommandShellGde	<i>Command and Shell User's Guide</i>
CPML	<i>Compaq Portable Mathematics Library</i>
DECC	<i>DEC C Language Reference Manual</i>
DECthreads	<i>Guide to DECthreads</i>
DocOverview	<i>Documentation Overview</i>
InstallGde	<i>Installation Guide</i>
InstallGdeAdvTop	<i>Installation Guide — Advanced Topics</i>
InternatProg	<i>Writing Software for the International Market</i>
KernelDebug	<i>Kernel Debugging</i>
KernelModules	<i>Writing Kernel Modules</i>
Ladebug	<i>Ladebug Debugger Manual</i>
LicenseManage	<i>Software License Management</i>
NetAdmin	<i>Network Administration</i>
NetProgGde	<i>Network Programmer's Guide</i>
OncRpcProgram	<i>Programming with ONC RPC</i>
Prestoserve	<i>Guide to Prestoserve</i>
ProdKitGde	<i>Guide to Preparing Product Kits</i>
ProgGde	<i>Programmer's Guide</i>
ProgSupTools	<i>Programming Support Tools</i>
Realtime	<i>Guide to Realtime Programming</i>
Security	<i>Security</i>
SharingSW	<i>Sharing Software on a Local Area Network</i>
StorageManager	<i>Logical Storage Manager</i>
SysConfigSup	<i>System Configuration Supplement: OEM Platforms</i>
SystemAdmin	<i>System Administration</i>

Table 1: Book Title Abbreviations (cont.)

Abbreviation	Book Title
SystemTune	<i>System Configuration and Tuning</i>
TechOver	<i>Technical Overview</i>
XWinSysEnv	<i>X Window System Environment</i>

Reader's Comments

Compaq welcomes any comments and suggestions you have on this and other Tru64 UNIX manuals.

You can send your comments in the following ways:

- Fax: 603-884-0120 Attn: UBCG Publications, ZKO3-3/Y32
- Internet electronic mail: readers_comment@zk3.dec.com

A Reader's Comment form is located on your system in the following location:

`/usr/doc/readers_comment.txt`

- Mail:

Compaq Computer Corporation
UBCG Publications Manager
ZKO3-3/Y32
110 Spit Brook Road
Nashua, NH 03062-9987

A Reader's Comment form is located in the back of each printed manual. The form is postage paid if you mail it in the United States.

Please include the following information along with your comments:

- The full title of the book and the order number. (The order number is printed on the title page of this book and on its back cover.)
- The section numbers and page numbers of the information on which you are commenting.
- The version of Tru64 UNIX that you are using.
- If known, the type of processor that is running the Tru64 UNIX software.

The Tru64 UNIX Publications group cannot respond to system problems or technical support inquiries. Please address technical questions to your local system vendor or to the appropriate Compaq technical support office. Information provided with the software media explains how to send problem reports to Compaq.

Index

A

abnormal_termination function, *ProgGde* 11–14

access to files, *CommandShellGde* 5–1

account, *SystemAdmin* 7–9
 adding automatically, *SystemAdmin* 7–15, 7–24
 administration methods, *SystemAdmin* 7–4
 administration with C2, *Security* 9–1
 command-line utilities, *SystemAdmin* 7–6
 SysMan Menu, *SystemAdmin* 7–5

accounting, *SystemAdmin* 10–2

acctcms command, *SystemAdmin* 10–28

acctcom command, *SystemAdmin* 10–25

acctdisk command, *SystemAdmin* 10–34

acctdusg command, *SystemAdmin* 10–33

acctmerg command, *SystemAdmin* 10–40

acctprc1 command, *SystemAdmin* 10–29

acctprc2 command, *SystemAdmin* 10–30

acknowledged connectionless mode service
 in DLPI, *NetProgGde* 2–6

ACLs

 administering, *Security* 11–1
 programming, *Security* 21–1
 using, *Security* 5–1

acos routine, *CPML* B–1, CPML–5

acosd routine, *CPML* B–1, CPML–5

acosh routine, *CPML* B–2, CPML–6

Acrobat Reader, *InstallGde* 8–4

active CPUs

 changing the number of, *LicenseManage* 2–18

active page list, *TechOver* 5–6

activity license, *LicenseManage* 1–5

acucap file, *NetAdmin* 5–31

Ada language

 debugging support, *Ladebug* 7–1

adapter

 support for multiple adapters, *TechOver* 3–20

address

 mapping, *TechOver* 3–17

address family

 specifying for DLI, *NetProgGde* E–16

address format

 assembly language, *AsmLangGde* 2–12

Address Resolution Protocol,

 See ARP

address space

 tuning, *SystemTune* 5–6

adduser utility, *SystemAdmin* 7–15, 7–24

administering accounts and groups, *SystemAdmin* 7–1
administering hardware,
 SystemAdmin 5–1
administering the file system,
 SystemAdmin 6–1
administration utilities,
 SystemAdmin A–1
Advanced File System,
 See AdvFS
advanced printing
 installing, *InstallGde* D–4
Advanced Printing Services,
 SystemAdmin 8–2
Advanced Printing Software,
 SystemAdmin 8–20
Advanced Server for UNIX,
 See ASU
AdvFS, *TechOver* 4–2
 administering, *AdvFSAAdmin* 1–1
 backing up, *AdvFSAAdmin* 4–1
 clone filesets, *AdvFSAAdmin* 2–22
 configuring, *AdvFSAAdmin* 2–1
 converting from UFS,
 AdvFSAAdmin B–1
 converting to UFS, *AdvFSAAdmin*
 B–14
 documentation for separately
 licensed utilities, *DocOverview*
 1–10
 file domains, *AdvFSAAdmin* 2–4
 filesets, *AdvFSAAdmin* 2–16
 GUI, *AdvFSAAdmin* 6–1
 improving performance,
 SystemTune 9–18, 9–41
 monitoring, *SystemTune* 9–26
 optimizing, *AdvFSAAdmin* 5–1
 quotas, *AdvFSAAdmin* 3–1
 troubleshooting, *AdvFSAAdmin* 7–1
 tuning, *SystemTune* 9–32
 with LSM, *AdvFSAAdmin* 2–30

AES
 application-level interface
 requirements, *ProgGde* 1–2
alias
 predefined, *Ladebug* 12–1, REF–11
alignment
 bit-field alignment, *ProgGde* 2–6
 data type alignment, *ProgGde* 2–5
Alpha hardware architecture documentation, *KernelDebug* 1–1
Alpha PCI/ISA (DMCC) single-board computer,
 SysConfigSup 1–4
Alpha system
 Tru64 Unix calling standard for,
 CallingStandard 1–1
Alpha VME 2100 system
 configuring, *SysConfigSup* 2–2
 restrictions, *SysConfigSup* 1–11
Alpha VME single-board computer,
 SysConfigSup 2–2, 2–28
 configuring UNIVERSE II-based,
 SysConfigSup 2–28
 configuring VIP/VIC-based,
 SysConfigSup 2–2
 requirements and restrictions,
 SysConfigSup 1–1
alternate compiler
 installing, *InstallGde* D–5
ANSI C Standard, *DECC* xiv
 conformance summary, *DECC* B–1
ANSI standards
 application development
 considerations, *ProgGde* 1–2
application
 accessing from Front Panel,
 CDECompanion 3–1
 and RSVP, *NetProgGde* 7–8
 debugging, *SystemTune* 11–1
 enabling the display of,
 CDECompanion 5–2

- improving performance,
SystemTune 11–4
- integrated into CDE,
CDECompanion 5–4
- profiling, *SystemTune* 11–1
- running across network,
CDECompanion 5–2
- application development**
phases of, *ProgGde* 1–1
- Application Environment Specification,**
See AES
- Application Manager,**
CDECompanion 4–1,
SystemAdmin 1–11
- accessing, *CDECompanion* 3–1
- organizing applications,
CDECompanion 4–5
- application program**
porting to XTI, *NetProgGde* 3–34
rewriting for XTI, *NetProgGde* 3–37
- application programming interface**, *TechOver* 3–21, 6–15
- DLI, *TechOver* 3–21, 6–15
- DLPI, *TechOver* 3–21, 6–15
- sockets, *NetProgGde* 1–3, 4–6,
TechOver 3–21, 6–15
- STREAMS, *NetProgGde* 1–3, 5–6,
TechOver 3–21, 6–15
- WPI, *InternatProg* A–1
- XTI, *NetProgGde* 1–1, 3–4,
TechOver 3–21, 6–15
- application-level protocol**,
TechOver 3–5
- archive file**
determining section sizes, *ProgGde* 2–24
dumping selected parts of,
ProgGde 2–22
- Archiver graphical interface**,
SystemAdmin 9–4
- archiving services**, *SystemAdmin* 9–1
- ARP**, *TechOver* 3–17
- arp command**, *NetAdmin* 15–2
- as command**, *ProgGde* 2–3
- ASCII codeset**, *CommandShellGde* C–2
- ASCII equivalence table**, *DECC* C–1
- Asian languages**
codesets that support,
CommandShellGde C–2
documentation for working in,
DocOverview 3–7
- asin routine**, *CPML* B–2, CPML–7
- asind routine**, *CPML* B–2, CPML–7
- asinh routine**, *CPML* B–2, CPML–8
- assembly language**
assembler directives, *AsmLangGde* 5–1
floating-point instruction set,
AsmLangGde 4–1
instruction set summary,
AsmLangGde A–1
lexical conventions, *AsmLangGde* 2–1
main instruction set, *AsmLangGde* 3–1
programming considerations,
AsmLangGde 6–1
- assigning program numbers**,
OncRpcProgram 1–5
- Associated Products CD-ROMs**
documentation for separately
licensed products,
DocOverview 1–10
- ASU**, *SystemAdmin* 7–6
documentation for, *DocOverview* 1–10
installing, *InstallGde* D–19
- asynchronous I/O**
realtime, *Realtime* 7–1

- Asynchronous Transfer Mode,**
See ATM
- at command,** *SystemAdmin* 3–4
- atan routine,** *CPML* B–3, *CPML*–9
- atan2 routine,** *CPML* B–3, *CPML*–10
- atand routine,** *CPML* B–3, *CPML*–9
- atand2 routine,** *CPML* B–3, *CPML*–10
- atanh routine,** *CPML* B–4, *CPML*–11
- ATM,** *TechOver* 3–18
 - architecture, *AsynchronousTM* 1–1
 - cells, *AsynchronousTM* 2–3
 - CMM routines, *AsynchronousTM* A–1
 - configuring, *NetAdmin* 3–1, 3–14
 - configuring with CLIP, *NetAdmin* 3–16
 - configuring with IP switching, *NetAdmin* 3–21
 - configuring with LANE, *NetAdmin* 3–19
 - Connection Management Module, *AsynchronousTM* 1–3
 - convergence module interface, *AsynchronousTM* 5–1
 - device driver interface, *AsynchronousTM* 3–1
 - error codes, *AsynchronousTM* 2–2
 - features, *AsynchronousTM* 2–1
 - flow control, *AsynchronousTM* 9–1
 - global data structures, *AsynchronousTM* 2–14
 - header files, *AsynchronousTM* 2–1
 - locking macros, *AsynchronousTM* 2–10
 - managing connections, *AsynchronousTM* 6–1
 - managing signaling, *NetAdmin* 3–25
 - managing the environment, *NetAdmin* 3–24
 - Module Management Interface, *AsynchronousTM* 7–1
 - preparing for configuration, *NetAdmin* 3–7
 - queueing guidelines, *AsynchronousTM* 8–1
 - signaling module interface, *AsynchronousTM* 4–1
 - troubleshooting, *NetAdmin* 14–9
 - verifying kernel options, *NetAdmin* 3–6
 - verifying subsets are installed, *NetAdmin* 3–6
- ATM address**
 - adding, *AsynchronousTM* 5–8
 - deleting, *AsynchronousTM* 5–9
- ATM address structure,** *See atm_addr_structure*
- ATM Configuration application,** *NetAdmin* 3–14
- ATM environment,** *NetAdmin* 3–1
- ATM subsystem**
 - interfaces, *AsynchronousTM* 1–3
 - types of circuits, *AsynchronousTM* 2–14
- atm_addr structure,** *AsynchronousTM* 2–18
- atm_cause_info structure,** *AsynchronousTM* 2–40
- atm_cmi_addr union,** *AsynchronousTM* 5–10
- atm_cvg_params structure,** *AsynchronousTM* 5–11
- atm_drv_params structure,** *AsynchronousTM* 3–3
- atm_esi structure,** *AsynchronousTM* 2–39
- ATM_FREE macro,** *AsynchronousTM* 2–9
- ATM_MALLOC macro,** *AsynchronousTM* 2–9

atm_mmi_path structure, *AsynchronousTM* 7–3

atm_ppa structure, *AsynchronousTM* 2–37

atm_queue_param structure, *AsynchronousTM* 3–7

atm_sig_params structure, *AsynchronousTM* 4–5

atm_uni_call_ie structure, *AsynchronousTM* 2–31

atm_vc structure, *AsynchronousTM* 2–15

atm_vc_services structure, *AsynchronousTM* 2–22

atm_vc_stats structure, *AsynchronousTM* 5–9

atmarp command, *NetAdmin* 3–25

atmconfig command
and PVCs, *AsynchronousTM* 2–7

atmelan command, *NetAdmin* 3–26

atmhosts file
editing for CLIP, *NetAdmin* 3–16
editing for LANE, *NetAdmin* 3–20

atmifmp command, *NetAdmin* 3–26

atmsig command, *NetAdmin* 3–25

Atom tools, *ProgGde* 9–1

attached process
debugging, *Ladebug* 3–10

attribute, *SystemTune* 3–10
managing, *SystemTune* 3–10

attribute table
entry, *KernelModules* 3–2
get request, *KernelModules* 3–4
set request, *KernelModules* 3–6

attribute-value pairs
install.cdf file, *InstallGdeAdvTop*
A–1

audit subsystem, *Security* 10–1

record generation, *Security* 19–1

authentication
of client, *OncRpcProgram* 2–21

authentication database
integrity, *Security* 12–1
programming, *Security* 17–1

automount command, *NetAdmin*
B–5

automount daemon, *NetAdmin* 9–2
error messages, *NetAdmin* D–6
starting, *NetAdmin* 9–9

automount map, *NetAdmin* 8–26,
9–2, B–1

availability
configuring, *SystemTune* 2–16
disk, *SystemTune* 2–18
network, *SystemTune* 2–19
power, *SystemTune* 2–19

availability license, *LicenseManage*
1–4

awk utility, *ProgSupTools* 2–1

AXPvme single-board computer
configuring, *SysConfigSup* 2–2
requirements and restrictions,
SysConfigSup 1–10

B

background process,
CommandShellGde 6–6

bandwidth management
network, *NetProgGde* 7–1

basic regular expression,
ProgSupTools 1–2

bcheckrc script, *SystemAdmin* 3–3,
3–7

Berkeley Internet Name Domain,
See BIND, DNS

- Bessel function**, *CPML* CPML–12
- BGP**, *TechOver* 3–7
- big endian**
byte ordering, *AsmLangGde* 1–2
- BIND**, *TechOver* 3–32
See also DNS
supplementary documentation for,
DocOverview 3–5
- binlogd daemon**, *SystemAdmin*
11–39, 11–51
- binmail utility**, *NetAdmin* 12–36
- block**, *DECC* 2–2
- boot**, *SystemAdmin* 2–5
genvmunix, *SystemAdmin* 2–7
- boot command sequence**
during full installation, *InstallGde*
6–45
- boot disk**
troubleshooting, *StorageManager*
8–5
- boot timeline**, *KernelModules* 4–1
dispatch point, *KernelModules* 4–3
- bootable tape**, *SystemAdmin* 9–4,
9–30, *TechOver* 2–25
- booting**
from CD–ROM, *InstallGde* 6–4
RIS client, *SharingSW* 5–1
- BOOTP**, *TechOver* 3–27
and DHCP, *NetAdmin* 4–20
- bootpd daemon**, *TechOver* 3–27
- Border Gateway Protocol**,
See BGP
- bounds file**, *SystemAdmin* 11–4
- Bourne shell**, *CommandShellGde*
7–1, 8–1
.logout script, *CommandShellGde*
7–25
- redirecting errors,
CommandShellGde 6–4
- breakpoint**, *Ladebug* 3–11
- bridging drivers**
BSD drivers to STREAMS protocol
stack, *NetProgGde* 8–9
STREAMS driver to sockets
protocol stack, *NetProgGde* 8–2
- broadcast RPC**, *OncRpcProgram*
2–21, 3–17
- broadcasting and determining**
network configuration,
NetProgGde 4–45
- BSD driver**
bridging to STREAMS protocol
stack, *NetProgGde* 8–9
- BSD socket**, *NetProgGde* 4–31
and network addresses,
NetProgGde 4–32
- buffer cache**, *SystemTune* 6–1
- buffer size**
calculating in DLI, *NetProgGde* E–20
increasing for TCP sockets,
NetProgGde C–2
- building kernel**
during installation, *InstallGde* 6–26
- building programs**,
See lex program, make utility,
yacc program
- built-in function**
pragma counterpart, *ProgGde* 3–6
- byte ordering**
big endian, *AsmLangGde* 1–2
little endian, *AsmLangGde* 1–2
supported by Tru64 UNIX,
ProgGde 2–4

C

C compiler, *TechOver* 6–1

C extensions, common, *DECC* D–1

C function, *DECC* 5–1

C language syntax summary,
DECC A–1

C lexicon, *DECC* 1–1

C preprocessor, *ProgGde* 2–8

C shell, *CommandShellGde* 7–1, 8–1
.logout script, *CommandShellGde*
7–25

redirecting errors,
CommandShellGde 6–5

C++ language

debugging support, *Ladebug* 5–1
installing, *InstallGde* D–7

C2 security configuration, *Security*
F–1

cabs routine, *CPML* B–4, CPML–13

cache collision, data

avoiding, *ProgGde* 8–16

cache misses, data

profiling for, *ProgGde* 8–16

cache thrashing

preventing, *ProgGde* 8–16

cache usage

improving with cord, *ProgGde* 8–8

CalComp DrawingBoard

configuring, *SystemAdmin* D–7

Calendar

accessing, *CDECompanion* 3–1

converting to CDE format,

CDECompanion 10–6

call,

See incoming call

call chain, *CallingStandard* 7–2

call stack, *Ladebug* 2–24

of user program, examining in
crash dump, *KernelDebug* 2–8

call-graph profiling, *ProgGde* 8–9

callback

and RPC, *OncRpcProgram* 3–31
using, *KernelModules* 4–2

caller process, *OncRpcProgram* 1–1

calling conventions

assembly language, *AsmLangGde*
6–1

calling standard

call chain, *CallingStandard* 7–1
data manipulation,

CallingStandard 4–1

event processing, *CallingStandard*
5–1

flow control, *CallingStandard* 3–1

procedure descriptors,

CallingStandard 8–1

procedure invocations,

CallingStandard 7–1

stack limits, *CallingStandard* 6–1

callrpc routine, *OncRpcProgram* 3–2

canonical address

and Token Ring drivers,

NetProgGde D–2

cat command, *CommandShellGde*
3–5

CBR, *AsynchronousTM* 2–14

CBR circuit

reserving resources,

AsynchronousTM 5–4

cbrt routine, *CPML* B–4, CPML–14

cc command

compilation control options,

ProgGde 2–11

default behavior, *ProgGde* 2–12

-g and -O options for profiling,

ProgGde 8–3

ccos routine, *CPML* B–4, CPML–15

cd command, *CommandShellGde* 3–1

CD-ROM File System,
See CDFS

CDE, *CDECompanion* 1–1
administration graphical
interfaces, *SystemAdmin* 1–11
Application Manager,
SystemAdmin 1–11
Front Panel, *CDECompanion* 1–2
internationalization, *TechOver* 8–11
logging in, *CDECompanion* 1–1
managing desktop and
applications, *CDECompanion*
1–3
security, *Security* 4–1
workspaces, *CDECompanion* 1–3

CDE documentation set,
CDECompanion 1–4
online viewing with Netscape
Navigator, *CDECompanion* 1–5

CDE graphical interface,
See desktop

CDE online help, *CDECompanion*
1–6

CDE reference pages,
CDECompanion 1–8
using the man command,
CDECompanion 1–9

CDE window list, *CDECompanion*
3–11

CDF, *SharingSW* 7–1, *TechOver* 2–4

CDFS, *TechOver* 4–8

cdiv routine, *CPML* B–5, CPML–16

**CD-ROM, building a consolidated
firmware**, *ProdKitGde* A–1

CDSL, *SystemAdmin* 6–12

ceil routine, *CPML* B–5, CPML–17

cell
receiving, *AsynchronousTM* 3–2

century
setting, *SystemAdmin* 2–22

cexp routine, *CPML* B–5, CPML–18

changes to the documentation
set, *DocOverview* 1–2

changing
directories, *CommandShellGde* 4–3
identity, *CommandShellGde* 5–17
owners of files and directories,
CommandShellGde 5–20
permissions, *CommandShellGde*
5–4
your shell, *CommandShellGde* 7–5

chap-secrets file, *NetAdmin* 5–15

character
creating and using a user-defined,
InternatProg 6–18

character set, *DECC* 1–3,
InternatProg 1–2
coded, *InternatProg* 2–2

Chinese,
See Asian languages

chmod command,
CommandShellGde 5–4, 5–8

CI, *SystemAdmin* C–1
configuration, *SystemAdmin* C–1

circuit
types of, *AsynchronousTM* 2–14

class scheduler, *SystemAdmin* 3–30

Classical IP,
See CLIP

client
authentication, *OncRpcProgram* 2–21
programming with rpcgen,
OncRpcProgram 2–20
versions of, *OncRpcProgram* 3–27

client handle used by rpcgen,
OncRpcProgram 2–7

client/server interaction,
NetProgGde 4–8

CLIP, *NetAdmin* 3–2
 configuring with ATM, *NetAdmin* 3–16
 managing the environment, *NetAdmin* 3–25
 planning configuration with ATM, *NetAdmin* 3–9

clock
 realtime, *Realtime* 6–1

Clock application
 accessing, *CDECompanion* 3–1

clog routine, *CPML* B–5, CPML–19

cloned installation,
InstallGdeAdvTop 6–1
 defined, *InstallGde* 1–2

cloned system configuration,
InstallGdeAdvTop 7–1

cloning a disk, *SystemAdmin* 5–75

cluster
 enhanced security in, *Security* G–1

cmul routine, *CPML* B–6, CPML–20

cmx exerciser, *SystemAdmin* 11–37

COBOL language
 debugging support, *Ladebug* 8–1
 installing, *InstallGde* D–8

code page, PC, *InternatProg* 2–4

codeset, *InternatProg* 2–2
 Unicode, *CommandShellGde* C–2

codeset conversion, *InternatProg* 6–40, *TechOver* 8–6

coexistence of STREAMS and sockets, *NetProgGde* 8–1

collation, *CommandShellGde* C–3

command entry aids
 filters, *CommandShellGde* 7–7
 grouping commands, *CommandShellGde* 7–7

list quoting, *CommandShellGde* 7–7
 pipes, *CommandShellGde* 7–7
 running multiple commands, *CommandShellGde* 7–7

commands
 cat, *CommandShellGde* 3–5
 cd, *CommandShellGde* 3–1
 ln, *CommandShellGde* 3–14, 3–15
 lpq, *CommandShellGde* 3–10, 3–12
 lpr, *CommandShellGde* 3–10
 lprm, *CommandShellGde* 3–10, 3–13
 ls, *CommandShellGde* 3–2
 mkdir, *CommandShellGde* 3–5
 more, *CommandShellGde* 3–5
 page, *CommandShellGde* 3–5
 passwd, *CommandShellGde* 1–7, 1–8
 pg, *CommandShellGde* 3–5
 using, *CommandShellGde* 1–4
 yppasswd, *CommandShellGde* 1–7

comment
 assembly language, *AsmLangGde* 2–1

common C extensions, *DECC* D–1

common file,
See header file

communication bridge
 DLPI STREAMS pseudodriver, *TechOver* 3–23
 ifnet STREAMS module, *TechOver* 3–23

Compaq Portable Mathematics Library,
See CPML

comparing files, *CommandShellGde* 3–24

compilation options
 -S option, *AsmLangGde* 6–14

compilation unit, *DECC* 2–3

compiler
 installing, *InstallGde* D–5

completion handling, *ProgGde* 11–5

complex lock, *KernelModules* 8–1
declaring data structure,
 KernelModules 8–1
initializing, *KernelModules* 8–2
terminating, *KernelModules* 8–19

component object module
installing, *InstallGde* D–5

computer virus, *CommandShellGde* 5–21

concatenated volume
creating, *StorageManager* 5–15

condition variable, *DECthreads* 2–30, 4–3

conditional compilation, *DECC* 8–7

config.cdf file, *InstallGdeAdvTop* 7–1

configuration
device, *SystemAdmin* 5–41
DMS environment, *SharingSW* 11–9
kernel, *SystemAdmin* 4–1
kernel subsystem, *SystemAdmin* 4–1
network interface, *NetAdmin* 2–11

configuration checklist, *TechOver* 2–7

configuration cloning,
InstallGdeAdvTop 7–1

configuration description file,
See CDF

configuration file
adding devices to, *SystemAdmin* 4–20
entries, *SystemAdmin* 4–33
keywords, *SystemAdmin* 4–33

configure routine, *KernelModules* 2–1

connection,
See also PPP, SLIP
accepting, *AsynchronousTM* 6–4
accepting on a socket, *NetProgGde* 4–24

activating, *AsynchronousTM* 4–2
controlling aging of,
 AsynchronousTM 6–6
deleting, *AsynchronousTM* 4–3
making in ATM, *AsynchronousTM* 6–1
making to socket, *NetProgGde* 4–22
outgoing, *AsynchronousTM* 6–1
point-to-multipoint,
 AsynchronousTM 6–1
point-to-point, *AsynchronousTM* 6–1
receiving notification of,
 AsynchronousTM 5–7
releasing, *AsynchronousTM* 4–3, 6–8
reporting a failure,
 AsynchronousTM 4–3
requesting endpoint information,
 AsynchronousTM 5–6
security considerations, *Security* 3–1
tearing down, *AsynchronousTM* 5–5

Connection Management Module,
 AsynchronousTM 1–3

connection mode service
in DLPI, *NetProgGde* 2–5

connection-oriented application
program examples, *NetProgGde* B–2
sample header files, *NetProgGde* B–33
writing, *NetProgGde* 3–23

connectionless application
program examples, *NetProgGde* B–18
sample header files, *NetProgGde* B–33
writing, *NetProgGde* 3–30

connectionless mode service
in DLPI, *NetProgGde* 2–6

consolidated firmware CD-ROM
building, *ProdKitGde* A–1

constant, *DECC* 1–13
and rpcgen, *OncRpcProgram* 2–24
assembly language, *AsmLangGde* 2–2

constant bit rate, *See* CBR

context dependent symbolic link, *See* CDSL

controlling access, *CommandShellGde* 5–1

convergence module

- flow control, *AsynchronousTM* 9–3
- MMI, *AsynchronousTM* 7–7
- queuing guidelines, *AsynchronousTM* 8–3
- receiving exception notification, *AsynchronousTM* 5–2
- registering with CMM, *AsynchronousTM* 5–1
- requesting interface parameters, *AsynchronousTM* 5–3
- reserving resources, *AsynchronousTM* 5–4
- structures, *AsynchronousTM* 5–9
- unregistering with CMM, *AsynchronousTM* 5–3

conversion of data types, *DECC* 6–27

copying a disk, *SystemAdmin* 5–75

copying directories, *CommandShellGde* 4–8

copying files, *CommandShellGde* 3–19

- to another host, *CommandShellGde* 12–1

copysign routine, *CPML* B–6, *CPML*–21

cord utility, *ProgGde* 8–8

core file debugging, *Ladebug* 11–1

cos routine, *CPML* B–6, *CPML*–22

coshd routine, *CPML* B–6, *CPML*–22

cosh routine, *CPML* B–7, *CPML*–23

cot routine, *CPML* B–7, *CPML*–24

cotd routine, *CPML* B–7, *CPML*–24

cp command, *CommandShellGde* 3–19

cpio, *SystemAdmin* 9–4

CPML, *CPML* 1–1

- data types, *CPML* 1–2
- entry-point names, *CPML* B–1
- exceptional arguments, *CPML* 1–4
- floating-point values, *CPML* A–1
- IEEE Standard 754
- considerations, *CPML* 1–6
- routines, *CPML* 2–1
- X/Open Portability Guide
- considerations, *CPML* 1–7

cpow routine, *CPML* B–7, *CPML*–25

CPU

- improving performance, *SystemTune* 7–8
- monitoring, *SystemTune* 7–1
- performance, *SystemTune* 2–4

crash data collection, *KernelDebug* 2–46, A–1

crash dump, *SystemAdmin* 11–1, 11–53

crash dump analysis, *KernelDebug* 1–1, *Ladebug* 17–7

- collecting data with *crashdc*, *KernelDebug* 2–46
- examples of, *KernelDebug* 4–1
- for SMP systems, *KernelDebug* 4–10
- guidelines for, *KernelDebug* 4–1
- specifying location of loadable modules for, *KernelDebug* 2–4
- viewing user program stack, *KernelDebug* 2–8

crash dump file

- analyzing, *KernelDebug* 1–5
- guidelines for analyzing, *KernelDebug* 4–1
- invoking *dbx* debugger to examine, *KernelDebug* 2–2
- invoking *kdbx* debugger to examine, *KernelDebug* 2–12
- using *dbx* to examine, *KernelDebug* 4–2

using kdbx to examine,
KernelDebug 4–3

crash recovery.
See crash dump

crash-data.n file
 explanation of contents,
KernelDebug A–1

crashdc command
 explanation of output from,
KernelDebug A–1

crashdc utility, *KernelDebug* 2–46

creating directories.
CommandShellGde 4–2

crontab command, *SystemAdmin* 3–15

.cshrc file, *CommandShellGde* 8–3

.cshrc login script,
CommandShellGde 7–17
 modifying for System V Habitat,
CommandShellGde 9–2

csin routine, *CPML* B–8, CPML–26

csqrt routine, *CPML* B–8, CPML–27

Curses library, *InternatProg* 4–1,
TechOver 8–7

Custom Setup utility, *InstallGde* 7–4

customization
 of workstation environment,
XWinSysEnv 2–1

customizing mailx,
CommandShellGde D–1

customizing pointer behavior,
CDECompanion 8–8

cvt_ftof routine, *CPML* B–8, CPML–28

D

daemon
 automount, *NetAdmin* 9–2
 binlog, *SystemAdmin* 11–39

bootpd, *TechOver* 3–27
gated, *NetAdmin* 2–8, *TechOver* 3–28
inetd, *NetProgGde* 4–48,
OncRpcProgram 2–18, 3–25
joind, *NetAdmin* 4–17
lpd, *SystemAdmin* 8–33
LSM, *StorageManager* 7–23
mountd, *NetAdmin* 9–11
ntpd, *NetAdmin* 11–9
PC-NFS, *NetAdmin* 9–8
portmap, *Prestoserve* 2–10
pppd, *NetAdmin* 5–14
prestctl_svc, *Prestoserve* 2–12
routed, *NetAdmin* 2–7
rsvpd, *NetProgGde* 7–6
rwhod, *NetAdmin* 2–6
screend, *TechOver* 3–3
syslogd, *SystemAdmin* 11–39
xntpd, *NetAdmin* 11–1

data
 preserving during installation,
InstallGde 6–41
 receiving on a virtual circuit,
AsynchronousTM 5–2
 recovering, *SystemAdmin* 9–1

data cache collision
 avoiding, *ProgGde* 8–16

data cache misses
 profiling for, *ProgGde* 8–16

data copying routine,
KernelModules 5–7

data flow
 XTI and a sockets-based transport
 provider, *TechOver* 3–22
 XTI and a STREAMS-based
 transport provider, *TechOver*
 3–22

Data Link Interface,
See DLI

data link interfaces, *NetProgGde* 2–1

Data Link Provider Interface,
See DLPI

- data manipulation**
in calling standard for Alpha systems, *CallingStandard* 4–1
- data structure**
ATM, *AsynchronousTM* 2–14
displaying value and format of with dbx debugger, *KernelDebug* 2–6
global, *AsynchronousTM* 2–14
kernel thread, *KernelModules* 9–6
module, *NetProgGde* 5–13
simple lock, *KernelModules* 7–1
sockets, *NetProgGde* 4–16
STREAMS message, *NetProgGde* 5–14
used by kernel thread routines, *KernelModules* 9–5
- data transfer**
in DLI, *NetProgGde* E–21
with sockets, *NetProgGde* 4–26
- data type**, *DECC* 3–1
alignment in structures, *ProgGde* 2–5
converting, *DECC* 6–27
types supported by Tru64 UNIX, *ProgGde* 2–4
types supported in assembly language, *AsmLangGde* 2–10
- database security**
group, *CommandShellGde* 5–3
- DataDirect software products**
installing, *InstallGde* D–6
- Dataless Management Services**,
See DMS
- date and time**
setting during installation, *InstallGde* 6–15
- date command**, *SystemAdmin* 2–22
- date value**
formatting rules in a locale, *InternatProg* 7–22
- dbx debugger**, *ProgGde* 5–1, *SystemTune* 3–17, *TechOver* 6–2
crash dump analysis with, *KernelDebug* 2–2, 4–2, 4–4
debugging kdbx extensions with, *KernelDebug* 3–37
debugging kernel threads with, *KernelDebug* 4–8
displaying call stack of user program after kernel crash with, *KernelDebug* 2–8
displaying preserved message buffer, *KernelDebug* 2–10
displaying value and format of variable and data structure with, *KernelDebug* 2–6
examining exception frames with, *KernelDebug* 2–8
identifying cause of crash on SMP system, *KernelDebug* 4–10
identifying hardware exceptions with, *KernelDebug* 4–4
kernel debugging flag, *KernelDebug* 2–2
kernel debugging with, *KernelDebug* 2–2
syntax for examining dump files, *KernelDebug* 2–2
- .dbxit file**, *Ladebug* 12–1
- DDR**, *SystemAdmin* 5–54, *TechOver* 2–23
- debugging an application**, *SystemTune* 11–1
- debugging the kernel**, *SystemTune* 3–8
- debugging tools**,
See also dbx debugger, kdbx debugger, kdebug debugger, Ladebug debugger, lint, Third Degree
crashdc utility, *KernelDebug* 2–46
dbx debugger, *KernelDebug* 2–2

for multithreaded applications,
InstallGde D-18
kdbx debugger, *KernelDebug* 2-12
kdebug debugger, *KernelDebug* 2-38
supported by Tru64 UNIX,
ProgGde 1-5

DECevent event management
utility, *SystemAdmin* 11-1,
TechOver 2-22

declaration, *DECC* 4-1,
OncRpcProgram 2-24

DECterm software
 escape sequences for ruled lines,
InternatProg D-1

DECthreads Debugger,
DECthreads C-1

DECthreads exception package,
DECthreads 5-1

DECthreads software, *DECthreads*
 1-1, *KernelModules* 9-1
 condition variables, *DECthreads*
 2-30, 4-3
 considerations for Tru64 UNIX
 systems, *DECthreads* A-1
 debugging, *Ladebug* 10-1
 error reporting, *DECthreads* 3-23
 exceptions, *DECthreads* 5-1
 mutexes, *DECthreads* 2-26, 4-3
 objects, *DECthreads* 2-1
 operations, *DECthreads* 2-1
 programming, *DECthreads* 3-1
 pthread routines, *DECthreads*
 pthread-1
 thread-safe libraries, *DECthreads*
 4-1
 tis routines, *DECthreads* tis-1

DECwindows Motif
 migrating to CDE,
CDECompanion 6-1
 migrating to CDE applications,
CDECompanion 7-6

default permissions

setting with umask,
CommandShellGde 5-13

deferred mode swapping,
SystemAdmin 3-51

deleting directories,
CommandShellGde 4-10

desktop
 navigating, *CDECompanion* 2-1

desktop session
 managing, *CDECompanion* 4-1

/dev directory, *SystemAdmin* 5-41

Developer's Documentation Kit,
DocOverview 1-9

development enhancements
 installing, *InstallGde* D-5

development environment,
TechOver 6-1

device
 adding to the kernel,
SystemAdmin 4-20
 configuring, *SystemAdmin* 5-41

device driver
 ATM structures, *AsynchronousTM*
 3-2
 interface, *AsynchronousTM* 3-1
 MMI, *AsynchronousTM* 7-6
 queuing guidelines,
 AsynchronousTM 8-1
 registering with CMM,
 AsynchronousTM 3-1

device driver documentation
 books in set described,
DocOverview 5-1

Device Driver Kit,
See device driver
 documentation

device mnemonics, *SystemAdmin*
 B-1

device name, *SystemAdmin* 5-41
 naming conventions, *InstallGde* A-1

device pathname
 explanation of, *SystemAdmin* 8–29
 representation in printcap,
 SystemAdmin 8–30

device security, *Security* 8–1

device special file, *NetProgGde* 5–25
 representation in printcap,
 SystemAdmin 8–30

device special file name
 converting old-style and new-style,
 ProgGde E–1

DHCP, *NetAdmin* 4–1
 and security, *NetAdmin* 4–19
 configuring a server, *NetAdmin* 4–12
 monitoring clients, *NetAdmin* 4–18
 planning for configuration,
 NetAdmin 4–3
 troubleshooting, *NetAdmin* 14–20

dia command
 binary event-logging reports,
 SystemAdmin 11–1

dial-in connection, *NetAdmin* 5–29

dial-out connection, *NetAdmin* 5–31

Differences application
 comparing files with,
 CDECompanion 5–6

directive
 assembler, *AsmLangGde* 5–1
 pragma environment, *ProgGde* 3–1
 pragma extern_prefix, *ProgGde* 3–3
 pragma function, *ProgGde* 3–6
 pragma inline, *ProgGde* 3–5
 pragma intrinsic, *ProgGde* 3–6
 pragma linkage, *ProgGde* 3–8
 pragma member_alignment,
 ProgGde 3–11
 pragma message, *ProgGde* 3–11
 pragma pack, *ProgGde* 3–12
 pragma pointer_size, *ProgGde* 3–13
 pragma use_linkage, *ProgGde* 3–14
 pragma weak, *ProgGde* 3–15

directory, *CommandShellGde* 2–1,
 2–7, 4–1
 backing up, *SystemAdmin* 9–1
 changing owner of,
 CommandShellGde 5–20
 recovering, *SystemAdmin* 9–1
 removing current,
 CommandShellGde 4–12
 removing empty,
 CommandShellGde 4–11
 removing more than one,
 CommandShellGde 4–11
 renaming, *CommandShellGde* 4–9

directory permissions,
 CommandShellGde 5–6, 5–10

dirty-region logging,
 StorageManager 1–13

dis (object file tool), *ProgGde* 2–24

disk
 adding, *StorageManager* 5–1
 availability, *SystemTune* 2–18
 backup, *SystemAdmin* 9–1
 cloning, *SystemAdmin* 5–74
 copying, *SystemAdmin* 5–74
 distributing I/O, *SystemTune* 8–1
 high-performance, *SystemTune* 2–9
 high-performance configuration,
 SystemTune 2–13
 LSM, *SystemTune* 8–4
 managing, *StorageManager* 6–3,
 SystemTune 8–1
 monitoring, *SystemAdmin* 6–44
 monitoring I/O distribution,
 SystemTune 8–3
 monitoring space, *SystemAdmin* 5–77
 preserving data on during
 installation, *InstallGde* 6–41
 RAID, *SystemTune* 2–15
 striping, *SystemTune* 2–14

disk drive
 testing with diskx, *SystemAdmin*
 11–24

disk failure

- troubleshooting, *StorageManager*** 8–1
- disk group** managing, *StorageManager* 6–1, 6–10
- disk label**, *SystemAdmin* 5–69, 6–6
- disk partition**, *SystemAdmin* 5–69, 6–4
on DMS server, *SharingSW* 10–3
- disk quota**, *SystemAdmin* 6–39
- disk space** DMS, *SharingSW* 10–4
planning, *InstallGdeAdvTop* 4–1
reallocating, *SystemAdmin* 5–69
RIS, *SharingSW* 3–3
- disk usage**, *SystemAdmin* 5–77
- disklabel command**, *SystemAdmin* 5–71
- diskusg command**, *SystemAdmin* 10–32
- diskx exerciser**, *SystemAdmin* 11–24
- dispatch point callback**, *KernelModules* 4–1
- dispatch table**, *OncRpcProgram* 2–18
- DISPLAY environment variable** setting from different shells, *CDECompanion* 5–3
- Display Manager**, *TechOver* 6–23
- displaying directories**, *CommandShellGde* 4–7
- displaying information** command status, *CommandShellGde* 6–8
differences between files, *CommandShellGde* 3–24
job status of uucp, *CommandShellGde* 14–26
process information, *CommandShellGde* 6–14
- variable values, *CommandShellGde* 7–22
- displaying online reference pages**, *CommandShellGde* 1–10
- distributed naming services**, *TechOver* 3–31
See also BIND, NIS
- distributed system services** naming services, *TechOver* 3–31
time services, *TechOver* 3–33
- distribution media** producing for user products, *ProdKitGde* 4–1, 5–6
- division of privileges**, *See* DOP
- DLI**, *NetProgGde* E–1, *TechOver* 3–23
and accessing the local area network, *NetProgGde* E–3
binding a socket, *NetProgGde* E–18
calculating buffer size, *NetProgGde* E–20
creating a socket, *NetProgGde* E–16
deactivating a socket, *NetProgGde* E–21
filling the sockaddr_dl structure, *NetProgGde* E–18
services, *NetProgGde* E–2
setting socket options, *NetProgGde* E–17
transferring data, *NetProgGde* E–21
using system calls, *NetProgGde* E–15
writing programs, *NetProgGde* E–15
- DLI program** including higher-level services, *NetProgGde* E–4
- DLPI**, *NetProgGde* 2–2, *TechOver* 3–24
addressing, *NetProgGde* 2–6
connection mode service, *NetProgGde* 2–5
connectionless mode service, *NetProgGde* 2–6

local management service,
 NetProgGde 2–5
modes of communication,
 NetProgGde 2–3
supported primitives, *NetProgGde*
 2–8, 8–10
types of service, *NetProgGde* 2–4

DMS, *SharingSW* 1–1, 9–1, *TechOver*
 2–23
 adding software, *SharingSW* 11–7
 disk space planning, *SharingSW*
 10–4
 installing software, *SharingSW*
 11–2
 root area, *SharingSW* 9–2
 setting up a LAN, *SharingSW* 10–3
 setting up NFS, *SharingSW* 10–4
 troubleshooting, *SharingSW* 13–1

DMS area, *SharingSW* 1–1, 9–2

DMS area maintenance,
 SharingSW 12–1

DMS client, *SharingSW* 1–1, 9–2,
 9–5, 12–1
 area, *SharingSW* 9–5
 compatibility with server,
 SharingSW 11–1
 preparing, *SharingSW* 10–1
 registering, *SharingSW* 10–8
 requirements, *SharingSW* 10–2

DMS environment, *SharingSW*
 9–3, 12–1
 configuring, *SharingSW* 11–9
 on DMS server, *SharingSW* 11–1
 software sharing environment,
 SharingSW 1–2

DMS server, *SharingSW* 1–1, 9–2
 architecture, *SharingSW* 9–2
 compatibility with client,
 SharingSW 11–1
 creating DMS environment on,
 SharingSW 11–1
 disk partitions, *SharingSW* 10–3

installing operating system on,
 SharingSW 10–7
managing, *SharingSW* 12–1
preparing, *SharingSW* 10–1
requirements, *SharingSW* 10–1
worldwide setup, *SharingSW* 11–13

DNS, *TechOver* 3–5, 3–32
 configuring a caching-only server,
 NetAdmin 7–10
 configuring a client, *NetAdmin* 7–14
 configuring a forward-only server,
 NetAdmin 7–12
 configuring a master server,
 NetAdmin 7–8
 configuring a slave server,
 NetAdmin 7–9
 configuring a stub server,
 NetAdmin 7–13
 deconfiguring, *NetAdmin* 7–16
 list of distributed databases,
 TechOver 3–32
 named.conf, *NetAdmin* H–1
 resource records, *NetAdmin* H–1
 testing master servers, *NetAdmin*
 16–16
 testing servers, *NetAdmin* 16–1
 troubleshooting, *NetAdmin* 14–23,
 14–25
 updating server data files,
 NetAdmin 7–17

doconfig program, *SystemAdmin*
 4–20, 4–24, 4–27

documentation,
 See also online documentation
 description of manuals,
 DocOverview 2–1
 in printed form, *DocOverview* 1–8
 on line, *DocOverview* 1–5

Documentation CD-ROM,
 DocOverview 1–6
 mounting, *InstallGde* 8–2

documentation kits,

See Developer's Documentation
Kit, End User
Documentation Kit,
General User
Documentation Kit,
Startup Documentation
Kit, System and Network
Management
Documentation Kit, Tru64
UNIX Documentation Kit

documentation on the World Wide Web, *DocOverview* 1–7

dodisk shell script, *SystemAdmin* 10–31

Domain Name Service Protocol,
See DNS

DOP, *Security* H–1

drem routine, *CPML* B–8, CPML–33

driver
bridging BSD driver to STREAMS
protocol stack, *NetProgGde* 8–9
bridging STREAMS driver to
sockets protocol stack,
NetProgGde 8–2
debugging loadable, *Ladebug* 13–1
Token Ring, *NetProgGde* D–1

driver program
compiler system, *ProgGde* 2–2

dsfcvt* routines, *ProgGde* E–1

dtmail utility, *NetAdmin* 12–36

dtsession, *CDECompanion* 6–2

dump, *SystemAdmin* 9–4

dump file,
See crash dump file

dxaccounts graphical interface,
SystemAdmin 7–5

dxpreno command
monitoring Prestoserve with,
Prestoserve 3–8

dxpreno software subset
installing, *Prestoserve* 2–1

Dynamic Device Recognition,
See DDR

dynamic disk partitioning
during full installation, *InstallGde* 4–2

Dynamic Host Configuration Protocol,
See DHCP

dynamic loader
shared library, *TechOver* 6–11

dynamically configurable subsystem
creating, *ProgGde* C–1

E

EBM2n and EBM4n single-board computers, *SysConfigSup* 1–4

EBV10 and EBV12 single-board computers, *SysConfigSup* 1–10

EBV14 and EBV16 single-board computers, *SysConfigSup* 1–1

ed editor, *CommandShellGde* B–1
append (a) subcommand,
CommandShellGde B–2
change (c) subcommand,
CommandShellGde B–21
copying lines, *CommandShellGde* B–24
creating and saving text files,
CommandShellGde B–2
delete (d) subcommand,
CommandShellGde B–18
deleting a specific line,
CommandShellGde B–19
deleting multiple lines,
CommandShellGde B–19
deleting the current line,
CommandShellGde B–18

displaying the current line,
CommandShellGde B–9
edit (e) subcommand,
CommandShellGde B–7
edit (ed) command,
CommandShellGde B–7
edit buffer, *CommandShellGde* B–1
global (g) operator,
CommandShellGde B–16
insert (i) subcommand,
CommandShellGde B–22
locating text, *CommandShellGde* B–12
moving text, *CommandShellGde* B–20
print (p) subcommand,
CommandShellGde B–3
quit (q) subcommand,
CommandShellGde B–6
read (r) subcommand,
CommandShellGde B–8
removing characters,
CommandShellGde B–16
substitute (s) subcommand,
CommandShellGde B–14
using system commands,
CommandShellGde B–25
write (w) subcommand,
CommandShellGde B–4

editor, *CommandShellGde* 2–1
See also ed editor, emacs editor, vi editor

EGP, *TechOver* 3–6

egrep,
See grep utility

emacs editor, *Ladebug* 1–18
 as debugging interface, *Ladebug* 1–3
 installing, *InstallGde* D–10
 multilingual, *TechOver* 8–9

enabling realtime preemption
 after full installation, *InstallGde* 7–10

encapsulation

AdvFS domain, *StorageManager* 3–3
boot disk, *StorageManager* 4–1

End User Documentation Kit,
DocOverview 1–8

endián byte ordering
 supported by Tru64 UNIX,
ProgGde 2–4

endpoint
 adding, *AsynchronousTM* 6–4
 creating, *AsynchronousTM* 5–5
 dropping, *AsynchronousTM* 4–3, 5–5
 requesting connection state information, *AsynchronousTM* 5–6
 requesting information, *AsynchronousTM* 4–4

enhanced security
 in a cluster, *Security* G–1

enumerations and rpcgen,
OncRpcProgram 2–23

environment variable,
CommandShellGde 7–14

erf routine, *CPML* B–9, CPML–34

erfc routine, *CPML* B–9, CPML–34

error
 comparison of XTI and sockets,
NetProgGde 3–39
 in sockets, *NetProgGde* 4–34
 in XTI, *NetProgGde* 3–56
 logging, *SystemAdmin* 11–1
 logging in STREAMS, *NetProgGde* 5–26
 reporting to CMM, *AsynchronousTM* 3–2
 solving network problem, *NetAdmin* 14–1

error message
 automount, *NetAdmin* D–6
 LSM, *StorageManager* E–1
 mail, *NetAdmin* F–1
 NFS, *NetAdmin* D–1

UUCP, *NetAdmin* E–1

eSNMP, *NetProgGde* 1–7, 6–2
application interface, *NetProgGde* 6–4
application programming interface routines, *NetProgGde* 6–19
architecture, *NetProgGde* 6–3
components, *NetProgGde* 6–2
implementing a subagent, *NetProgGde* 6–12
method routine calling interface, *NetProgGde* 6–35
MIB subtree, *NetProgGde* 6–6
object tables, *NetProgGde* 6–8
SNMP versions, *NetProgGde* 6–4
starting, *NetProgGde* 6–16
stopping, *NetProgGde* 6–16
support routines, *NetProgGde* 6–46

/etc/kitcap file, *ProdKitGde* 4–3, 5–8

/etc/sysconfigtab file, *SystemAdmin* 4–15

Ethernet, *TechOver* 3–19
configuring, *NetAdmin* 2–11

Ethernet interface
VMEbus backplane (vb) network, *SysConfigSup* 3–1

euro character, *TechOver* 8–7

event
reporting, *SystemAdmin* 11–1
tracking in XTI, *NetProgGde* 3–14

event logging
crash recovery, *SystemAdmin* 11–53
creating daily files, *SystemAdmin* 11–44
in STREAMS, *NetProgGde* 5–26

event management, *SystemAdmin* 12–1

Event Manager,
See EVM

event processing

in calling standard for Alpha systems, *CallingStandard* 5–1

EVM, *SystemAdmin* 12–1

exception
frame-based, *ProgGde* 11–5
receiving, *AsynchronousTM* 5–2
structured, *ProgGde* 11–5

exception handling
application development considerations, *ProgGde* 11–1
DECthreads, *DECthreads* 5–1
header files, *ProgGde* 11–3

exception processing
in calling standard for Alpha systems, *CallingStandard* 5–1

executable image
creating, *ProgGde* 2–3, 2–19

executable program
how to run, *ProgGde* 2–21

exerciser, *SystemAdmin* 11–19

exp routine, *CPML* B–9, CPML–35

expm1 routine, *CPML* B–9, CPML–35

exporting a file system, *NetAdmin* 9–11, 9–13

exports file, *NetAdmin* 9–11, 9–13

expression, *DECC* 6–1

extended regular expression, *ProgSupTools* 1–4

extensible SNMP,
See eSNMP

extensions to kdbx debugger, *KernelDebug* 2–16

Exterior Gateway Protocol,
See EGP

External Data Representation,
See XDR routine

F

fabs routine, *CPML* B–10, *CPML*–36
factory installed software,
 See FIS
Fast Ethernet, *TechOver* 3–19
fcntl.h file, *NetProgGde* 3–6
FDDI, *TechOver* 3–19
 configuring, *NetAdmin* 2–11
fdi_config command, *NetAdmin* 2–29
FDFS, *TechOver* 4–10
feedback file
 profile-directed optimization,
 ProgGde 8–4
FFM, *TechOver* 4–10
fgrep,
 See grep utility
Fiber Distributed Data Interface,
 See FDDI
file, *CommandShellGde* 2–1, 2–5, 3–1
 backing up, *SystemAdmin* 9–1
 comparing file differences,
 CommandShellGde 3–24
 including, *DECC* 8–11
 listing contents of subset,
 InstallGde 9–4
 recovering, *SystemAdmin* 9–1
 sorting contents of,
 CommandShellGde 3–26
file (object file tool), *ProgGde* 2–24
file access, *CommandShellGde* 5–1
File Descriptor File System,
 See FDFS
file inclusion, *DECC* 8–11
File Manager, *CDECompanion* 4–1
 accessing, *CDECompanion* 3–1
 managing directories and files,
 CDECompanion 4–1

file name, *CommandShellGde* 2–5
file permissions,
 CommandShellGde 5–6
file synchronization
 realtime, *Realtime* 8–2
file system, *CommandShellGde* 2–5,
 SystemAdmin 6–1
 accelerating writes to, *Prestoserve*
 3–3
 AdvFS, *TechOver* 4–2
 CDFS, *TechOver* 4–8
 checking, *SystemAdmin* 6–44
 corrupted, *SystemAdmin* 6–44
 exercising with fsx, *SystemAdmin*
 11–21
 exporting, *NetAdmin* 9–11
 FDFS, *TechOver* 4–10
 FFM, *TechOver* 4–10
 free space, *SystemAdmin* 5–77
 halting export of, *NetAdmin* 9–12
 MFS, *TechOver* 4–9
 monitoring, *SystemAdmin* 6–44,
 SystemTune 9–1
 monitoring free space,
 SystemAdmin 5–77
 mounting, *SystemAdmin* 6–20
 NFS, *TechOver* 4–5
 PFS, *TechOver* 4–9
 replicated, *NetAdmin* B–8
 restoring, *InstallGdeAdvTop* 3–1
 tuning, *SystemAdmin* 6–47,
 SystemTune 9–2
 UFS, *TechOver* 4–8
 VFS, *TechOver* 4–2
file system layout
 customizing during installation,
 InstallGde 6–34
 default, *InstallGde* 4–2
 planning manually,
 InstallGdeAdvTop 4–1
 specifying during installation,
 InstallGde 6–28
file system quota, *SystemAdmin* 6–39

File Transfer Protocol,
 See FTP

file type
 determining, *CommandShellGde* 3–30

File-on-File Mounting File System,
 See FFM

finger command,
 CommandShellGde 10–2

Finger Protocol (FINGER),
 TechOver 3–11

finite routine, *CPML* B–10, *CPML*–37

firmware
 updating, *InstallGde* 5–9

FIS
 documentation included on,
 DocOverview 1–5

floating-point instruction set
 assembly language, *AsmLangGde* 4–1

floating-point range and processing
 IEEE standard, *ProgGde* 2–4

floor routine, *CPML* B–10, *CPML*–38

flow control
 convergence module,
 AsynchronousTM 9–3
 hardware, *AsynchronousTM* 9–1
 in calling standard for Alpha
 systems, *CallingStandard* 3–1
 software, *AsynchronousTM* 9–2

fmod routine, *CPML* B–10, *CPML*–39

font cache
 tuning size of, *InternatProg* 6–43

font renderer, *TechOver* 6–24

font server, *TechOver* 6–24

fonts
 bitmap fonts for local languages,
 InternatProg 6–48

local-language PostScript,
 InternatProg 6–29

PostScript font renderers for X
 applications, *InternatProg* 6–46

foreground process,
 CommandShellGde 6–6

foreign language,
 See Asian languages

Fortran language
 debugging support, *Ladebug* 6–1
 installing, *InstallGde* D–8

fp_class routine, *CPML* B–11,
 CPML–40

frame-based exception handling,
 ProgGde 11–5

framework
 sockets, *NetProgGde* 4–1
 STREAMS, *NetProgGde* 5–1

free page list
 definition, *TechOver* 5–6

frexp routine, *CPML* B–11, *CPML*–41

Front Panel
 exiting a session, *CDECompanion* 3–1
 pausing a session, *CDECompanion* 3–1
 using, *CDECompanion* 3–1

fsck command, *SystemAdmin* 6–44
 checking file system,
 SystemAdmin 6–44

fsck program, *SystemAdmin* 6–21

fstab file, *SystemAdmin* 6–20, 6–21

fsx exerciser, *SystemAdmin* 11–21

FTP, *TechOver* 3–9

full installation, *InstallGde* 4–1
 boot commands, *InstallGde* 6–45
 building kernel during, *InstallGde* 6–26

CD-ROM boot procedures,
 InstallGde 6–4
defined, *InstallGde* 1–2
enabling realtime preemption
 after, *InstallGde* 7–10
installing LSM during, *InstallGde*
 4–3
installing WLS, *InstallGde* 4–2
preinstallation tasks, *InstallGde* 5–1
preserving existing data,
 InstallGde 6–41
procedures, *InstallGde* 6–1
restarting, *InstallGde* 6–43
special processing for LSM,
 InstallGde 6–40
system configuration, *InstallGde* 7–1
user-supplied files,
 InstallGdeAdvTop 5–1

function prototype, *DECC* 5–8

functions, *DECC* 5–1

- allowed sequence of in XTI,
 NetProgGde 3–20
- comparison of XTI and sockets,
 NetProgGde 3–37
- STREAMS, *NetProgGde* 5–7

G

gamma routine, *CPML CPML*–46

gated daemon, *NetAdmin* 2–8,
 TechOver 3–28
configuring, *NetAdmin* 2–16

gated.conf file, *NetAdmin* 2–8

gateways file, *NetAdmin* 2–7

General User Documentation Kit,
 DocOverview 1–9
description of books in,
 DocOverview 2–3

getty command, *SystemAdmin*
 2–20, 3–7, 3–9

gettydefs file, *SystemAdmin* 3–4

GID, *SystemAdmin* 7–10

Gigabit Ethernet, *TechOver* 3–19

GIOC_MMIS_GETVERSION
 command, *AsynchronousTM* 7–3

GIOC_MMIS_PATH command,
 AsynchronousTM 7–6

global offset table,
 CallingStandard 2–4

GNU source
 installing, *InstallGde* D–10

GOT, *AsmLangGde* 6–2

GPA tools
 installing, *InstallGde* D–16

gprof,
 See profiling

Graphical Program Analysis tools,
 See GPA tools

grep utility, *ProgSupTools* 1–9

group, *SystemAdmin* 7–1

group file, *CommandShellGde* 5–1,
 SystemAdmin 7–9

H

halt command, *SystemAdmin* 2–30

hardware
 adding to the kernel,
 SystemAdmin 4–20

hardware exception
 debugging, *KernelDebug* 4–4

hardware management,
 SystemAdmin 5–1

header file, *DECC* 1–20, 9–1
 including, *ProgGde* 2–9
 sockets, *NetProgGde* 4–16
 STREAMS, *NetProgGde* 5–6

heap memory analyzer

and profiling, *ProgGde* 8–26
help, *CommandShellGde* 1–9
Help Manager
accessing, *CDECompanion* 3–1
hiprof,
See profiling
Host Resources MIB, *NetAdmin* G–1
hosts file, *NetAdmin* 2–10, 2–18
hosts.equiv file, *NetAdmin* 2–10, 2–19
HSC
configuration, *SystemAdmin* C–1
controller failures, *SystemAdmin* C–2
host sharing, *SystemAdmin* C–3
restrictions, *SystemAdmin* C–3
HTML documentation,
DocOverview 1–5, *InstallGde* 8–1
hwmgr, *TechOver* 2–25
hypot routine, *CPML* B–11, CPML–42

|

I/O operation
tracing, *StorageManager* 7–24
ICMP, *TechOver* 3–17
identifier, *DECC* 1–6
assembly language, *AsmLangGde* 2–1
IEEE floating-point,
See floating-point range and processing
ifaccess.conf file, *NetAdmin* 2–28
ifconfig command
enabling access filtering with, *NetAdmin* 2–28
ilogb routine, *CPML* B–11, CPML–43
IMAP, *NetAdmin* 12–22, *TechOver* 3–12

troubleshooting, *NetAdmin* 14–62
immediate mode swapping,
SystemAdmin 3–51
inactive page list, *TechOver* 5–6
include file,
See header file
including files, *DECC* 8–11
incoming call
accepting, *AsynchronousTM* 5–8
receiving, *AsynchronousTM* 4–2
rejecting, *AsynchronousTM* 5–8
inetd daemon, *NetProgGde* 4–48
rpcgen support for,
OncRpcProgram 2–18
using to start an RPC server,
OncRpcProgram 3–25
init command, *SystemAdmin* 2–7, 2–17
init.d directory, *SystemAdmin* 3–3
init.d directory structure,
SystemAdmin 3–9
initialization, *SystemAdmin* 2–6
tasks, *SystemAdmin* 2–6
initialization file, *Ladebug* 12–1
inittab file, *SystemAdmin* 2–7, 2–17, 3–2, 3–5, 3–9
customizing for LAT, *NetAdmin* 6–9
initdefault entry, *SystemAdmin* 2–18
input method, *InternatProg* 6–5
handling in X application, *InternatProg* 5–19
starting server for, *InternatProg* 6–6
X resource for, *InternatProg* 6–6
input mode (vi editor),
CommandShellGde A–9
input/output multiplexing,
NetProgGde 4–49
Insight Manager, *SystemAdmin* 1–29, *TechOver* 2–24
install.cdf file, *InstallGdeAdvTop* 6–1

attribute-value pairs,
InstallGdeAdvTop A-1

installation, *InstallGde* 1-1
See also full installation,
update installation
customizing, *InstallGdeAdvTop* 5-1

installation cloning,
InstallGdeAdvTop 6-1,
SharingSW 7-1
attribute-value pairs,
InstallGdeAdvTop A-1

installation media, *InstallGde* 1-4

installing associated products
advanced printing, *InstallGde* D-4
Advanced Server for UNIX,
InstallGde D-19
alternate compiler, *InstallGde* D-5
C++ programming language,
InstallGde D-7
COBOL programming language,
InstallGde D-8
component object module,
InstallGde D-5
DataDirect software products,
InstallGde D-6
development enhancements,
InstallGde D-5
Fortran programming language,
InstallGde D-8
GNU source, *InstallGde* D-10
Microsoft open database
connectivity, *InstallGde* D-6
Netscape FastTrack Server,
InstallGde D-13
Pascal programming language,
InstallGde D-9
Performance Manager, *InstallGde*
D-14
Porting Assistant, *InstallGde* D-15
program analysis tools, *InstallGde*
D-16
SCSI CAM layered components,
InstallGde D-17

sort runtime library, *InstallGde* D-9
Visual Threads, *InstallGde* D-18

installing the operating system,
InstallGde 1-1

instruction and source line
profiling, *ProgGde* 8-16

instruction set
assembly language floating-point,
AsmLangGde 4-1
assembly language main
instruction set, *AsmLangGde*
3-1

instructions
disassembling using kdbx,
KernelDebug 2-21

interface
ATM, *AsynchronousTM* 1-3

interface parameter
requesting, *AsynchronousTM* 5-3

international software, *InstallGde*
C-26
installing, *InstallGdeAdvTop* 2-1

internationalization, *SystemAdmin*
3-22, *TechOver* 8-1
asort command, *TechOver* 8-8
CDE clients, *TechOver* 8-11
codeset conversion, *TechOver* 8-6
creating locales, *TechOver* 8-8
Curses library, *TechOver* 8-7
file command, *TechOver* 8-9
for graphical applications,
TechOver 8-9
handling cultural data in
programs, *InternatProg* 2-12
handling text presentation and
input, *InternatProg* 2-16
implications for software
development, *InternatProg* 1-1
mail utilities, *TechOver* 8-9
Motif clients, *TechOver* 8-11
Motif widget support, *TechOver* 8-10
mule editor, *TechOver* 8-9

PC code-page format, *TechOver* 8–6
printing subsystem, *TechOver* 8–8
supported languages, *TechOver* 8–2
system administration, *TechOver*
8–8
terminal subsystem, *TechOver* 8–5
Unicode support, *TechOver* 8–6
user-defined character, *TechOver*
8–9
working in a native-language
environment, *InternatProg* 6–1
X/Open WPI interfaces,
InternatProg A–1

internationalization features,
CDECompanion 9–1
using, *CommandShellGde* C–1

Internet,
See TCP

Internet Boot Protocol daemon,
See BOOTP

Internet Control Message Protocol,
See ICMP

Internet Message Access Protocol,
See IMAP

Internet Protocol,
See IP

InterNIC Registration Services
and IP address, *NetAdmin* 2–4

interprocess communications,
See IPC

interrupt driven socket I/O,
NetProgGde 4–52

invocation procedure,
CallingStandard 7–1

IP, *TechOver* 2–4, 3–3, 3–15

IP address, *NetAdmin* 2–4
and InterNIC Registration
Services, *NetAdmin* 2–4
obtaining using DNS, *NetAdmin* 7–18

IP alias, *NetAdmin* 2–20

IP multicasting, *NetProgGde* 4–41,
TechOver 3–15

IP router, *NetAdmin* 2–8
configuring system as, *NetAdmin*
2–17

IP switching
characteristics, *NetAdmin* 3–4
configuring with ATM, *NetAdmin*
3–21
planning configuration with ATM,
NetAdmin 3–12

IPC
mechanisms used for, *ProgGde* 1–7

isnan routine, *CPML* B–12, CPML–44

ISO 10646 standard, *TechOver* 8–2

ISO codesets, *CommandShellGde* C–2

ISO standards
application development
considerations, *ProgGde* 1–2

J

j0 routine, *CPML* B–12, CPML–12

j1 routine, *CPML* B–12, CPML–12

Japanese,
See Asian languages

Java
documentation for, *DocOverview* 3–6

jn routine, *CPML* B–12, CPML–12

jobs command, *CommandShellGde*
6–9

joind daemon, *NetAdmin* 4–17

K

kdbx debugger, *KernelDebug* 2–12
command aliases, *KernelDebug* 2–16
command syntax, *KernelDebug* 2–13

commands, *KernelDebug* 2–14
compiling custom extensions to,
 KernelDebug 3–37
crash dump analysis with,
 KernelDebug 4–3, 4–7
debugging extensions to,
 KernelDebug 3–37
executing extensions to,
 KernelDebug 2–15
extensions to, *KernelDebug* 3–23
identifying hardware exceptions
 with, *KernelDebug* 4–4
library functions for extensions to,
 KernelDebug 3–2
using extensions to, *KernelDebug*
 2–16
writing extensions to, *KernelDebug*
 3–1

kdebug debugger, *KernelDebug*
 1–3, 2–38, *Ladebug* 17–14
invoking, *KernelDebug* 2–42
problems with setup of,
 KernelDebug 2–43
requirements for, *KernelDebug* 2–39
setting up, *KernelDebug* 2–40

kernel
building during installation,
 InstallGde 6–26
configuration file entries,
 SystemAdmin 4–33
configuring, *SystemAdmin* 4–1
configuring with options menu,
 SystemAdmin 4–24
installing ATM options, *NetAdmin*
 3–6
managing attributes, *SystemTune*
 3–10
preemptive vs. nonpreemptive,
 Realtime 1–4
rebuilding after using setld,
 InstallGde 9–10
static configuration, *SystemAdmin*
 4–19
tuning, *SystemTune* 3–10

verifying ATM options, *NetAdmin*
 3–6
vmunix.n file, *SystemAdmin* 11–4

kernel attribute, *SystemTune* 3–10

kernel configuration file
editing during full installation,
 InstallGde 6–48

kernel crash
displaying call stack of user
 program after, *KernelDebug* 2–8

kernel debugging, *KernelDebug*
 1–1, 1–3, *TechOver* 5–2
debugging customized tools,
 KernelDebug 3–37
debugging running kernel,
 KernelDebug 1–3, 2–38
developing customized tools,
 KernelDebug 3–1
linking kernel image for,
 KernelDebug 1–1
remote, *Ladebug* 17–14
using dbx debugger, *KernelDebug*
 2–2
using kdbx debugger, *KernelDebug*
 2–12
using kdebug debugger,
 KernelDebug 2–38
using Ladebug debugger, *Ladebug*
 17–1

kernel module, *KernelModules* 1–1
attributes, *KernelModules* 3–1
building and testing,
 KernelModules 10–1
choosing resources to lock,
 KernelModules 6–13
developing, *KernelModules* 1–6
initializing, *KernelModules* 2–1, 2–4
making safe in SMP environment
 using complex locks,
 KernelModules 8–1
multithreaded programming,
 KernelModules 9–1

producing a single binary module,
KernelModules 10–1
 statically configuring,
KernelModules 10–6
 testing, *KernelModules* 10–12
 unconfiguring and unloading,
KernelModules 10–6

kernel product kit, *ProdKitGde* 5–1

kernel program
 debugging, *KernelDebug* 1–3

kernel routine
 ATM, *AsynchronousTM* A–1

kernel subsystem
 configuring STREAMS drivers,
NetProgGde 5–21
 configuring STREAMS modules,
NetProgGde 5–21

kernel thread
 advantages of using,
KernelModules 9–1
 blocking, *KernelModules* 9–10
 creating and starting,
KernelModules 9–6
 setting a timer for current,
KernelModules 9–24
 terminating, *KernelModules* 9–19
 unblocking, *KernelModules* 9–17

kernel thread routine
 data structures, *KernelModules* 9–5

kernel-level function
 STREAMS, *NetProgGde* 5–13

keyboard
 customizing settings,
CDECompanion 5–8
 LK-style with PCXAL,
CDECompanion 8–5
 LK201/LK401, *CDECompanion* 8–5
 PC-style with LK201/LK401,
CDECompanion 8–5
 window emulation of, *InternatProg*
 6–4

Keycaps

customizing keyboard,
CDECompanion 5–9

keyword, *DECC* 1–8

Korean,
See Asian languages

Korn shell, *CommandShellGde* 7–1,
 8–1
.logout script, *CommandShellGde*
 7–25
 redirecting errors,
CommandShellGde 6–4

.kshrc login script,
CommandShellGde 7–17

L

Ladebug command line, *Ladebug*
 REF–1

Ladebug debugger, *TechOver* 6–3
 Ada language debugging support,
Ladebug 7–1
 aliases, *Ladebug* REF–6, REF–11
 C++ language debugging support,
Ladebug 5–1
 COBOL language debugging
 support, *Ladebug* 8–1
 command-line interface, *Ladebug*
 1–3
 commands, *Ladebug* REF–1
 core file debugging, *Ladebug* 11–1
 crash dump analysis, *Ladebug* 17–7
 features, *Ladebug* 1–3
 Fortran language debugging
 support, *Ladebug* 6–1
 graphical user interface, *Ladebug*
 1–3
 initialization file, *Ladebug* 12–1
 kernel debugging, *Ladebug* 17–1
 machine-code debugging, *Ladebug*
 15–1
 multilanguage program debugging,
Ladebug 6–15, 7–2, 8–9

multiprocess application
 debugging, *Ladebug* 9–1
multithreaded application
 debugging, *Ladebug* 10–1
remote debugging, *Ladebug* 16–1
scripts, *Ladebug* 12–1
shared libraries debugging,
Ladebug 13–1
variables, *Ladebug* REF–23
verbose mode debugging, *Ladebug*
 5–23

LAN emulation,
See LANE

LAN setup for DMS, *SharingSW* 10–3

LAN setup for RIS, *SharingSW* 3–4

LANE
 characteristics, *NetAdmin* 3–3
 configuring with ATM, *NetAdmin*
 3–19
 managing the environment,
NetAdmin 3–26
 planning configuration with ATM,
NetAdmin 3–11

language announcement in programs, *InternatProg* 1–4

language support
 installing, *InstallGdeAdvTop* 2–1

lastcomm command, *SystemAdmin*
 10–30

LAT
 configuring with latsetup,
NetAdmin 6–6
 creating your own service,
NetAdmin 6–17
 dedicated tty device on a terminal,
NetAdmin 6–18
 devices, *NetAdmin* 6–6
 gateway service, *NetAdmin* 6–15
 host-initiated connection,
NetAdmin 6–13
 outgoing connections, *NetAdmin* 6–14
 printer setup, *NetAdmin* 6–10

troubleshooting, *NetAdmin* 14–52

latsetup command, *NetAdmin* 6–6

layered applications
 documentation for, *DocOverview* 1–10

layered product kit, *ProdKitGde* 1–1
 building subsets and control files,
ProdKitGde 3–1
 directory structure, *ProdKitGde* 2–1
 producing distribution media,
ProdKitGde 4–1, 5–6

LBN, *SystemAdmin* 5–69, 6–4

ld command, *ProgGde* 2–19

ldexp routine, *CPML* B–13, CPML–45

learp command, *NetAdmin* 3–26

lex program, *ProgSupTools* 4–1

lexicon, *DECC* 1–1

lgamma routine, *CPML* B–13,
 CPML–46

lgamma_max_float boundary value, *CPML* A–4

libc.so default C library, *ProgGde*
 2–20

libexc exception library, *ProgGde*
 11–1

library,
See also shared library
 ANSI C standard, *DECC* 9–1
 linking programs with, *ProgGde* 2–20
 run-time, *TechOver* 6–12
 TLI, *NetProgGde* 3–6
 XTI, *NetProgGde* 3–6

library call
 sockets, *NetProgGde* 4–10

library functions
 for extensions to kdbx debugger,
KernelDebug 3–2

library routines
 for writing kdbx extensions,
KernelDebug 3–2

libtli.a library, *NetProgGde* 3–6
libxti.a library, *NetProgGde* 3–6
license
activity, *LicenseManage* 1–5
availability, *LicenseManage* 1–4
canceling, *LicenseManage* 2–10
deleting, *LicenseManage* 2–10
disabling, *LicenseManage* 2–9
enabling, *LicenseManage* 2–9
issuing, *LicenseManage* 2–10
loading, *LicenseManage* 2–6
registering, *LicenseManage* 2–2
unlimited, *LicenseManage* 2–2
unloading, *LicenseManage* 2–8
updating, *LicenseManage* 2–11
license database for LMF,
 LicenseManage 1–1
License Management Facility,
 See LMF
license terms and conditions,
 LicenseManage 1–3
license unit, *LicenseManage* 1–2
License Unit Requirement Table,
 See LURT
license-checking function,
 LicenseManage 1–2
linkage, *DECC* 2–11
linking files, *CommandShellGde* 3–14
lint
coding problem checker, *ProgGde* 6–1
listing directory contents,
 CommandShellGde 3–2
.lita section, *AsmLangGde* 6–5
literal characters
using backslash,
 CommandShellGde 7–12
using double quotes,
 CommandShellGde 7–13
using single quotes,
 CommandShellGde 7–12
little endian
byte ordering, *AsmLangGde* 1–2
LMF, *LicenseManage* 1–1
activity license, *LicenseManage* 1–5
availability license,
 LicenseManage 1–4
commands, *LicenseManage* 2–1
license checking, *LicenseManage* 1–9
license database, *LicenseManage* 1–2
license terms and conditions,
 LicenseManage 1–3
license units, *LicenseManage* 1–2
license-checking function,
 LicenseManage 1–2, 1–9
LURT, *LicenseManage* 1–2
OSF_USR license, *LicenseManage* 2–2
PAAM, *LicenseManage* 1–6, 2–11
lmf reference page, *LicenseManage* 1–2
lmf utility, *LicenseManage* 1–2
lmfsetup script, *LicenseManage* 1–2
ln command, *CommandShellGde* 3–14, 3–15
ln routine, *CPML* B–13, CPML–47
loadable driver
debugging, *Ladebug* 17–20
loader, dynamic
shared library, *TechOver* 6–11
Local Area Transport,
 See LAT
local management service
in DLPI, *NetProgGde* 2–5
locale, *CommandShellGde* C–1,
 InternatProg 1–2, *SystemAdmin* 3–17, *TechOver* 8–2

binding to program's run-time environment, *InternatProg* 2–20
building and testing, *InternatProg* 7–57
categories of, *CommandShellGde* C–8
creating, *InternatProg* 7–1, *TechOver* 8–8
 determining which locale is set, *CommandShellGde* C–6
 effect on date and time format, *CommandShellGde* C–4
 effect on messages, *CommandShellGde* C–5
 effect on software, *CommandShellGde* C–2
 numeric and monetary format in, *CommandShellGde* C–5
 setting, *InternatProg* 6–2
 yes/no response strings, *CommandShellGde* C–5

localization,
See also internationalization
 implications for software development, *InternatProg* 1–2

location and area
 setting during full installation, *InstallGde* 6–16

lock
 accessing, *CDECompanion* 3–1
 complex, *KernelModules* 8–1
 simple, *KernelModules* 7–1

locking method
 choosing, *KernelModules* 6–9
 comparing simple and complex locks, *KernelModules* 6–5
 complex lock, *KernelModules* 6–8
 simple lock, *KernelModules* 6–6

log routine, *CPML* CPML–47

log10 routine, *CPML* B–14, CPML–47

log1p routine, *CPML* B–14, CPML–47

log2 routine, *CPML* B–13, CPML–47

logarithm
 ilogb, compute unbiased component, *CPML* CPML–43
 logb, convert to double-precision floating-point, *CPML* CPML–48

logb routine, *CPML* B–14, CPML–48

logging in, *CommandShellGde* 1–2, *Security* 2–1
 specifying a language, *CDECompanion* 2–8
 specifying a session, *CDECompanion* 2–8

logging out
 of a session, *CommandShellGde* 1–4

logical block number,
See LBN

logical partition
 configuring, *SystemAdmin* D–10

Logical Storage Manager,
See LSM

login account, *CommandShellGde* 5–2

.login login script
 modifying for System V Habitat, *CommandShellGde* 9–2

Login Manager, *CDECompanion* 2–7

login program, *CommandShellGde* 7–14

login screen
 selecting options, *CDECompanion* 1–1

login script
 .cshrc script, *CommandShellGde* 7–17
 .kshrc script, *CommandShellGde* 7–17
 .login script, *CommandShellGde* 7–17
 .profile script, *CommandShellGde* 7–17

logout script, *CommandShellGde* 7–25

- lpd daemon**, *SystemAdmin* 8–33
- lpq command**, *CommandShellGde* 3–10, 3–12
- lpr command**, *CommandShellGde* 3–10
printing files, *CommandShellGde* 3–10
- lprm command**, *CommandShellGde* 3–13
- lprsetup**
running, *SystemAdmin* 8–17
- lptest command**, *SystemAdmin* 8–44
- ls command**, *CommandShellGde* 3–2
- LSM**, *StorageManager* 1–1, *TechOver* 2–12
See also Storage Administrator, Visual Administrator
backing up, *StorageManager* 7–9
configuring during full installation, *InstallGde* 4–3
encapsulating data, *StorageManager* 3–1
error messages, *StorageManager* E–1
improving performance, *SystemTune* 8–4, 8–6
initializing, *StorageManager* 2–4
installing, *StorageManager* 2–1
managing disk groups, *StorageManager* 6–10
managing disks, *StorageManager* 6–3
managing objects, *StorageManager* 6–1
managing plexes, *StorageManager* 6–22
managing subdisks, *StorageManager* 6–26
managing volumes, *StorageManager* 6–16
monitoring, *SystemTune* 8–22
performance, *SystemTune* 2–13
- preventative maintenance, *StorageManager* 7–1
removing, *StorageManager* 8–31
setting up, *StorageManager* 2–1
special processing during full installation, *InstallGde* 6–40
troubleshooting, *StorageManager* 8–1
upgrading, *StorageManager* 2–1
- LSM daemon**
monitoring, *StorageManager* 7–23
- LSM event**
monitoring, *StorageManager* 7–17
- LSM objects**, *StorageManager* 1–4
administering, *StorageManager* 1–17
- LURT**, *LicenseManage* 1–2
- lvalue**, *DECC* 2–23

M

- m4 macro preprocessor**, *ProgSupTools* 5–1
- machine-code debugging**, *Ladebug* 15–1
- macro**, *DECC* 8–1
See also m4 macro preprocessor
predefined, *DECC* 8–15
- magic number**, *ProgGde* 2–24
- magnetic tape drive**
testing with tapex, *SystemAdmin* 11–30
- mail**, *NetAdmin* 12–1
accessing, *CDECompanion* 3–1
administering aliases, *NetAdmin* 12–38
aliases, *CommandShellGde* 11–16
and DECnet, *NetAdmin* 12–5
configuring a mail client, *NetAdmin* 12–13

configuring a mail server,
NetAdmin 12–14
configuring a standalone system,
NetAdmin 12–13
converting to CDE format,
CDECompanion 10–1
customizing mail program,
CommandShellGde 11–16
differences between dtmail and
dxmail, *CDECompanion* A–1
enhancements for Asian
languages, *InternatProg* 6–33
error messages, *NetAdmin* F–1
exiting from, *CommandShellGde*
11–15
gateway, *NetAdmin* 12–3
getting help, *CommandShellGde*
11–15
IMAP, *NetAdmin* 12–22
internationalization, *TechOver* 8–9
POP, *NetAdmin* 12–16
troubleshooting, *NetAdmin* 14–60,
14–62

mail conversion utility,
CDECompanion 10–3

mail utility, *NetAdmin* 12–36

mailconfig application, *NetAdmin*
12–12

mailq command, *NetAdmin* 12–36

mailstats command, *NetAdmin* 12–39

mailusradm utility, *NetAdmin*
12–19, 12–23, 12–25

mailx commands,
CommandShellGde F–1

mailx utility, *NetAdmin* 12–36
escape commands,
CommandShellGde E–1

make utility, *ProgSupTools* 7–1

makedbm command, *NetAdmin*
8–21, 8–23

man command, *CommandShellGde*
1–10

manpage.
See reference page

manuals.
See documentation

mapping table, *TechOver* 3–17

max_float boundary value, *CPML*
A–1

memory
allocating for ATM,
AsynchronousTM 2–9
configuring, *SystemTune* 2–5
detecting leaks, *ProgGde* 8–26
exercising with memx,
SystemAdmin 11–22
increasing, *SystemTune* 6–26
monitoring, *SystemTune* 6–18
operation, *SystemTune* 6–1
paging, *SystemTune* 6–14
reclaiming pages, *SystemTune* 6–11
requirements, *SystemTune* 2–5
shared, *SystemTune* 6–44
swap space, *SystemTune* 2–6
swapping, *SystemTune* 6–15
testing shared memory,
SystemAdmin 11–23

Memory File System,
See MFS

memory locking
realtime, *Realtime* 4–1

memory mapped file support,
See mmap

memx exerciser, *SystemAdmin* 11–22

message
realtime, *Realtime* 10–1
sending, using write command,
CommandShellGde 11–21

message buffer, preserved

- examining with dbx debugger,
KernelDebug 2–10
- message catalog**
 creating source files for,
InternatProg 3–1
 design and maintenance
 considerations, *InternatProg*
 3–20
 editing and translating,
InternatProg 3–15
 generating from message sources,
InternatProg 3–16
- message handler (mh)**, *NetAdmin*
 12–36
- message queue**
 realtime, *Realtime* 10–1
- MFS**, *TechOver* 4–9
- MIB**
 Host Resources, *NetAdmin* G–1
- MIB subtree**
 eSNMP, *NetProgGde* 6–6
- Microsoft NT RAS server**,
NetAdmin 5–24
- Microsoft open database connectivity**
 installing, *InstallGde* D–6
- migration**
 from DECwindows Motif to CDE,
CDECompanion 7–1
- min_float boundary value**, *CPML*
 A–2
- mirrored and striped volume**
 creating, *StorageManager* 5–27
- mirrored volume**
 creating, *StorageManager* 5–22
- mixed-language program**
 debugging, *Ladebug* 6–15, 8–9
- mkdir command**,
CommandShellGde 3–1
- mmap**, *TechOver* 6–14
- MMI**
 calling conventions,
AsynchronousTM 7–6
 connecting convergence module to,
AsynchronousTM 5–3
 convergence module,
AsynchronousTM 7–7
 creating path, *AsynchronousTM* 7–2
 defining ioctl commands,
AsynchronousTM 7–4
 device driver, *AsynchronousTM* 7–6
 signaling module,
AsynchronousTM 7–7
 verifying ioctl version,
AsynchronousTM 7–3
- modem**
 guidelines, *NetAdmin* 5–16, 5–28
 using with SLIP, *NetAdmin* 5–3
- modf routine**, *CPML* B–14, CPML–49
- Module Management Interface**,
See MMI
- monetary value**
 formatting rules in a locale,
InternatProg 7–19
- monitoring events**,
See EVM
- monitoring the system**,
SystemAdmin 3–25, *SystemTune*
 3–1
 using graphical tools,
SystemAdmin 3–28
- more command**, *CommandShellGde*
 3–5
- Motif**, *TechOver* 6–25
 internationalization, *TechOver* 8–9
- Motif graphical user interface**
 enhancements for native
 languages, *InternatProg* 6–43
- mount command**, *SystemAdmin* 6–20

mountd daemon, *NetAdmin* 9–11
mounting a remote file system,
 NetAdmin 9–17
mounting online documentation
 CD-ROM, *InstallGde* 8–2
moving files, *CommandShellGde* 3–22
multicasting, *NetProgGde* 4–41
multihead graphic support,
 TechOver 6–20
multilanguage program
 compiling, *ProgGde* 2–15
 debugging, *Ladebug* 6–15, 7–2, 8–9
 include files for, *ProgGde* 2–10
multiple adapter support,
 TechOver 3–20
multiple windows
 managing, *CDECompanion* 2–4
multiplexing, *NetProgGde* 4–49
multiprocess application
 debugging, *Ladebug* 9–1
multiprocessor system
 enabling unattended reboots,
 InstallGde 7–11
multithreaded application,
 See also DECthreads software
 debugging, *DECthreads* C–1,
 Ladebug 10–1
 developing, *DECthreads* 1–1
 developing libraries for, *ProgGde*
 12–1
 how to build, *ProgGde* 12–9
 installing debug software for,
 InstallGde D–18
 profiling, *ProgGde* 8–34
multithreaded programming,
 KernelModules 9–1
multiuser boot, *SystemAdmin* 2–6
mutex, *DECthreads* 2–26, 4–3

N

name services configuration file,
 See *svc.conf* file
name space, *DECC* 2–24
Name/Finger Protocol,
 See Finger Protocol (FINGER)
naming services, *TechOver* 3–31
naming your system
 during installation, *InstallGde* 6–14
national language support,
 SystemAdmin 3–17
netconfig application, *NetAdmin* 2–11
NetRAIN, *TechOver* 3–20
 configuring an interface,
 NetAdmin 2–21
 monitoring the interface,
 NetAdmin 2–25
Netscape FastTrack Server
 installing, *InstallGde* D–13
Netscape Navigator
 using to view online
 documentation, *InstallGde* 8–2
netstat command, *NetAdmin* 2–28,
 A–1
network
 administering, *NetAdmin* 1–1
 bandwidth management,
 NetProgGde 7–1
 monitoring, *SystemTune* 10–1
 QoS architecture, *NetProgGde* 7–2
 QoS component operation,
 NetProgGde 7–3
 quality of service, *NetProgGde* 7–1
 reporting problems, *NetAdmin* 17–1
 troubleshooting, *NetAdmin* 14–1,
 15–1
 tuning, *SystemTune* 10–6
network adapter, *TechOver* 3–18

- setting mode during installation,
InstallGde 5–4
- network addresses**
 - and sockets, *NetProgGde* 4–32
- network administration,**
 - NetAdmin* 1–1
- network availability,** *SystemTune* 2–19
- network configuration**
 - broadcasting and determining,
NetProgGde 4–45
- Network File System,**
 - See* NFS
- Network Information Service,**
 - See* NIS
- network installation,**
 - InstallGdeAdvTop* 1–1
- network interface**
 - configuring, *NetAdmin* 2–11
 - deconfiguring, *NetAdmin* 2–13
 - monitoring, *NetAdmin* A–1,
TechOver 3–31
 - multiple in same subnetwork,
NetAdmin 2–20, 2–26
- network programming**
 - environment**, *TechOver* 3–21, 6–15
 - application programming
 - interfaces, *TechOver* 3–21, 6–15
 - data link interface, *TechOver* 3–21,
3–23, 6–15
- network security**, *Security* 3–1
- Network Time Protocol,**
 - See* NTP
- NetWorker SingleServer**,
SystemAdmin 9–5
- networking software**
 - installing, *InstallGde* D–19
- networks file**, *NetAdmin* 2–10, 2–20
- newfs command**, *SystemAdmin* 6–17
- nextafter routine**, *CPML* B–15,
CPML–50
- NFS**, *TechOver* 3–9, 3–10, 4–5
 - and BIND, *NetAdmin* 9–1
 - and NIS, *NetAdmin* 9–1
 - and superuser mail, *NetAdmin* 9–14
 - automount, *NetAdmin* 9–2
 - environment, *Prestoserve* 1–3
 - error messages, *NetAdmin* D–1
 - improving file security, *NetAdmin* 9–11
 - monitoring, *SystemTune* 9–60
 - monitoring system load, *NetAdmin* 9–16
 - mounting a remote file system,
NetAdmin 9–17
 - network problems, *Prestoserve* 1–4
 - Prestoserve impact on
 - performance, *Prestoserve* 1–8
 - troubleshooting, *NetAdmin* 14–34,
14–37
 - tuning, *SystemTune* 9–64
 - unmounting a remote file system,
NetAdmin 9–22
- NFS client**
 - configuring, *NetAdmin* 9–9
 - managing, *NetAdmin* 9–17
 - mounting a remote file system,
NetAdmin 9–17
 - problems, *Prestoserve* 1–5
 - unmounting a remote file system,
NetAdmin 9–22
- NFS mounted RIS area**,
SharingSW 4–7
- NFS server**
 - configuring, *NetAdmin* 9–7
 - exporting file systems, *NetAdmin* 9–11
 - halting export of file systems,
NetAdmin 9–12
 - managing, *NetAdmin* 9–10
 - monitoring ports, *NetAdmin* 9–15
 - problems, *Prestoserve* 1–6

NFS setup for DMS, *SharingSW* 10–4
nfsconfig application, *NetAdmin* 9–7
nfsstat command, *NetAdmin* 9–16
nint routine, *CPML* B–15, *CPML*–51
NIS, *TechOver* 3–32
 adding users to a domain,
 NetAdmin 8–24
 changing a password, *NetAdmin* 8–30
 databases distributed by,
 NetAdmin 8–2
 modifying *svc.conf*, *NetAdmin* 8–19
 obtaining map information,
 NetAdmin 8–31
 security, *NetAdmin* 8–29
 troubleshooting, *NetAdmin* 14–27,
 14–31
 updating maps, *NetAdmin* 8–25
NIS client
 configuring, *NetAdmin* 8–17
 managing, *NetAdmin* 8–30
NIS server
 configuring a master server,
 NetAdmin 8–11
 configuring a slave server,
 NetAdmin 8–15
 managing, *NetAdmin* 8–20
 update scripts, *NetAdmin* C–1
nissetup command, *NetAdmin* 8–10
nm (object file tool), *ProgGde* 2–23
nr interface, *NetAdmin* 2–21
nslookup command, *NetAdmin*
 7–18, 16–21
NTP
 authentication, *NetAdmin* 11–6
 configuring, *NetAdmin* 11–5
 displaying status, *NetAdmin* 11–9
 Internet time servers, *NetAdmin*
 11–4
 local reference clock, *NetAdmin* 11–4
 troubleshooting, *NetAdmin* 14–44

ntp command, *NetAdmin* 11–10
ntpd daemon, *NetAdmin* 11–9
ntpdate command, *NetAdmin* 11–10
ntpdc command, *NetAdmin* 11–9
ntpq command, *NetAdmin* 11–8
ntpsetup command, *NetAdmin* 11–5
numeric value
 formatting rules in a locale,
 InternatProg 7–21

O

object file
 determining section sizes, *ProgGde*
 2–24
 disassembling into machine code,
 ProgGde 2–24
 dumping selected parts of,
 ProgGde 2–22
object file tools, *ProgGde* 2–22
object tables
 eSNMP, *NetProgGde* 6–8
odump (object file tool), *ProgGde*
 2–22
OEM platforms, *SysConfigSup* 1–1
 VMEbus backplane (vb) network
 configuration, *SysConfigSup*
 3–1
 VMEbus configuration,
 SysConfigSup 2–1
ONC RPC,
 See RPC
online documentation, *InstallGde*
 8–1
 copying to disk, *InstallGde* 8–6
Open Shortest Path Routing,
 See OSPF
OpenMP directive, *ProgGde* 13–1

OpenVMS
enabling display, *CDECompanion* 5–3

operating system
list of fixes for, *DocOverview* 3–9
overview of, *CommandShellGde* 1–1

operating system process,
CommandShellGde 6–1

operator, *DECC* 1–9, 6–1

optimization
automatic and profile-directed,
ProgGde 8–4
compilation options, *ProgGde* 2–19
effect on debugging, *Ladebug* 6–16, 7–11
techniques, *ProgGde* 10–1

options
XTI, *NetProgGde* 3–43

options file, *NetAdmin* 5–21, 5–27

ordering information for documentation, *DocOverview* 6–1

orderly release, *NetProgGde* 3–9

OSF_USR license, *LicenseManage* 2–2

OSPF, *TechOver* 3–8

out-of-band data
handling in the socket framework,
NetProgGde 4–38

overlapping disk partitions
checking for, *SystemAdmin* 5–75

P

PAAM, *LicenseManage* 1–6
current business policy,
LicenseManage 2–11

pac command, *SystemAdmin* 10–35

page command, *CommandShellGde* 3–5

page faulting, *SystemTune* 6–9

paging, *SystemTune* 6–14

PAK, *LicenseManage* 1–6
fields on, *LicenseManage* 1–7e
obtaining, *LicenseManage* 1–6
sample PAK license fields,
LicenseManage 1–7e

PALcode
instruction summaries,
AsmLangGde D–1

pap-secrets file, *NetAdmin* 5–15

parallel processing
OpenMP directive, *ProgGde* 13–1
pre-OpenMP style, *ProgGde* D–1

Pascal language
installing, *InstallGde* D–9

passwd command,
CommandShellGde 1–7

passwd file, *SystemAdmin* 7–9
and NIS, *NetAdmin* 8–24

password, *CommandShellGde* 1–7,
SystemAdmin 7–1
changing in NIS, *NetAdmin* 8–30
common, *CommandShellGde* 1–7
file, *CommandShellGde* 5–1
security tips, *Security* 2–3
setting with enhanced security
enabled, *Security* 2–3

patches to operating system
lists of for operating system
versions, *DocOverview* 3–9

PATH environment variable,
CommandShellGde 7–24
setting for System V habitat,
CommandShellGde 9–2

pathname, *CommandShellGde* 2–8

pathname conventions (UUCP),
CommandShellGde 14–1

- pax**, *SystemAdmin* 9–4
- PC code page**,
See also codeset conversion
 locale, *TechOver* 8–2
- PC-NFS daemon**, *NetAdmin* 9–8
- PCI/ISA (DMCC) Alpha single-board computer**,
SysConfigSup 1–4
- PCMCIA card**
 configuring, *SystemAdmin* D–1
- PDF documentation**, *DocOverview* 1–6, *InstallGde* 8–1
- performance**,
See also tuning
 application, *SystemAdmin* 3–25,
SystemTune 11–4
 availability, *SystemTune* 1–13
 characterizing a workload,
SystemTune 2–1
 configuration and tuning steps,
SystemTune 4–1
 CPU, *SystemTune* 7–8
 diagnosing problems, *SystemTune* 3–1
 hardware, *SystemTune* 2–3, 2–9
 improving, *SystemTune* 4–1
 measuring, *SystemTune* 1–1
 memory operation, *SystemTune* 6–1
 modifying the kernel, *SystemTune* 3–10
 monitoring, *SystemTune* 3–1, 3–4,
 3–7
 network, *SystemTune* 10–1
 system resources, *SystemTune* 5–1
- performance file system**,
SystemTune 9–1
- performance history**
 monitoring, *TechOver* 2–24
- Performance Manager**,
SystemAdmin 3–27
 installing, *InstallGde* D–14
- permanent virtual circuit**,
See PVC
- permissions**, *CommandShellGde* 5–1
 changing, *CommandShellGde* 5–4
 setting default,
CommandShellGde 5–13
 setting file and directory,
CommandShellGde 5–8
 setting with octal numbers,
CommandShellGde 5–12
- Personal Application subpanel**,
CDECompanion 3–4
- PFS**, *TechOver* 4–9
- pg command**, *CommandShellGde* 3–5
- ping command**, *NetAdmin* 15–1
- pipe character**, *CommandShellGde* 7–9
- pipeline**
 using, *CommandShellGde* 7–9
- pixie**,
See profiling
- plex**
 managing, *StorageManager* 6–22
- plex state**
 monitoring, *StorageManager* 7–20
- point-to-multipoint**,
See connection
- point-to-point**,
See connection
- Point-to-Point Protocol**,
See PPP
- pointer size**
 conversion, *ProgGde* A–1
- POLYCENTER NetWorker Save and Restore**, *SystemAdmin* 9–5
- POP**, *NetAdmin* 12–16, *TechOver* 3–12
 troubleshooting, *NetAdmin* 14–62
- port monitoring**, *NetAdmin* 9–15

- Portable Character Set (PCS),** *InternatProg* 1–5
- porting applications to XTI,** *NetProgGde* 3–33
- Porting Assistant**
installing, *InstallGde* D–15
- portmap daemon**
Prestoserve, *Prestoserve* 2–10
- portmap network service,** *OnCRpcProgram* 1–3
- POSIX shell,** *CommandShellGde* 7–1, 8–1
.logout script, *CommandShellGde* 7–25
redirecting errors, *CommandShellGde* 6–4
- POSIX signal functions,** *Realtime* 5–2
- POSIX standards**
application development considerations, *ProgGde* 1–2
realtime, *Realtime* 1–17
- Post Office Protocol,**
See POP
- postload file,** *InstallGdeAdvTop* 5–1
- postreboot file,** *InstallGdeAdvTop* 5–1
- pow routine,** *CPML* B–15, *CPML*–52
- power management,** *SystemAdmin* 3–43
- PPA**
adding, *AsynchronousTM* 4–4
binding to, *AsynchronousTM* 5–6
data structure, *AsynchronousTM* 2–37
deleting, *AsynchronousTM* 4–5
unbinding, *AsynchronousTM* 5–8
- PPP,** *TechOver* 3–16
See also connection, SLIP and gateways, *NetAdmin* 5–27
- configuring dial-in system, *NetAdmin* 5–26
configuring dial-out system, *NetAdmin* 5–19
guidelines for running pppd, *NetAdmin* 5–23
Microsoft NT RAS server, *NetAdmin* 5–24
security, *NetAdmin* 5–14
troubleshooting, *NetAdmin* 14–50
- pppd daemon,** *NetAdmin* 5–14
- pragma**
environment directive, *ProgGde* 3–1
extern_prefix, *ProgGde* 3–3
function, *ProgGde* 3–6
inline, *ProgGde* 3–5
intrinsic, *ProgGde* 3–6
linkage, *ProgGde* 3–8
member_alignment, *ProgGde* 3–11
message, *ProgGde* 3–11
pack, *ProgGde* 3–12
pointer_size, *ProgGde* 3–13
preprocessor directive, *DECC* 8–12
use_linkage, *ProgGde* 3–14
weak, *ProgGde* 3–15
- prdaily shell script,** *SystemAdmin* 10–41
- preinstall file,** *InstallGdeAdvTop* 5–1
- preprocessing,** *DECC* 2–24, 8–1
- preprocessor directive,** *DECC* 2–24, 8–1
- preserved message buffer**
examining with dbx debugger, *KernelDebug* 2–10
- presto command,** *Prestoserve* 3–3
- prestocntl_svc daemon**
Prestoserve, *Prestoserve* 2–12
- Prestoserve,** *TechOver* 2–14
adding kernel support, *Prestoserve* 2–4

creating generic control device,
Prestoserve 2–10
improving NFS server
 performance, *Prestoserve* 1–6
 installing dxpresto subset,
Prestoserve 2–1
 managing, *Prestoserve* 3–3
 monitoring, *Prestoserve* 3–3, 3–8
 pseudodevice driver, *Prestoserve*
 1–2, 3–1
 recovering from failures,
Prestoserve 4–1
 setting up, *Prestoserve* 2–6
 speeding up synchronous writes,
Prestoserve 1–1

prestosetup command
 setting up Prestoserve, *Prestoserve*
 2–6

Print Manager
 accessing, *CDECompanion* 3–1

printed documentation,
See Tru64 UNIX
 Documentation Kit

printer, *SystemAdmin* 8–1
 device special file name,
SystemAdmin 8–29
 lpc command, *SystemAdmin* 8–22
 setting up, *SystemAdmin* 8–12
 support for local languages,
InternatProg 6–20
 troubleshooting, *SystemAdmin* 8–43
 using with LAT, *NetAdmin* 6–10

printf routine, *KernelModules* 5–14

printing
 internationalized, *TechOver* 8–8
 reference pages,
CommandShellGde 1–10

priority
 realtime, *Realtime* 2–1

privileges,
See DOP

/proc File System,
See PFS

procedure descriptor
 in calling standard for Alpha
 systems, *CallingStandard* 8–1

procedure invocation,
CallingStandard 7–1

process, *CommandShellGde* 6–1
 debugging attached, *Ladebug* 3–10
 initializing, *SystemAdmin* 2–6

process information,
CommandShellGde 6–14

processing text files,
See awk utility, m4 macro
 preprocessor

Product Authorization Amendment,
See PAAM

Product Authorization Key,
See LMF, PAK

prof,
See profiling

.profile login script,
CommandShellGde 7–17
 modifying for System V Habitat,
CommandShellGde 9–2

profile set, *SharingSW* 7–1

profiling, *ProgGde* 8–1

profiling an application,
SystemTune 11–1

profiling the kernel, *SystemTune* 3–8

program analysis tools
 installing, *InstallGde* D–16

program number assignment,
OncRpcProgram 1–5

programming languages
 installing, *InstallGde* D–8
 supported by Tru64 UNIX,
ProgGde 1–4

- protocol**
 selecting in sockets, *NetProgGde* 4–36
- prototype**, *DECC* 5–8
- prtacct shell script**, *SystemAdmin*
 10–41
- pseudodevice driver**
 Prestoserve, *Prestoserve* 1–2, 3–1
- pseudoterminal**, *NetProgGde* 4–53,
 SystemAdmin 5–57
 and sockets, *NetProgGde* 4–53
- pthread routines**, *DECthreads*
 pthread-1
- punctuator**, *DECC* 1–10
- purchasing information**,
 See ordering information for
 documentation
- PVC**
 creating, *AsynchronousTM* 6–9
- Q**
- QoS**, *NetAdmin* 2–34, *NetProgGde* 7–1
 component operation, *NetProgGde*
 7–3
 components, *NetProgGde* 7–2
 modifying, *AsynchronousTM* 5–6
- quality of service**,
 See QoS
- queue**
 convergence module guidelines,
 AsynchronousTM 8–3
 device driver guidelines,
 AsynchronousTM 8–1
- Quick Setup utility**, *InstallGde*
 7–3, *TechOver* 2–7
- quickstart**, *TechOver* 6–11
- quit (q) command**
 vi editor, *CommandShellGde* A–4
- quota**
 UFS, *SystemAdmin* 6–39
- quoting conventions**,
 CommandShellGde 7–12
- R**
- RAID**, *SystemTune* 1–7
 improving performance,
 SystemTune 8–29
 mirroring, *SystemTune* 2–18
 parity, *SystemTune* 2–15
 striping, *SystemTune* 2–14
- RAID5 volume**
 creating, *StorageManager* 5–30
 recovering, *StorageManager* 8–11
- random routine**, *CPML* B–15,
 CPML–53
- RAPI**, *NetProgGde* 7–6
 debugging applications,
 NetProgGde 7–8
 routines, *NetProgGde* 7–7
 support for, *NetProgGde* 7–1
 testing applications, *NetProgGde*
 7–8
- raw RPC**, *OncRpcProgram* 3–15
- rc directory structure**,
 SystemAdmin 3–9
- rc0 script**, *SystemAdmin* 3–3
- rc2 script**, *SystemAdmin* 3–3
- rc3 script**, *SystemAdmin* 3–3
- rcmgr command**, *SystemAdmin* 3–3
- rcn.d directory**, *SystemAdmin* 3–3
- RCS**, *ProgSupTools* 6–1
- rdump**, *SystemAdmin* 9–4
- realtime**, *Realtime* 1–1
 asynchronous I/O, *Realtime* 7–1
 capabilities of the operating
 system, *Realtime* 1–4, A–1

clocks, *Realtime* 6–1
environments, *TechOver* 6–14
memory locking, *Realtime* 4–1
message queues, *Realtime* 10–1
messages, *Realtime* 10–1
performance tuning, *Realtime* 11–1
POSIX standards, *Realtime* 1–17
preemptive kernel, *Realtime* 1–4
priorities, *Realtime* 2–1
scheduling, *Realtime* 2–1
semaphores, *Realtime* 9–1
shared memory, *Realtime* 3–1
signal handling, *Realtime* 5–1
synchronized I/O, *Realtime* 8–2
system tuning, *Realtime* 11–3
timers, *Realtime* 6–1

realtime preemption
 enabling after full installation,
InstallGde 7–10

reboot
 enabling unattended reboots,
InstallGde 7–11

redirecting input/output,
CommandShellGde 6–2

reference page, *CommandShellGde*
 1–10
 in printed books, *DocOverview* 4–2
 overview of sections, *DocOverview* 4–3
 processing a translated,
InternatProg 6–37
 reading on line, *DocOverview* 4–1

registerrpc routine,
OncRpcProgram 3–4

regular expression, *ProgSupTools*
 1–1

remainder routine, *CPML* B–16,
 CPML–54

remote debugger server
 writing, *Ladebug* C–1

remote debugging, *KernelDebug*
 2–38, *Ladebug* 16–1

remote file, *NetAdmin* 5–32

remote host
 working on, *CommandShellGde* 13–1

Remote Installation Services,
See RIS

remote kernel debugging,
Ladebug 17–14

remote procedure call,
See RPC

remote system
 requesting connection to,
AsynchronousTM 5–5

removing directories,
CommandShellGde 4–10, 4–11
 current directory,
CommandShellGde 4–12

removing files, *CommandShellGde*
 3–27

renaming directories,
CommandShellGde 4–9

renaming files and directories,
CommandShellGde 3–22

replicated file system, *NetAdmin*
 B–8

resource
 releasing, *AsynchronousTM* 5–4
 reserving, *AsynchronousTM* 5–4

Resource ReSerVation Protocol,
See RSVP

restart completion
 reporting to CMM,
AsynchronousTM 4–4

restart installation, *InstallGde* 6–43

restart nogui command,
InstallGde 6–43

restore, *SystemAdmin* 9–4

restore configuration

using config.cdf file,
InstallGdeAdvTop 7–1

restore procedure, *SystemAdmin* 9–1

Restricted Bourne shell,
CommandShellGde 7–1, 7–4

Revision Control System,
ProgSupTools 6–1

rint routine, *CPML* B–16, *CPML*–55

RIP, *TechOver* 3–7

RIS, *SharingSW* 1–1

- architecture, *SharingSW* 2–1
- planning disk space, *SharingSW* 3–3
- product environment, *SharingSW* 2–3
- setting up a LAN, *SharingSW* 3–4
- software sharing environment, *SharingSW* 1–2

RIS area, *SharingSW* 1–1

- existing area software installation, *SharingSW* 4–6
- mounting on NFS, *SharingSW* 4–7
- new area software installation, *SharingSW* 4–1

RIS client, *SharingSW* 1–1

- booting, *SharingSW* 5–1
- characteristics, *SharingSW* 2–4
- compatibility with server, *SharingSW* 3–1
- managing, *SharingSW* 6–1
- registering, *SharingSW* 2–5

RIS server, *SharingSW* 1–1

- compatibility with client, *SharingSW* 3–1
- installing from, *InstallGdeAdvTop* 1–1
- installing operating system on, *SharingSW* 3–3
- preparing, *SharingSW* 3–1
- setting up, *SharingSW* 4–1

RIS troubleshooting, *SharingSW* 8–1

rlogin command,
CommandShellGde 13–1
 using, *CommandShellGde* 13–1

root password
 setting during installation,
InstallGde 6–20

root user
 tasks performed by,
CommandShellGde 5–19

routed daemon, *NetAdmin* 2–7
 configuring, *NetAdmin* 2–14

routes file, *NetAdmin* 2–9, 2–17

routine
 commonly used by kernel modules,
KernelModules 5–1
 data copying, *KernelModules* 5–7
 kernel-related, *KernelModules* 5–13

routing, *NetAdmin* 2–7, 2–8, 2–9, 2–17

Routing Information Protocol,
See RIP

routing protocols, *TechOver* 3–5

RPC, *OncRpcProgram* 1–1, 3–1
See also rpcgen protocol
 compiler
 broadcast, *OncRpcProgram* 2–21, 3–17
 debugging, *OncRpcProgram* 2–16
 language, *OncRpcProgram* 2–22
 layers, *OncRpcProgram* 3–1
 raw, *OncRpcProgram* 3–15
 registration, *OncRpcProgram* 1–5, 1–6
 supported transports, *OncRpcProgram* 1–4
 using TCP transport, *OncRpcProgram* 3–29

RPC language, *OncRpcProgram* 1–1

RPC messages
 batching, *OncRpcProgram* 3–18

- RPC programming.** *OncRpcProgram* 3–1
- rpcgen protocol compiler.** *OncRpcProgram* 2–1
declarations, *OncRpcProgram* 2–24
programming with, *OncRpcProgram* 2–17
- rrestore.** *SystemAdmin* 9–4
- RSVP.** *NetAdmin* 2–35, *NetProgGde* 7–5, *TechOver* 3–12
application programming interface, *NetProgGde* 7–6
implementing in applications, *NetProgGde* 7–8
system roles, *NetProgGde* 7–3
- RSVP application programming interface.**
See RAPI
- rsvpd daemon.** *NetProgGde* 7–6
- rsvpstat command.** *NetProgGde* 7–8
- rt_post_callout routine.**
SysConfigSup 2–27, 2–66
- run level.** *SystemAdmin* 2–17
defaults, *SystemAdmin* 3–5
- run-time library, supported.**
TechOver 6–12
- runacct shell script.** *SystemAdmin* 10–36
- ruptime command.**
CommandShellGde 10–5
- rvalue.** *DECC* 2–23
- rwhod daemon.** *NetAdmin* 2–6
configuring, *NetAdmin* 2–14
- S**
- S compilation option.**
AsmLangGde 6–14
- .s file.** *AsmLangGde* 6–14
- sa command.** *SystemAdmin* 10–26
- savecore command.** *SystemAdmin* 11–4
- scalb routine.** *CPML* B–16, *CPML*–56
- SCCS.** *ProgSupTools* 6–1
- sccs command.** *ProgSupTools* 6–17
–d option, *ProgSupTools* 6–8
- scheduling**
realtime, *Realtime* 2–1
- scope.** *DECC* 2–3
- screen daemon.** *TechOver* 3–3
- script.** *Ladebug* 12–1
- SCSI.** *SystemTune* 1–9
device name, *SystemAdmin* 5–41
standards supported, *SystemAdmin* 5–55
- SCSI CAM layered components**
installing, *InstallGde* D–17
- searching for text with grep.**
ProgSupTools 1–9
- security.** *CommandShellGde* 5–21,
Security 1–1, *TechOver* 7–1
administering accounts, *Security* 9–1
administering ACLs, *Security* 11–1
administering devices, *Security* 8–1
and DHCP, *NetAdmin* 4–19
audit, *TechOver* 7–3
audit subsystem, *Security* 10–1
authentication database integrity, *Security* 12–1
C2 configuration, *Security* F–1
C2 functionality and TCSEC, *TechOver* 7–1
CDE, *Security* 4–1
connecting to other systems, *Security* 3–1
discretionary access controls, *TechOver* 7–3

DOP privileges, *Security* H-1
generating audit records, *Security* 19-1
group, *CommandShellGde* 5-2
identification and authentication,
TechOver 7-1
logging in, *Security* 2-1
passwords, *TechOver* 7-1
policy, *SystemAdmin* 3-25
programming concerns with ACLs,
Security 21-1
programming concerns with
discretionary access control,
Security 21-1
programming with the
authentication databases,
Security 17-1
security integration architecture
(SIA), *Security* 13-1
setting passwords, *Security* 2-3
setup, *Security* 7-1
system administration, *Security* 6-15
troubleshooting, *Security* 14-1
user, *CommandShellGde* 5-2
using ACLs, *Security* 5-1

security in a cluster, *Security* G-1

select system call
using on the server side,
OncRpcProgram 3-16

semaphore
realtime, *Realtime* 9-1

sendmail utility, *NetAdmin* 12-36
supplementary documentation for,
DocOverview 3-7

Serial Line Internet Protocol,
See PPP, SLIP

server
NFS daemons, *NetAdmin* 9-4
programming of, *OncRpcProgram*
2-21
versions of, *OncRpcProgram* 3-26

server process, *OncRpcProgram* 1-1

server/client interaction,
NetProgGde 4-8

service types in DLPI, *NetProgGde*
2-4

service, quality of,
See QoS

session
ending, *CDECompanion* 2-9
pausing, *CDECompanion* 2-9
restoring settings, *CDECompanion*
8-9
specifying a language,
CDECompanion 8-8

Session Manager
customizing in CDE,
CDECompanion 8-1

setld utility, *InstallGde* 9-1
building a new kernel after using,
InstallGde 9-10
removing software, *InstallGde* 9-5
syntax of, *InstallGde* 9-3
testing subsets with, *ProdKitGde*
3-45

setting a locale, *CommandShellGde*
C-6

setup utilities, *TechOver* 2-7

shared library, *TechOver* 6-5
and TLI, *NetProgGde* 3-6
and XTI, *NetProgGde* 3-6
debugging, *Ladebug* 13-1
profiling, *ProgGde* 8-10, 8-31
quickstart, *TechOver* 6-11

shared memory
realtime, *Realtime* 3-1
testing with shmx, *SystemAdmin*
11-23

**sharing software on a local area
network**, *SharingSW* 1-1

shell, *CommandShellGde* 8-1
default shell, *CommandShellGde*
7-1

shell script, *CommandShellGde* 7–26
 compatibility with System V,
 CommandShellGde 9–4
 internationalizing, *InternatProg* 3–23

shmex exerciser, *SystemAdmin* 11–23

shutdown, *SystemAdmin* 2–1

shutdown command, *SystemAdmin* 2–23

SIA (security integration architecture), *Security* 13–1

signal
 process groups and IDs,
 NetProgGde 4–52

signaling module
 MMI, *AsynchronousTM* 7–7
 registering with CMM,
 AsynchronousTM 4–2

simple lock
 asserting exclusive access on
 resource, *KernelModules* 7–4
 declaring data structure,
 KernelModules 7–1
 initializing, *KernelModules* 7–2
 releasing previously asserted,
 KernelModules 7–6
 terminating, *KernelModules* 7–12
 trying to obtain, *KernelModules* 7–9
 using spl routines, *KernelModules* 7–15

simple lock routine, *KernelModules* 7–1

Simple Mail Transfer Protocol,
 See *SMTP*

Simple Network Management Protocol,
 See *SNMP*

simple volume
 creating, *StorageManager* 5–15

sin routine, *CPML* B–16, *CPML*–57

sincos routine, *CPML* B–17, *CPML*–58

sincosd routine, *CPML* B–17,
 CPML–58

sind routine, *CPML* B–17, *CPML*–57

single-user boot, *SystemAdmin* 2–6

sinh routine, *CPML* B–17, *CPML*–59

sinhcosh routine, *CPML* B–18,
 CPML–60

size (object file tool), *ProgGde* 2–24

slattach command, *TechOver* 3–16

slhosts file, *NetAdmin* 5–7

SLIP, *TechOver* 3–16, 3–17
 See also connection, PPP
 and gateways, *NetAdmin* 5–8
 configuring dial-in system,
 NetAdmin 5–8
 configuring dial-out system,
 NetAdmin 5–9
 modem guidelines, *NetAdmin* 5–3
 troubleshooting, *NetAdmin* 14–47

SMP, *SystemAdmin* 2–16, 2–20,
 TechOver 5–3
 rebooting failed processor,
 SystemAdmin 2–20
 unattended reboots, *SystemAdmin* 2–20

SMP environment, *KernelModules* 6–1
 locking, *KernelModules* 5–27, 6–4
 making kernel module safe using
 complex locks, *KernelModules* 8–1

SMP system
 debugging on, *KernelDebug* 2–11
 determining on which CPU a panic
 occurred, *KernelDebug* 4–10

SMTP, *TechOver* 3–11

SNMP, *NetAdmin* 13–1, *TechOver* 3–11
 See also eSNMP
 Host Resources MIB, *NetAdmin* G–1
 supported versions, *NetProgGde* 6–4

sockaddr_dl data structure,
NetProgGde E-6

sockaddr_dl structure
and the 802.2 substructure,
NetProgGde E-10
and the Ethernet substructure,
NetProgGde E-7

socket interface
supported types, *NetProgGde* 4-1

sockets, TechOver 3-22
advanced topics, *NetProgGde* 4-35
and handling out-of-band data,
NetProgGde 4-38
application programming
interface, *NetProgGde* 4-6
binding in DLI, *NetProgGde* E-18
binding names to, *NetProgGde* 4-22
BSD, *NetProgGde* 4-31
calculating buffer size in DLI,
NetProgGde E-20
closing, *NetProgGde* 4-30
coexistence with STREAMS,
NetProgGde 8-1
common errors, *NetProgGde* 4-34
communication properties,
NetProgGde 4-3
comparison with XTI, *NetProgGde*
3-37
creating, *NetProgGde* 4-19
creating in DLI, *NetProgGde* E-16
deactivating in DLI, *NetProgGde*
E-21
establishing client connections,
NetProgGde 4-22
establishing new server
connections, *NetProgGde* 4-24
filling the sockaddr_dl structure,
NetProgGde E-18
getting socket options, *NetProgGde*
4-25
header files, *NetProgGde* 4-16
I/O multiplexing, *NetProgGde* 4-49
increasing buffer size limit,
NetProgGde C-2

library calls, *NetProgGde* 4-10
modes of communication,
NetProgGde 4-7
process groups and IDs,
NetProgGde 4-52
programming TCP socket buffer
sizes, *NetProgGde* C-1
rewriting applications for XTI,
NetProgGde 3-37
selecting protocols, *NetProgGde* 4-36
setting DLI options, *NetProgGde*
E-17
setting socket options, *NetProgGde*
4-25
shutting down, *NetProgGde* 4-30
system calls, *NetProgGde* 4-9
TCP specific programming
information, *NetProgGde* C-1
transferring data, *NetProgGde* 4-26

sockets and STREAMS
interaction, TechOver 3-23

sockets client
connection-oriented program,
NetProgGde B-6
connectionless program,
NetProgGde B-22

sockets framework, NetProgGde
1-3, 4-1
components, *NetProgGde* 4-2
interaction with STREAMS,
NetProgGde 1-7
relationship to XTI, *TechOver*
3-21, 4-1

sockets I/O
interrupt driven, *NetProgGde* 4-52

sockets protocol stack
bridging to STREAMS driver,
NetProgGde 8-2

sockets server
connection-oriented program,
NetProgGde B-2
connectionless program,
NetProgGde B-18

software
associated products, *InstallGde* D–1
base operating system subsets,
 InstallGde C–1
installing, *InstallGde* 6–22
installing after an installation,
 InstallGde 9–1
layered products, *InstallGde* D–1
listing files in a subset, *InstallGde*
 9–4
listing installed, *InstallGde* 9–4
managing with setld utility,
 InstallGde 9–1
managing with SysMan Menu,
 InstallGde 9–1
removing after an installation,
 InstallGde 9–5
worldwide language support,
 InstallGde C–26

Software Product Description,
 DocOverview 3–9

sort (asort) utility, *TechOver* 8–8

sort runtime library
 installing, *InstallGde* D–9

sorting file contents,
 CommandShellGde 3–26

Source Code Control System,
 ProgSupTools 6–1

source file
 controlling access to, *ProgGde* 1–5

source line and instruction profiling, *ProgGde* 8–16

source routing
 enabling, *NetProgGde* D–1

SPD,
 See Software Product Description

specifying default run shell,
 CommandShellGde 7–28

sqrt routine, *CPML* B–18, *CPML*–61

srconfig command, *NetAdmin* 2–32

stack limit, *CallingStandard* 6–1

stack of user program
 examining in crash dump,
 KernelDebug 2–8

stack organization, *AsmLangGde*
 6–7

stack trace, *Ladebug* 2–26, 3–24, 5–12

standalone system
 bootable tape, *SystemAdmin* 9–30

standard error, *CommandShellGde*
 6–2

standard input, *CommandShellGde*
 6–2

standard library, ANSI C, DECC 9–1

standard output,
 CommandShellGde 6–2

standards
 and XTI, *NetProgGde* 3–1
 programming considerations,
 ProgGde 1–2

starting the ed editor,
 CommandShellGde B–2

startppp command, *NetAdmin* 5–26

startslip command, *NetAdmin* 5–5

startup,
 See boot

Startup Documentation Kit,
 DocOverview 1–9
 description of books in,
 DocOverview 2–1

state
 comparing XTI and sockets,
 NetProgGde 3–39
 managing in XTI, *NetProgGde* 3–22

statement
 assembly language, *AsmLangGde*
 2–5

static routes, *NetAdmin* 2–9, 2–17

status enquiry
reporting to CMM,
AsynchronousTM 4–4

stdump (object file tool), *ProgGde* 2–26

stopping a command,
CommandShellGde 1–6

Storage Administrator
customization, *StorageManager* A–1
disk group management,
StorageManager 9–16
disk management,
StorageManager 9–7
subdisk management,
StorageManager 9–23
volume management,
StorageManager 9–28

storage class, *DECC* 2–13

strcmp routine, *KernelModules* 5–2

strcpy routine, *KernelModules* 5–4

STREAMS, *TechOver* 3–23
application programming
interface, *NetProgGde* 5–6
coexistence with sockets,
NetProgGde 8–1
components, *NetProgGde* 5–2
configuring drivers, *NetProgGde* 5–21
configuring modules, *NetProgGde* 5–21
device special files, *NetProgGde* 5–25
driver and module processing
routines, *NetProgGde* 5–15
error logging, *NetProgGde* 5–26
event logging, *NetProgGde* 5–26
functions, *NetProgGde* 5–7
header files, *NetProgGde* 5–6
kernel-level functions, *NetProgGde* 5–13
message data structures,
NetProgGde 5–14
messages, *NetProgGde* 5–5

module data structures,
NetProgGde 5–13
synchronization mechanism,
NetProgGde 5–19

STREAMS driver, *NetProgGde* 8–3
bridging to sockets protocol stack,
NetProgGde 8–2

STREAMS framework, *NetProgGde* 1–3, 5–1
interaction with sockets,
NetProgGde 1–7
relationship to XTI, *TechOver* 3–21

STREAMS protocol stack
bridging to BSD driver,
NetProgGde 8–9

string literal, *DECC* 1–12

string routine
using, *KernelModules* 5–1

striped volume
creating, *StorageManager* 5–18

strlen routine, *KernelModules* 5–6

strncmp routine, *KernelModules* 5–3

strncpy routine, *KernelModules* 5–5

strong symbol, *ProgGde* 2–26

structured exception handling,
ProgGde 11–5

Style Manager, *CDECompanion* 4–1
accessing, *CDECompanion* 3–1
customizing environment,
CDECompanion 4–7

subagent
implementing, *NetProgGde* 6–12

subdirectory, *CommandShellGde* 2–7

subdisk
managing, *StorageManager* 6–26

subnet mask, *NetAdmin* 2–5

subset control program,
ProdKitGde 3–9

- substitution, global**
 in vi editor, *CommandShellGde* A-19
- subsystem**
 configuring, *SystemAdmin* 4-1
 traffic control, *NetProgGde* 7-2
- superuser**, *CommandShellGde* 5-17
- superuser authority**
 tasks, *CommandShellGde* 5-19
- Supplementary Documentation**,
 DocOverview 3-1
- svc.conf file**, *NetAdmin* 8-19,
 TechOver 3-31
- svcsetup command**, *NetAdmin* 7-16
- swap space**
 displaying with kdbx, *KernelDebug*
 2-32
 estimating, *SystemAdmin* 3-50
- swap space allocation**
 deferred mode, *SystemAdmin*
 3-51, *TechOver* 5-9
 immediate mode, *SystemAdmin*
 3-51, *TechOver* 5-9
 lazy mode, *TechOver* 5-9
- swap space planning**,
 InstallGdeAdvTop 4-1
- swap volume**
 deconfiguring, *StorageManager* 8-31
- swapping**, *SystemTune* 6-15
- symbol table**
 ANSI name space cleanup,
 ProgGde 2-26
- symbolic information**
 debugging programs with limited,
 Ladebug 14-1
- symmetrical multiprocessing**,
 See SMP
- synchronization**
 hardware issues related to,
 KernelModules 6-1
- synchronized I/O**
 realtime, *Realtime* 8-2
- synchronous writes**
 speeding up with Prestoserve,
 Prestoserve 1-1
- synchronization mechanism**
 in STREAMS, *NetProgGde* 5-19
- sysconfig command**, *SystemAdmin*
 4-7, *SystemTune* 3-10
- sysconfigdb command**,
 SystemAdmin 4-15
- syslogd daemon**, *SystemAdmin* 11-39
- SysMan**, *SystemAdmin* 1-1, 1-11
 utilities, *SystemAdmin* A-6
- SysMan applications**,
 CDECompanion 5-9
 accessing, *CDECompanion* 3-1
- SysMan Menu**, *SystemAdmin* 1-18
 installing software, *InstallGde* 9-1
- SysMan Station**, *SystemAdmin* 1-1,
 1-23
 using, *SystemAdmin* 1-25
 views, *SystemAdmin* 1-25
- SysMan Tools**, *TechOver* 2-14
- system**
 crash dump information created
 during reboot, *SystemAdmin*
 11-4
 customizing environment,
 SystemAdmin 3-1
 displaying information about with
 kdbx, *KernelDebug* 2-31
 initialization, *SystemAdmin* 2-18
 initialization files, *SystemAdmin*
 3-2
 monitoring, *SystemAdmin* 3-25
 requesting connection to remote,
 AsynchronousTM 5-5
 security, *SystemAdmin* 3-25
 startup files, *SystemAdmin* 3-2

- system administration**, *TechOver*
2–1
graphical user interface, *TechOver*
2–14
I18N configuration tool, *TechOver*
8–8
methods, *SystemAdmin* 1–1
security considerations, *Security* 6–15
SysMan, *SystemAdmin* 1–1
tools, *SystemAdmin* 1–1, A–2
utilities, *SystemAdmin* A–2
- System and Network**
Management Documentation Kit, *DocOverview* 1–9
description of books in,
DocOverview 2–5
- system call**
and DLI, *NetProgGde* E–15
sockets, *NetProgGde* 4–9
- system clock**
setting, *SystemAdmin* 2–22
- System Communication**
Architecture (SCA),
SystemAdmin C–1
- system configuration**
after full installation, *InstallGde* 7–1
dynamic, *SystemAdmin* 4–7,
TechOver 2–23
restoring with config.cdf file,
InstallGdeAdvTop 7–1
static, *SystemAdmin* 4–19
- system crash**
process of, *KernelDebug* 1–5
reasons for, *KernelDebug* 1–5
using crashdc command to collect
data from, *KernelDebug* 2–46
using dbx to find the cause of,
KernelDebug 2–2
using kdbx to find the cause of,
KernelDebug 2–12
- system event**
reporting, *SystemAdmin* 11–1
- system exerciser**, *SystemAdmin*
11–1, 11–19
- system memory**,
See memory
- system partition**,
See logical partition
- system setup**
after full installation, *InstallGde* 7–1
- System Setup utility**, *InstallGde* 7–1
- system shutdown**, *SystemAdmin* 2–1
- system startup**,
See boot
- system time**
working with, *KernelModules* 5–21
- System V habitat**,
CommandShellGde 9–1
accessing, *CommandShellGde* 9–2
command summary,
CommandShellGde 9–4
location of, *CommandShellGde* 9–3
modifying .cshrc file for,
CommandShellGde 9–2
modifying .login file for,
CommandShellGde 9–2
modifying .profile file for,
CommandShellGde 9–2
setting PATH for,
CommandShellGde 9–2
- System V IPC**, *ProgGde* 1–7
- T**
- tan routine**, *CPML* B–18, CPML–62
- tand routine**, *CPML* B–18, CPML–62
- tanh routine**, *CPML* B–19, CPML–63
- tape**
backup, *SystemAdmin* 9–1
bootable, *SystemAdmin* 9–4,
TechOver 2–25

tapex exerciser, *SystemAdmin* 11–30

tar, *SystemAdmin* 9–4

taso (truncated address support option), *ProgGde* A–2

TCP, *TechOver* 3–4, 3–10, 3–13
and RPC, *OncRpcProgram* 3–29
programming information,
NetProgGde C–1
throughput, *NetProgGde* C–1
window size, *NetProgGde* C–1

tcpdump command, *NetAdmin* 15–6

TELNET, *TechOver* 3–10
using, *CommandShellGde* 13–3

Telnet Protocol,
See TELNET

terminal communications system
testing with cmx, *SystemAdmin*
11–37

terminal driver subsystem,
TechOver 8–5

terminal emulator,
CDECompanion 9–2

terminal interface
enhancements for Asian
languages, *InternatProg* 6–9

termination handler
how to code, *ProgGde* 11–13

TERMINFO environment variable, *SystemAdmin* 3–9

testing kernel programs,
KernelDebug 2–38

testing subsets with the setld utility, *ProdKitGde* 3–45

text editor, *CommandShellGde* 2–1
accessing, *CDECompanion* 3–1

TFTP, *TechOver* 3–10

Thai,
See Asian languages

Third Degree, *ProgGde* 7–1

Thread Independent Services,
TechOver 6–14

thread operation, *DECthreads* 2–1

thread-safe code
how to write, *ProgGde* 12–5

thread-safe library, *DECthreads* 4–1

thread-safe routine
characteristics, *ProgGde* 12–3

threads, *TechOver* 6–13
See also DECthreads software
debugging, *Ladebug* 10–1
profiling multithreaded
applications, *ProgGde* 8–34
programming with, *DECthreads* 3–1
visual, *TechOver* 6–13

tic command, *SystemAdmin* 3–8

time
setting, *SystemAdmin* 2–22

time value
formatting rules in a locale,
InternatProg 7–22

time zone, *SystemAdmin* 3–22
setting during full installation,
InstallGde 6–16
SVID, *SystemAdmin* 3–22

timeout change, *OncRpcProgram* 2–20

timeout routine, *KernelModules* 5–16

timer
realtime, *Realtime* 6–1

tip command, *NetAdmin* 5–20, 5–29

tis routines, *DECthreads* tis–1

tiuser.h file, *NetProgGde* 3–6

TLI
and XTI, *NetProgGde* 3–1
compatibility with XTI,
NetProgGde 3–35
contrast with XTI, *NetProgGde* 3–36

library and header files,
NetProgGde 3–6

Token Ring, *TechOver* 3–20
configuring, *NetAdmin* 2–11

Token Ring driver
and canonical addresses,
NetProgGde D–2
enabling source routing,
NetProgGde D–1

trace command, *Ladebug* 3–28,
REF–32
with multithreaded applications,
Ladebug 10–3

traceroute command, *NetAdmin*
15–3

traffic control, *NetAdmin* 2–35

traffic control subsystem,
NetProgGde 7–2
tasks, *NetProgGde* 7–5

translation
of message text, *InternatProg* 3–16

Transmission Control Protocol,
See TCP

Transport Layer Interface,
See TLI

Transport-Level Protocols,
TechOver 3–13

Trash Can
accessing, *CDECompanion* 3–1

Trivial File Transfer Protocol,
See TFTP

troubleshooting
AdvFS, *AdvFSAdmin* 7–1
ATM, *NetAdmin* 14–9
DHCP, *NetAdmin* 14–20
DMS, *SharingSW* 13–1
DNS client, *NetAdmin* 14–25
DNS server, *NetAdmin* 14–23
IMAP, *NetAdmin* 14–62
LAT, *NetAdmin* 14–52

LSM, *StorageManager* 8–1
mail, *NetAdmin* 14–60, 14–62, F–1
network, *NetAdmin* 14–1, 15–1
NFS client, *NetAdmin* 14–37, D–1
NFS server, *NetAdmin* 14–34, D–1
NIS client, *NetAdmin* 14–31
NIS server, *NetAdmin* 14–27
NTP, *NetAdmin* 14–44
POP, *NetAdmin* 14–62
PPP, *NetAdmin* 14–50
printer, *SystemAdmin* 8–43
RIS, *SharingSW* 8–1
security, *Security* 14–1
SLIP, *NetAdmin* 14–47
UUCP, *NetAdmin* 14–40, E–1

Tru64 UNIX documentation,
See documentation

Tru64 UNIX Documentation Kit,
DocOverview 1–8

trunc routine, *CPML* B–19, CPML–64

truncated address support option,
See taso

try...except statement
use in exception handler, *ProgGde*
11–5

try...finally statement
use in termination handler,
ProgGde 11–13

tty subsystem, *TechOver* 8–5

tunefs command, *SystemAdmin* 6–47

tuning
AdvFS, *SystemTune* 9–32
class scheduler, *SystemAdmin* 3–30
file systems, *SystemTune* 9–2
Internet servers, *SystemTune* 4–3
large-memory systems,
SystemTune 4–3
memory, *SystemTune* 6–1
networks, *SystemTune* 10–6
NFS, *SystemTune* 9–64

realtime performance, *Realtime*
11–1
UFS, *SystemTune* 9–53
type conversion, *DECC* 6–27
typedef
 using with rpcgen,
 OncRpcProgram 2–24

U

UBC, *SystemTune* 9–7, *TechOver* 5–5
 least recently used page list,
 TechOver 5–6
UBR, *AsynchronousTM* 2–14
UCS-4 encoding format, *TechOver*
 8–2
 See also Unicode
UDP, *TechOver* 3–4, 3–9, 3–13
uerf command, *NetAdmin* 15–9
 using with system exercisers,
 SystemAdmin 11–21
UFS, *TechOver* 4–8
 creating, *SystemAdmin* 6–1
 improving performance,
 SystemTune 9–47
 monitoring, *SystemTune* 9–51
 setting file system quotas,
 SystemAdmin 6–39
 tuning, *SystemTune* 9–53
UID, *SystemAdmin* 7–10
UIL compiler, *TechOver* 8–10
uiomove routine, *KernelModules* 5–12
umount command, *SystemAdmin* 6–21
Unicode, *InternatProg* 2–4,
 TechOver 8–6
unified buffer cache,
 See UBC

Universal Character Set, *TechOver*
 8–2
UNIX File System,
 See UFS
UNIX shell, *InstallGdeAdvTop* 3–1
UNIX-to-UNIX Copy Program,
 See UUCP
unlimited license
 registering after installation or
 upgrade, *LicenseManage* 2–2
unordered routine, *CPML* B–19,
 CPML–65
unspecified bit rate,
 See UBR
untimeout routine, *KernelModules*
 5–16
updadmin utility, *InstallGde* 3–23
update installation, *InstallGde* 2–1
 defined, *InstallGde* 1–2
 layered products, *InstallGde* 3–11
 procedures, *InstallGde* 3–1
 update paths, *InstallGde* 2–2
 user-supplied files,
 InstallGdeAdvTop 5–1
update installation cleanup
 utility, *InstallGde* 3–23
update_postload file,
 InstallGdeAdvTop 5–1
update_preinstall file,
 InstallGdeAdvTop 5–1
uprofile,
 See profiling
User Datagram Protocol,
 See UDP
user environment,
 CommandShellGde 7–13
user information
 preserving data on during
 installation, *InstallGde* 6–41

user mask, *CommandShellGde* 5–13
user product kit, *ProdKitGde* 4–1
user-defined character (UDC)
 database, *InternatProg* 6–18
user-defined characters, *TechOver*
 8–9
user-supplied file
 customizing an installation,
 InstallGdeAdvTop 5–1
using commands,
 CommandShellGde 1–4
using mailx commands,
 CommandShellGde F–1
using variables, *CommandShellGde*
 7–19
UTF-8 encoding format, *TechOver*
 8–2
 See also euro character,
 Unicode
utilupdate utility, *SharingSWC*–1
uucico command, *NetAdmin* 10–15
uucleanup command, *NetAdmin*
 10–18
UUCP, *NetAdmin* 10–1, *TechOver* 3–30
 cleaning spooling directories,
 NetAdmin 10–18
 cleaning system log files,
 NetAdmin 10–22
 configuring, *NetAdmin* 10–11
 error messages, *NetAdmin* E–1
 initiating calls to remote hosts,
 NetAdmin 10–24
 limiting remote executions,
 NetAdmin 10–23
 monitoring the transfer queue,
 NetAdmin 10–16
 polling remote hosts, *NetAdmin*
 10–25
 required hardware, *NetAdmin* 10–2
 scheduling jobs, *NetAdmin* 10–23
 transmitting files,
 CommandShellGde 14–21
 troubleshooting, *NetAdmin* 14–40
 viewing log files, *NetAdmin* 10–21
uucpsetup command, *NetAdmin*
 10–11
uuemon.admin script, *NetAdmin*
 10–17
uuemon.cleanu script, *NetAdmin*
 10–19
uuemon.hour script, *NetAdmin*
 10–23, 10–24
uuemon.poll script, *NetAdmin* 10–25
uulog command,
 CommandShellGde 14–29,
 NetAdmin 10–21
uumonitor command,
 CommandShellGde 14–30
uusched command, *NetAdmin* 10–23
uustat command,
 CommandShellGde 14–26,
 NetAdmin 10–16
uuto command
 using with uupick,
 CommandShellGde 14–24
uutry command, *NetAdmin* 15–6
uux command
 run from remote host (UUCP),
 CommandShellGde 14–17

V

variable
 displaying with dbx debugger,
 KernelDebug 2–6
 predefined, *Ladebug* REF–22
VAX C extension, *DECC* E–1
vb interface,

See VMEbus backplane (vb)
network

VC

activating, *AsynchronousTM* 4–2
controlling aging of,
 AsynchronousTM 5–6
creating permanent,
 AsynchronousTM 6–9
creating signaling,
 AsynchronousTM 6–10
modifying parameters,
 AsynchronousTM 5–6
modifying QoS parameters,
 AsynchronousTM 5–6
requesting status for,
 AsynchronousTM 4–5
restarting, *AsynchronousTM* 4–3
transmitting data on,
 AsynchronousTM 5–6

VC status

reporting to CMM,
 AsynchronousTM 4–4

verbose mode debugging, *Ladebug*
5–23

versioning.

See shared library

VFS, *TechOver* 4–2

vi editor, *CommandShellGde* 2–2, A–1
customizing your environment,
 CommandShellGde A–21
editing text, *CommandShellGde* A–12
ex line editor commands,
 CommandShellGde A–18
global substitution,
 CommandShellGde A–19
moving within a file,
 CommandShellGde A–6
opening text files,
 CommandShellGde A–4
quit (q) command,
 CommandShellGde A–4, A–15

saving part of a file,
 CommandShellGde A–21
saving your customizations,
 CommandShellGde A–23
undo (u) command,
 CommandShellGde A–15
using advanced techniques,
 CommandShellGde A–15

viewing documents,

CDECompanion 5–7

virtual address space, *SystemTune*
6–7

virtual circuit,

See VC

Virtual File System,

See VFS

virtual memory,

See VM subsystem

virus, *CommandShellGde* 5–21

visibility, *DECC* 2–6

Visual Administrator,

StorageManager B–1
analysis, *StorageManager* C–44
disk group management,
 StorageManager C–38
disk management,
 StorageManager C–28
plex management,
 StorageManager C–16
projection analysis,
 StorageManager C–42
subdisk management,
 StorageManager C–21
UFS management,
 StorageManager C–47
volume management,
 StorageManager C–1

Visual Threads, *ProgGde* 8–34
installing, *InstallGde* D–18

VM subsystem

controlling paging and swapping,
TechOver 5–7
paging operation, *TechOver* 5–7
prewriting modified pages,
TechOver 5–6
swap buffers, *TechOver* 5–9
swapping operation, *TechOver* 5–8
unified buffer cache, *TechOver* 5–5

vmcore.n file, *SystemAdmin* 11–4

VMEbus

- configuring, *SysConfigSup* 2–2, 2–28
- interrupt handling with
 - rt_post_callout*, *SysConfigSup* 2–27, 2–66
- master block transfers,
 - SysConfigSup* 2–24, 2–64
- operating system support,
 - SysConfigSup* 2–1
- slave block transfers,
 - SysConfigSup* 2–24, 2–63

VMEbus backplane (vb) network

- configuration, *SysConfigSup* 3–1
- driver, *SysConfigSup* 3–1
- Ethernet interface, *SysConfigSup* 3–1

vmunix.n file, *SystemAdmin* 11–4

voldiskadm menu, *StorageManager* D–1

- disk group management,
StorageManager D–12
- disk management,
StorageManager D–1
- volume management,
StorageManager D–14

volume

- adding to an AdvFS domain,
StorageManager 5–36
- backing up, *StorageManager* 7–11
- configuring, *StorageManager* 5–1
- creating, *StorageManager* 5–14
- managing, *StorageManager* 6–16
- recovering, *StorageManager* 8–11
- removing from an AdvFS domain,
StorageManager 5–36
- resynchronizing, *StorageManager* 8–9
- using for secondary swap space,
StorageManager 5–36
- using with a database,
StorageManager 5–38
- using with AdvFS,
StorageManager 5–34
- using with other software,
StorageManager 5–38
- using with UFS, *StorageManager* 5–33

volume state

- monitoring, *StorageManager* 7–18

W

wakeup routine, *KernelModules* 5–15

WBEM, *TechOver* 2–24

wchar_t data type, *TechOver* 8–2

weak symbol, *ProgGde* 2–26

Web Based Enterprise Management,
See WBEM

what command, *ProgSupTools* 6–22

who command, *CommandShellGde* 10–1

whois command, *NetAdmin* 7–19

wide character and wide-character string,
InternatProg 1–5

wildcard character

- removing multiple directories
 - using, *CommandShellGde* 4–11

window

- customizing, *Ladebug* 4–1
- using, *CDECompanion* 2–3

- windowing environment**, *TechOver* 6–18
- wired page list**, *TechOver* 5–6
- WLS**
installing, *InstallGdeAdvTop* 2–1
installing during full installation, *InstallGde* 4–2
software subsets, *InstallGde* C–26
- working on a remote host**,
CommandShellGde 13–1
- workspace**
accessing, *CDECompanion* 3–1
- World Wide Web**,
See documentation on the World Wide Web
- worldwide DMS server setup**,
SharingSW 11–13
- worldwide language support**,
See WLS
- Worldwide Portability Interfaces (WPI)**, *InternatProg* A–1
- WWW**,
See documentation on the World Wide Web
- X**
- X client**, *CDECompanion* 6–1, *TechOver* 6–25
- X client library**, *TechOver* 6–20
- X Image Extension**
supplementary documentation for, *DocOverview* 3–10
- X server**, *CDECompanion* 6–1, *TechOver* 6–20
font-cache tuning, *InternatProg* 6–43
- X server extensions**, *TechOver* 6–20, *XWinSysEnv* 3–1
- X window**
configuration, *XWinSysEnv* 1–1
managing the environment, *XWinSysEnv* 1–1
- X Window System**, *CDECompanion* 6–1
documentation about, *DocOverview* 3–8
managing the environment, *XWinSysEnv* 1–1
- X/Open standards**
and internationalization, *InternatProg* 1–1
application development considerations, *ProgGde* 1–2
- X/Open Transport Interface**,
See XTI
- X11 shared libraries**, *TechOver* 6–8
- X11R6 software**
internationalization features in, *InternatProg* 5–1
- X11R6.3**
internationalization, *TechOver* 8–9
- xdm utility**, *XWinSysEnv* 1–6
- XDM-AUTHORIZATION-1**
Display Manager, *TechOver* 6–24
- XDR library**, *OncRpcProgram* A–5
- XDR library primitive**,
OncRpcProgram A–7, A–18
- XDR routine**, *OncRpcProgram* 2–9, A–1
enumerations, *OncRpcProgram* 2–23
generating with rpcgen, *OncRpcProgram* 2–9
- XDR stream**, *OncRpcProgram* A–19
- XDR structure**, *OncRpcProgram* 2–26
- XDR union**, *OncRpcProgram* 2–27
- xhost program**

using to enable access to display,
CDECompanion 5–2

xjoin command, *NetAdmin* 4–12

xmodmap keymap format
 Display Manager, *TechOver* 6–24

xntpd daemon, *NetAdmin* 11–1

xntpdc command, *NetAdmin* 11–9

Xsession, *CDECompanion* 6–2

XTI, *NetProgGde* 3–1, *ProgGde* 1–7,
TechOver 3–21

- and network programming environment, *NetProgGde* 3–2
- and standards, *NetProgGde* 3–1
- and TLI, *NetProgGde* 3–1
- application programming interface, *NetProgGde* 3–4
- code migration XPG3 to XNS4.0, *NetProgGde* 3–41
- configuring xtiso, *NetProgGde* 3–57
- contrast with TLI, *NetProgGde* 3–36
- data flow with a sockets-based transport provider, *TechOver* 3–22
- data flow with a STREAMS-based transport provider, *TechOver* 3–22
- differences between XPG3 and XNS4.0, *NetProgGde* 3–40
- event tracking, *NetProgGde* 3–14
- events, *NetProgGde* 3–10
- execution modes, *NetProgGde* 3–4
- functions, *NetProgGde* 3–7
- handling errors, *NetProgGde* 3–56
- interoperability of XPG3 and XNS4.0, *NetProgGde* 3–43
- library and header files, *NetProgGde* 3–6
- map of functions, events, and states, *NetProgGde* 3–16
- options, *NetProgGde* 3–43
- phase independent functions, *NetProgGde* 3–32

porting applications to, *NetProgGde* 3–33

relationship to STREAMS and sockets frameworks, *TechOver* 3–21

rewriting socket applications for, *NetProgGde* 3–37

sequencing functions, *NetProgGde* 3–20

service modes, *NetProgGde* 3–4

state management by transport providers, *NetProgGde* 3–22

states, *NetProgGde* 3–12

synchronization of multiple processes, *NetProgGde* 3–19

writing connection-oriented applications, *NetProgGde* 3–23

XTI client
 connection-oriented program, *NetProgGde* B–15
 connectionless program, *NetProgGde* B–30

XTI server
 connection-oriented program, *NetProgGde* B–9
 connectionless program, *NetProgGde* B–25

xti.h header file, *NetProgGde* 3–6
 and t_errno variable, *NetProgGde* 3–57

xtiso option
 configuring, *NetProgGde* 3–57

Y

y0 routine, *CPML* B–19, CPML–12

y1 routine, *CPML* B–20, CPML–12

Y2K,
See year 2000 readiness

yacc program, *ProgSupTools* 4–16

year

setting, *SystemAdmin* 2–22
year 2000 readiness
supplementary documentation for,
DocOverview 3–7
Yellow Pages,
See NIS
yn routine, *CPML* B–20, CPML–12

ypcat command, *NetAdmin* 8–31
ypmatch command, *NetAdmin* 8–31
ypasswd command,
CommandShellGde 1–7,
NetAdmin 8–30
ypwhich command, *NetAdmin* 8–31

How to Order Tru64 UNIX Documentation

You can order documentation for the Tru64 UNIX operating system and related products at the following Web site:

<http://www.businesslink.digital.com/>

If you need help deciding which documentation best meets your needs, see the Tru64 UNIX *Documentation Overview* or call **800-344-4825** in the United States and Canada. In Puerto Rico, call **787-781-0505**. In other countries, contact your local Compaq subsidiary.

If you have access to Compaq's intranet, you can place an order at the following Web site:

<http://asmorder.nqo.dec.com/>

The following table provides the order numbers for the Tru64 UNIX operating system documentation kits. For additional information about ordering this and related documentation, see the *Documentation Overview* or contact Compaq.

Name	Order Number
Tru64 UNIX Documentation CD-ROM	QA-MT4AA-G8
Tru64 UNIX Documentation Kit	QA-MT4AA-GZ
End User Documentation Kit	QA-MT4AB-GZ
Startup Documentation Kit	QA-MT4AC-GZ
General User Documentation Kit	QA-MT4AD-GZ
System and Network Management Documentation Kit	QA-MT4AE-GZ
Developer's Documentation Kit	QA-MT5AA-GZ
General Programming Documentation Kit	QA-MT5AB-GZ
Windows Programming Documentation Kit	QA-MT5AC-GZ
Reference Pages Documentation Kit	QA-MT4AG-GZ
Device Driver Kit	QA-MT4AV-G8

Reader's Comments

Tru64 UNIX

Master Index

AA-RH94A-TE

Compaq welcomes your comments and suggestions on this manual. Your input will help us to write documentation that meets your needs. Please send your suggestions using one of the following methods:

- This postage-paid form
- Internet electronic mail: readers_comment@zk3.dec.com
- Fax: (603) 884-0120, Attn: UPG Publications, ZKO3-3/Y32

If you are not using this form, please be sure you include the name of the document, the page number, and the product name and version.

Please rate this manual:

	Excellent	Good	Fair	Poor
Accuracy (software works as manual says)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Clarity (easy to understand)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Organization (structure of subject matter)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Figures (useful)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Examples (useful)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Index (ability to find topic)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Usability (ability to access information quickly)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please list errors you have found in this manual:

Page Description

Additional comments or suggestions to improve this manual:

What version of the software described by this manual are you using?

Name, title, department _____

Mailing address _____


Electronic mail _____

Telephone _____


Date _____

----- Do Not Cut or Tear - Fold Here and Tape -----

COMPAQ



NO POSTAGE
NECESSARY IF
MAILED IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 33 MAYNARD MA

POSTAGE WILL BE PAID BY ADDRESSEE

COMPAQ COMPUTER CORPORATION
UBPG PUBLICATIONS MANAGER
ZKO3-3/Y32
110 SPIT BROOK RD
NASHUA NH 03062-9987



----- Do Not Cut or Tear - Fold Here -----

Cut on Dotted Line