

Tru64 UNIX

Master Index

Part Number: AA-RH94B-TE

August 2000

Product Version: Tru64 UNIX Version 5.1 or higher

This book contains index entries for the most commonly used manuals in the Compaq Tru64™ UNIX documentation set.

© 2000 Compaq Computer Corporation

COMPAQ, the Compaq logo, Compaq Insight Manager, DECnet, TruCluster, and VAX Registered in U.S. Patent and Trademark Office. OpenVMS and Tru64 are trademarks of Compaq Information Technologies Group, L.P.

Microsoft, Windows, and Windows NT are trademarks of Microsoft Corporation. Motif, OSF/1, UNIX, and X/Open are trademarks of The Open Group. All other product names mentioned herein may be trademarks of their respective companies.

Confidential computer software. Valid license from Compaq required for possession, use, or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information in this document is subject to change without notice.

THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE ENTIRE RISK ARISING OUT OF THE USE OF THIS INFORMATION REMAINS WITH RECIPIENT. IN NO EVENT SHALL COMPAQ BE LIABLE FOR ANY DIRECT, CONSEQUENTIAL, INCIDENTAL, SPECIAL, PUNITIVE, OR OTHER DAMAGES WHATSOEVER (INCLUDING WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION OR LOSS OF BUSINESS INFORMATION), EVEN IF COMPAQ HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND WHETHER IN AN ACTION OF CONTRACT OR TORT, INCLUDING NEGLIGENCE.

The limited warranties for Compaq products are exclusively set forth in the documentation accompanying such products. Nothing herein should be construed as constituting a further or additional warranty.

About This Manual

The *Master Index* provides an index for the most commonly used books in the Compaq Tru64™ UNIX documentation set. Books with index entries in the *Master Index* are listed in Table 1.

Audience

This book is for anyone who needs to access information about the Tru64 UNIX operating system. It can help you find a specific topic in the documentation set by pointing you to the location in the book where the topic is discussed.

New and Changed Features

Beginning with this release, you can search the HTML version of the *Master Index* using a keyword search. To open the keyword search page, click on the “Search the Master Index” subentry under *Master Index* in the General User Documents list in the Online Documentation Library.

To perform a keyword search, enter the word or phrase you want to find. The search function searches the entire *Master Index* for matches, and displays the results. When you click on an entry in the search results, the target book opens in its own window. In most cases, the book opens to the place in the text that is indicated by the entry.

Conventions

In the printed and PDF versions of the *Master Index*, each master index page reference is preceded by an abbreviated book title. For example, the following entry points to page 3–2 in the book *Sharing Software on a Local Area Network*:

installation

RIS software subset, *SharingSW* 3-2

Table 1 maps the abbreviated title for each book to its complete book title.

The HTML version of the *Master Index* does not contain page numbers. Instead, the abbreviated book title appears as a hot link. Clicking on this link takes you either to the beginning of the book being referenced or, in many cases, to the actual location of the information in the book. Most entries also provide section numbers, to help you further refine your search.

Table 1: Book Title Abbreviations

Abbreviation	Book Title
AdvFSAdmin	<i>AdvFS Administration</i>
AsmLangGde	<i>Assembly Language Programmer's Guide</i>
AsynchronousTM	<i>Asynchronous Transfer Mode</i>
CallingStandard	<i>Calling Standard for Alpha Systems</i>
CDECompanion	<i>CDE Companion</i>
CLangRef	<i>Compaq C Language Reference Manual</i>
ClusTechOver	<i>TruCluster Server Technical Overview</i>
CommandShellGde	<i>Command and Shell User's Guide</i>
CPML	<i>Compaq Portable Mathematics Library</i>
DocOverview	<i>Documentation Overview</i>
InstallGde	<i>Installation Guide</i>
InstallGdeAdvTop	<i>Installation Guide — Advanced Topics</i>
InternatProg	<i>Writing Software for the International Market</i>
KernelDebug	<i>Kernel Debugging</i>
KernelModules	<i>Writing Kernel Modules</i>
LicenseManage	<i>Software License Management</i>
NetAdmin	<i>Network Administration</i>
NetProgGde	<i>Network Programmer's Guide</i>
OncRpcProgram	<i>Programming with ONC RPC</i>
POSIXThreads	<i>Guide to the POSIX Threads Library</i>
Prestoserve	<i>Guide to Prestoserve</i>
ProdKitGde	<i>Guide to Preparing Product Kits</i>
ProgGde	<i>Programmer's Guide</i>
ProgSupTools	<i>Programming Support Tools</i>
Realtime	<i>Guide to Realtime Programming</i>
Security	<i>Security</i>
SharingSW	<i>Sharing Software on a Local Area Network</i>
StorageManager	<i>Logical Storage Manager</i>
SysConfigSup	<i>System Configuration Supplement: OEM Platforms</i>
SystemAdmin	<i>System Administration</i>

Table 1: Book Title Abbreviations (cont.)

Abbreviation	Book Title
SystemTune	<i>System Configuration and Tuning</i>
TechOver	<i>Technical Overview</i>
XWinSysEnv	<i>X Window System Environment</i>

Reader's Comments

Compaq welcomes any comments and suggestions you have on this and other Tru64 UNIX manuals.

You can send your comments in the following ways:

- Fax: 603-884-0120 Attn: UBPG Publications, ZKO3-3/Y32
- Internet electronic mail: `readers_comment@zk3.dec.com`

A Reader's Comment form is located on your system in the following location:

```
/usr/doc/readers_comment.txt
```

- Mail:

Compaq Computer Corporation
UBPG Publications Manager
ZKO3-3/Y32
110 Spit Brook Road
Nashua, NH 03062-2698

A Reader's Comment form is located in the back of each printed manual. The form is postage paid if you mail it in the United States.

Please include the following information along with your comments:

- The full title of the book and the order number. (The order number is printed on the title page of this book and on its back cover.)
- The section numbers and page numbers of the information on which you are commenting.
- The version of Tru64 UNIX that you are using.
- If known, the type of processor that is running the Tru64 UNIX software.

The Tru64 UNIX Publications group cannot respond to system problems or technical support inquiries. Please address technical questions to your local system vendor or to the appropriate Compaq technical support office. Information provided with the software media explains how to send problem reports to Compaq.

Index

Numbers

6bone

- address assignment, *NetAdmin* 3–10
- connecting to, *NetAdmin* 3–33

A

abnormal_termination function,
ProgGde 11–13

access to files, *CommandShellGde*
5–1

account, *SystemAdmin* 7–9

- adding automatically,
SystemAdmin 7–15
- adding manually, *SystemAdmin*
7–28
- administration methods,
SystemAdmin 7–6
- administration with C2, *Security* 9–1
- command-line utilities,
SystemAdmin 7–8
- SysMan Menu, *SystemAdmin* 7–7

accounting, *SystemAdmin* 10–2

acctcms command, *SystemAdmin*
10–27

acctcom command, *SystemAdmin*
10–24

acctdisk command, *SystemAdmin*
10–33

acctdusg command, *SystemAdmin*
10–32

acctmerg command, *SystemAdmin*
10–39

acctprc1 command, *SystemAdmin*
10–28

acctprc2 command, *SystemAdmin*
10–29

**acknowledged connectionless
mode service**
in DLPI, *NetProgGde* 2–6

ACLs

- administering, *Security* 11–1
- programming, *Security* 21–1
- using, *Security* 5–1

acos routine, *CPML* B–1, CPML–5

acosd routine, *CPML* B–1, CPML–5

acosh routine, *CPML* B–2, CPML–6

Acrobat Reader, *InstallGde* 8–4

active CPUs
changing the number of,
LicenseManage 2–18

active page list, *TechOver* 5–6

activity license, *LicenseManage* 1–5

acucap file, *NetAdmin* 6–31

adapter,
See network interface

address
for 6bone testing, *NetAdmin* 3–10
IPv6, *NetAdmin* 3–2

address autoconfiguration
DHCPv6, *NetAdmin* 3–9
stateful, *NetAdmin* 3–9
stateless, *NetAdmin* 3–8

address family
specifying for DLI, *NetProgGde* E–15

address format

- assembly language, *AsmLangGde* 2-12
- address prefix**, *NetAdmin* 3-8
- Address Resolution Protocol**,
See ARP
- address space**
tuning, *SystemTune* 5-6
- adduser utility**, *SystemAdmin* 7-15, 7-28
- administering a cluster**,
ClusTechOver 9-2
- administering accounts and groups**, *SystemAdmin* 7-1
- administering file systems**,
SystemAdmin 6-1
- administering hardware**,
SystemAdmin 5-1
- administration utilities**,
SystemAdmin A-1
- Advanced File System**,
See AdvFS
- Advanced Printing Services**,
SystemAdmin 8-2
- Advanced Printing Software**,
SystemAdmin 8-20
- Advanced Server for UNIX**,
See ASU
- AdvFS**, *TechOver* 4-3
configuring, *AdvFSAdmin* 1-1
converting from UFS,
AdvFSAdmin C-1
converting to UFS, *AdvFSAdmin* C-13
displaying, *SystemTune* 9-20
documentation for separately
licensed utilities,
DocOverview 1-11
improving performance,
SystemTune 9-12
- AdvFS backup**, *AdvFSAdmin* 3-1
- AdvFS clone fileset**, *AdvFSAdmin* 1-24
- AdvFS file domain**, *AdvFSAdmin* 1-7
configuring volume for,
StorageManager 4-15
- AdvFS fileset**, *AdvFSAdmin* 1-18
- AdvFS GUI**, *AdvFSAdmin* 6-1
- AdvFS optimization**,
AdvFSAdmin 4-1
- AdvFS quota**, *AdvFSAdmin* 2-1
- AdvFS troubleshooting**,
AdvFSAdmin 5-1
- AdvFS with LSM**, *AdvFSAdmin* 1-29
- AES**
application-level interface
requirements, *ProgGde* 1-2
- alias**
default cluster, *ClusTechOver* 6-4
- alignment**
bit-field alignment, *ProgGde* 2-6
data type alignment, *ProgGde* 2-5
- Alpha 21264 PCI/ISA
single-board computer**,
SysConfigSup 1-1
- Alpha hardware architecture
documentation**, *KernelDebug* 1-1
- Alpha PCI/ISA (DMCC)
single-board computer**,
SysConfigSup 1-1
- Alpha system**
Tru64 UNIX calling standard for,
CallingStandard 1-1
- Alpha VME 2100 system**
configuring, *SysConfigSup* 2-2
restrictions, *SysConfigSup* 1-14
- Alpha VME single-board
computer**, *SysConfigSup* 2-2,
2-28
configuring UNIVERSE II-based,
SysConfigSup 2-28

- configuring VIP/VIC-based, *SysConfigSup* 2-2
- requirements and restrictions, *SysConfigSup* 1-10
- ANSI C Standard**, *CLangRef* xiv
- conformance summary, *CLangRef* B-1
- ANSI standards**
 - application development considerations, *ProgGde* 1-2
- application**
 - accessing from Front Panel, *CDECompanion* 3-1
 - and RSVP, *NetProgGde* 7-8
 - debugging, *SystemTune* 11-1
 - enabling the display, *CDECompanion* 5-2
 - improving performance, *SystemTune* 11-4
 - integrated into CDE, *CDECompanion* 5-3
 - profiling, *SystemTune* 11-1
 - running across the network, *CDECompanion* 5-2
- application development**
 - phases of, *ProgGde* 1-1
- Application Environment Specification**, *See* AES
- application-level protocol**, *TechOver* 3-3
- Application Manager**, *CDECompanion* 4-1, *SystemAdmin* 1-11
 - accessing, *CDECompanion* 3-1
 - organizing applications, *CDECompanion* 4-5
- application program**
 - porting to XTI, *NetProgGde* 3-33
 - rewriting for XTI, *NetProgGde* 3-36
- application programming interface**, *TechOver* 6-10
 - DLI, *TechOver* 6-10
 - DLPI, *TechOver* 6-10
 - sockets, *NetProgGde* 1-3, 4-6, *TechOver* 6-10
 - STREAMS, *NetProgGde* 1-3, 5-6, *TechOver* 6-10
 - WPI, *InternatProg* A-1
 - XTI, *NetProgGde* 1-1, 3-4, *TechOver* 6-10
- archive file**
 - determining section sizes, *ProgGde* 2-25
 - dumping selected parts of, *ProgGde* 2-24
- Archiver graphical interface**, *SystemAdmin* 9-5
- archiving services**, *SystemAdmin* 9-1
- ARP**, *TechOver* 3-17
- arp command**, *NetAdmin* 16-4
- as command**, *ProgGde* 2-3
- ASCII codeset**, *CommandShellGde* C-2
- ASCII equivalence table**, *CLangRef* C-1
- Asian languages**
 - codesets that support, *CommandShellGde* C-2
 - documentation for working in, *DocOverview* 4-9
- asin routine**, *CPML* B-2, CPML-7
- asind routine**, *CPML* B-2, CPML-7
- asinh routine**, *CPML* B-2, CPML-8
- assembly language**
 - assembler directives, *AsmLangGde* 5-1
 - floating-point instruction set, *AsmLangGde* 4-1
 - instruction set summary, *AsmLangGde* A-1

- lexical conventions, *AsmLangGde* 2-1
- main instruction set, *AsmLangGde* 3-1
- programming considerations, *AsmLangGde* 6-1
- assigning program numbers**, *OncRpcProgram* 1-5
- Associated Products CD-ROMs**
 - documentation for separately licensed products, *DocOverview* 1-11
- ASU**, *SystemAdmin* 7-9, *TechOver* 7-1
 - documentation for, *DocOverview* 1-11
- asynchronous I/O**
 - realtime, *Realtime* 7-1
- Asynchronous Transfer Mode**, *See* ATM
- at command**, *SystemAdmin* 3-4
- atan routine**, *CPML* B-3, CPML-9
- atan2 routine**, *CPML* B-3, CPML-10
- atand routine**, *CPML* B-3, CPML-9
- atand2 routine**, *CPML* B-3, CPML-10
- atanh routine**, *CPML* B-4, CPML-11
- ATM**, *NetAdmin* 4-1
 - architecture, *AsynchronousTM* 1-1
 - cells, *AsynchronousTM* 2-3
 - CMM routines, *AsynchronousTM* A-1
 - configuring, *NetAdmin* 4-15
 - configuring with CLIP, *NetAdmin* 4-17
 - configuring with IP switching, *NetAdmin* 4-22
 - configuring with LANE, *NetAdmin* 4-20
 - Connection Management Module, *AsynchronousTM* 1-3
 - convergence module interface, *AsynchronousTM* 5-1
 - device driver interface, *AsynchronousTM* 3-1
 - error codes, *AsynchronousTM* 2-2
 - features, *AsynchronousTM* 2-1
 - flow control, *AsynchronousTM* 9-1
 - global data structures, *AsynchronousTM* 2-14
 - header files, *AsynchronousTM* 2-1
 - locking macros, *AsynchronousTM* 2-9
 - managing connections, *AsynchronousTM* 6-1
 - managing signaling, *NetAdmin* 4-26
 - managing the environment, *NetAdmin* 4-25
 - Module Management Interface, *AsynchronousTM* 7-1
 - preparing for configuration, *NetAdmin* 4-7
 - queuing guidelines, *AsynchronousTM* 8-1
 - signaling module interface, *AsynchronousTM* 4-1
 - troubleshooting, *NetAdmin* 15-23
 - verifying kernel options, *NetAdmin* 4-6
 - verifying subsets are installed, *NetAdmin* 4-6
- ATM address**
 - adding, *AsynchronousTM* 5-8
 - deleting, *AsynchronousTM* 5-9
- ATM address structure**, *See* atm_addr structure
- ATM Configuration application**, *NetAdmin* 4-15
- ATM environment**, *NetAdmin* 4-1
- ATM subsystem**
 - interfaces, *AsynchronousTM* 1-3
 - types of circuits, *AsynchronousTM* 2-13
- atmarp command**, *NetAdmin* 4-26
- atmconfig command**
 - and PVCs, *AsynchronousTM* 2-6
- atmelan command**, *NetAdmin* 4-27

- atmhosts file**
 - editing for CLIP, *NetAdmin* 4-17
 - editing for LANE, *NetAdmin* 4-21
- atmifmp command**, *NetAdmin* 4-27
- atmsig command**, *NetAdmin* 4-26
- atm_addr structure**,
AsynchronousTM 2-17
- atm_cause_info structure**,
AsynchronousTM 2-39
- atm_cmi_addr union**,
AsynchronousTM 5-10
- atm_cvg_params structure**,
AsynchronousTM 5-11
- atm_drv_params structure**,
AsynchronousTM 3-3
- atm_esi structure**,
AsynchronousTM 2-37
- ATM_FREE macro**,
AsynchronousTM 2-9
- ATM_MALLOC macro**,
AsynchronousTM 2-8
- atm_mmi_path structure**,
AsynchronousTM 7-3
- atm_ppa structure**,
AsynchronousTM 2-35
- atm_queue_param structure**,
AsynchronousTM 3-7
- atm_sig_params structure**,
AsynchronousTM 4-5
- atm_uni_call_ie structure**,
AsynchronousTM 2-30
- atm_vc structure**,
AsynchronousTM 2-14
- atm_vc_services structure**,
AsynchronousTM 2-21
- atm_vc_stats structure**,
AsynchronousTM 5-9
- Atom tools**, *ProgGde* 9-1
- attribute table**
 - entry, *KernelModules* 3-2
 - get request, *KernelModules* 3-4
 - set request, *KernelModules* 3-6
- attribute-value pairs**
 - install.cdf file, *InstallGdeAdvTop*
A-2
- attributes**
 - managing, *SystemTune* 3-10
- audit subsystem**, *Security* 10-1
- authentication**
 - of client, *OncRpcProgram* 2-20
- authentication database**
 - integrity, *Security* 12-1
 - programming, *Security* 17-1
- autofs daemon**, *NetAdmin* 10-2
 - error messages, *NetAdmin* D-10
- autofs mount command**,
NetAdmin B-5
 - error messages, *NetAdmin* D-10
- automount command**, *NetAdmin*
B-5
- automount daemon**, *NetAdmin* 10-2
 - error messages, *NetAdmin* D-6
 - starting with SysMan Menu,
NetAdmin 10-9
- automount map**, *NetAdmin* 9-27,
10-2, B-1
- availability**
 - configuring, *SystemTune* 2-15
 - disk, *SystemTune* 2-17
 - network, *SystemTune* 2-18
 - power, *SystemTune* 2-18
- availability license**,
LicenseManage 1-4
- awk utility**, *ProgSupTools* 2-1
- AXPvme single-board computer**
 - configuring, *SysConfigSup* 2-2
 - requirements and restrictions,
SysConfigSup 1-13

B

background process,

CommandShellGde 6-6

bandwidth management

network, *NetProgGde* 7-1

basic regular expression,

ProgSupTools 1-2

bcheckrc script, *SystemAdmin*

3-2, 3-7

Berkeley Internet Name Domain,

See BIND, DNS

Bessel function, *CPML* CPML-12

BGP, *TechOver* 3-5

big-endian

byte ordering, *AsmLangGde* 1-2

BIND, *TechOver* 3-32

See also DNS

supplementary documentation

for, *DocOverview* 3-8

binlogd daemon, *SystemAdmin*

12-3, 12-14

binmail utility, *NetAdmin* 13-38

block, *CLangRef* 2-2

boot, *SystemAdmin* 2-6

genvmunix, *SystemAdmin* 2-7

boot command sequence

during full installation,

InstallGde 6-45

boot disk

creating alternate,

StorageManager 3-11

boot disk failure

recovery from, *StorageManager* 6-23

boot timeline, *KernelModules* 4-1

dispatch point, *KernelModules* 4-3

bootable tape, *SystemAdmin* 9-5,

9-30

booting

from CD-ROM, *InstallGde* 6-4

RIS client, *SharingSW* 5-1

BOOTP

and DHCP, *NetAdmin* 5-20

bootpd daemon, *TechOver* 3-28

Border Gateway Protocol,

See BGP

Bourne shell, *CommandShellGde*

7-1, 8-1

.logout script, *CommandShellGde*

7-24

redirecting errors,

CommandShellGde 6-4

bridging drivers

BSD drivers to STREAMS

protocol stack, *NetProgGde* 8-9

STREAMS driver to sockets

protocol stack, *NetProgGde* 8-2

broadcast RPC, *OncRpcProgram*

2-21, 3-17

broadcasting and determining network configuration,

NetProgGde 4-48

BSD driver

bridging to STREAMS protocol

stack, *NetProgGde* 8-9

BSD socket, *NetProgGde* 4-31

and network addresses,

NetProgGde 4-32

buffer cache, *SystemTune* 6-1

buffer size

calculating in DLI, *NetProgGde*

E-20

increasing for TCP sockets,

NetProgGde C-2

building a kernel

during installation, *InstallGde* 6-24

building a program,

See lex program, make utility,

yacc program

built-in function

- pragma counterpart, *ProgGde* 3–15
- byte ordering**
 - big-endian, *AsmLangGde* 1–2
 - little-endian, *AsmLangGde* 1–2
 - supported by Tru64 UNIX, *ProgGde* 2–4
- C**
- C compiler**, *ProgGde* 2–1
- C extensions, common**, *CLangRef* D–1
- C function**, *CLangRef* 5–1
- C language syntax summary**, *CLangRef* A–1
- C lexicon**, *CLangRef* 1–1
- C preprocessor**, *ProgGde* 2–9
- C shell**, *CommandShellGde* 7–1, 8–1
 - .logout script, *CommandShellGde* 7–24
 - redirecting errors, *CommandShellGde* 6–5
- C2 security configuration**, *Security* F–1
- CAA**, *ClusTechOver* 5–1
- cabs routine**, *CPML* B–4, CPML–13
- cache collision, data**
 - avoiding, *ProgGde* 8–12
- cache misses, data**
 - profiling for, *ProgGde* 8–12
- cache thrashing**
 - preventing, *ProgGde* 8–12
- cache usage**
 - improving with cord, *ProgGde* F–4
- CalComp DrawingBoard**
 - configuring, *SystemAdmin* D–2
- Calendar**
 - accessing, *CDECompanion* 3–1
 - converting to CDE format, *CDECompanion* 10–6
- call**,
 - See incoming call
- call chain**, *CallingStandard* 7–2
- call-graph profiling**, *ProgGde* 8–5
- call stack**
 - of user program, examining in crash dump, *KernelDebug* 2–8
- callback**
 - and RPC, *OncRpcProgram* 3–31
 - using, *KernelModules* 4–2
- caller process**, *OncRpcProgram* 1–1
- calling conventions**
 - assembly language, *AsmLangGde* 6–1
- calling standard**
 - call chain, *CallingStandard* 7–1
 - data manipulation, *CallingStandard* 4–1
 - event processing, *CallingStandard* 5–1
 - flow control, *CallingStandard* 3–1
 - procedure descriptors, *CallingStandard* 8–1
 - procedure invocations, *CallingStandard* 7–1
 - stack limits, *CallingStandard* 6–1
- callrpc routine**, *OncRpcProgram* 3–2
- canonical address**
 - and Token Ring drivers, *NetProgGde* D–2
- cat command**, *CommandShellGde* 3–5
- CBR**, *AsynchronousTM* 2–13
- CBR circuit**
 - reserving resources, *AsynchronousTM* 5–4
- cbrt routine**, *CPML* B–4, CPML–14
- cc command**

compilation control options,
ProgGde 2-12
 default behavior, *ProgGde 2-12*
 -g and -O options for profiling,
ProgGde 8-4

ccos routine, *CPML B-4, CPML-15*

cd command, *CommandShellGde 3-1*

CD-ROM, building a consolidated firmware,
ProdKitGde A-1

CD-ROM File System,
See CDFS

CDE, *CDECompanion 1-1*
 administration graphical
 interfaces, *SystemAdmin 1-11*
 Application Manager,
 SystemAdmin 1-11
 Front Panel, *CDECompanion 1-2*
 logging in, *CDECompanion 1-1*
 managing desktop and
 applications, *CDECompanion 1-3*
 security, *Security 4-1*
 workspaces, *CDECompanion 1-3*

CDE desktop,
See desktop

CDE documentation set,
CDECompanion 1-4
 online viewing with Netscape
 Navigator, *CDECompanion 1-5*

CDE online help, *CDECompanion 1-6*

CDE reference pages,
CDECompanion 1-7
 using the man command,
 CDECompanion 1-8

CDE window list, *CDECompanion 3-11*

CDF, *SharingSW 7-1, TechOver 2-2*

CDFS, *ProdKitGde 4-7, 5-13, A-1, A-2, SystemAdmin 6-2*

cdiv routine, *CPML B-5, CPML-16*

CDSL, *ClusTechOver 2-8, ProdKitGde 2-5, SystemAdmin 6-11*

ceil routine, *CPML B-5, CPML-17*

cell
 receiving, *AsynchronousTM 3-2*

century
 setting, *SystemAdmin 2-21*

cexp routine, *CPML B-5, CPML-18*

CFS, *ClusTechOver 2-4*

changes to the documentation set, *DocOverview 1-3*

changing
 directories, *CommandShellGde 4-3*
 identity, *CommandShellGde 5-17*
 owners of files and directories,
 CommandShellGde 5-20
 permissions, *CommandShellGde 5-4*
 your shell, *CommandShellGde 7-4*

chap-secrets file, *NetAdmin 6-14*

character
 creating and using a user-defined,
 InternatProg 6-17

character set, *CLangRef 1-3, InternatProg 1-2*
 coded, *InternatProg 2-2*

Chinese,
 See Asian languages

chmod command,
 CommandShellGde 5-4, 5-8

CI, *SystemAdmin C-1*
 configuration, *SystemAdmin C-1*

circuit
 types of, *AsynchronousTM 2-13*

Classical IP,
 See CLIP

client
 authentication, *OncRpcProgram 2-20*

- programming with `rpcgen`,
OncRpcProgram 2-19
- versions of, *OncRpcProgram* 3-27
- client handle used by `rpcgen`**,
OncRpcProgram 2-7
- client/server interaction**,
NetProgGde 4-8
- CLIP**, *NetAdmin* 4-2
 - configuring with ATM, *NetAdmin* 4-17
 - managing the environment,
NetAdmin 4-26
 - planning configuration with ATM,
NetAdmin 4-9
- clock**
 - realtime, *Realtime* 6-1
 - setting system, *SystemAdmin* 2-21
- Clock application**
 - accessing, *CDECompanion* 3-1
- code routine**, *CPML* B-5, *CPML*-19
- cloned installation**,
 - InstallGdeAdvTop* 6-1
 - defined, *InstallGde* 1-2
- cloned system configuration**,
InstallGdeAdvTop 7-1
- cloning a disk**, *SystemAdmin* 5-72
- cluster**
 - administration, *ClusTechOver* 9-2
 - CFS, *ClusTechOver* 2-4
 - cluster application availability
(CAA), *ClusTechOver* 5-1
 - clusterwide file systems,
ClusTechOver 2-1
 - connection manager,
ClusTechOver 3-1
 - context-dependent symbolic link
(CDSL), *ClusTechOver* 2-8
 - device request dispatcher,
ClusTechOver 2-7
 - distributed lock manager (DLM),
ClusTechOver 8-1
 - enhanced security in, *Security* G-1
 - installation, *ClusTechOver* 9-1
 - LSM support, *ClusTechOver* 2-14
 - Memory Channel, *ClusTechOver* 7-1
 - supported file systems,
ClusTechOver 2-2
- cluster alias**, *ClusTechOver* 6-1
 - default, *ClusTechOver* 6-4
- cluster application availability**,
See CAA
- cluster file system**,
See CFS
- cluster member**, *ClusTechOver* 3-2
- cluster quorum**, *ClusTechOver* 3-1
 - calculating, *ClusTechOver* 3-4
 - disk, *ClusTechOver* 3-6
- cmul routine**, *CPML* B-6, *CPML*-20
- cmx exerciser**, *SystemAdmin* 11-41
- code page, PC**, *InternatProg* 2-5
- codeset**, *InternatProg* 2-2
 - Unicode, *CommandShellGde* C-2
- codeset conversion**, *InternatProg* 6-38, *TechOver* 10-7
- coexistence of STREAMS and sockets**, *NetProgGde* 8-1
- collation**, *CommandShellGde* C-3
- command entry aids**
 - filters, *CommandShellGde* 7-6
 - grouping commands,
CommandShellGde 7-6
 - list quoting, *CommandShellGde* 7-6
 - pipes, *CommandShellGde* 7-6
 - running multiple commands,
CommandShellGde 7-6
- commands**
 - `cat`, *CommandShellGde* 3-5
 - `cd`, *CommandShellGde* 3-1
 - `ln`, *CommandShellGde* 3-13, 3-15
 - `lpq`, *CommandShellGde* 3-10, 3-12
 - `lpr`, *CommandShellGde* 3-10

- lprm, *CommandShellGde* 3-10, 3-13
- ls, *CommandShellGde* 3-2
- mkdir, *CommandShellGde* 3-1
- more, *CommandShellGde* 3-5
- page, *CommandShellGde* 3-5
- passwd, *CommandShellGde* 1-6, 1-8
- pg, *CommandShellGde* 3-5
- using, *CommandShellGde* 1-4
- yppasswd, *CommandShellGde* 1-6
- comment**
 - assembly language, *AsmLangGde* 2-1
- common C extensions**, *CLangRef* D-1
- common desktop environment**,
See CDE
- common file**,
See header file
- communication bridge**, *TechOver* 3-24
- Compaq Insight Manager**,
SystemAdmin 1-29, *TechOver* 2-20
- Compaq Portable Mathematics Library**,
See CPML
- comparing files**,
CommandShellGde 3-23
- compilation option**
-S option, *AsmLangGde* 6-14
- compilation unit**, *CLangRef* 2-3
- completion handling**, *ProgGde* 11-5
- complex lock**, *KernelModules* 8-1
 - declaring data structure,
KernelModules 8-1
 - initializing, *KernelModules* 8-2
 - terminating, *KernelModules* 8-20
- computer virus**,
CommandShellGde 5-21
- condition variable**, *POSIXThreads* 2-30, 4-3
- conditional compilation**,
CLangRef 8-7
- config.cdf file**, *InstallGdeAdvTop* 7-1
- configuration**
 - device names, *SystemAdmin* 5-40
 - DMS environment, *SharingSW* 11-9
 - kernel, *SystemAdmin* 4-1
 - kernel subsystem, *SystemAdmin* 4-1
 - network interface, *NetAdmin* 2-13
- configuration checklist**, *TechOver* 2-8
- configuration cloning**,
InstallGdeAdvTop 7-1
- configuration description file**,
See CDF
- configuration file**
 - adding devices to, *SystemAdmin* 4-20
 - entries, *SystemAdmin* 4-32
 - keywords, *SystemAdmin* 4-32
- configure routine**, *KernelModules* 2-1
- configuring a volume for a file system**, *StorageManager* 4-14
- connection**,
See also PPP, SLIP
 - accepting, *AsynchronousTM* 6-4
 - accepting on a socket, *NetProgGde* 4-24
 - activating, *AsynchronousTM* 4-2
 - controlling aging of,
AsynchronousTM 6-6
 - deleting, *AsynchronousTM* 4-3
 - making in ATM, *AsynchronousTM* 6-1
 - making to socket, *NetProgGde* 4-23
 - outgoing, *AsynchronousTM* 6-1
 - point-to-multipoint,
AsynchronousTM 6-1
 - point-to-point, *AsynchronousTM* 6-1
 - receiving notification of,
AsynchronousTM 5-7
 - releasing, *AsynchronousTM* 4-3, 6-7

- reporting a failure, *AsynchronousTM* 4-3
- requesting endpoint information, *AsynchronousTM* 5-6
- security considerations, *Security* 3-1
- tearing down, *AsynchronousTM* 5-5
- Connection Management Module**, *AsynchronousTM* 1-3
- connection manager**, *ClusTechOver* 3-1
- connection mode service**
 - in DLPI, *NetProgGde* 2-5
- connection-oriented application**
 - program examples, *NetProgGde* B-2
 - sample header files, *NetProgGde* B-33
 - writing, *NetProgGde* 3-22
- connectionless application**
 - program examples, *NetProgGde* B-18
 - sample header files, *NetProgGde* B-33
 - writing, *NetProgGde* 3-30
- connectionless mode service**
 - in DLPI, *NetProgGde* 2-5
- consolidated firmware CD-ROM**
 - building, *ProdKitGde* A-1
- constant**, *CLangRef* 1-13
 - and rpcgen, *OncRpcProgram* 2-24
 - assembly language, *AsmLangGde* 2-2
- constant bit rate**, *See* CBR
- context-dependent symbolic link**, *See* CDSL
- controlling access**, *CommandShellGde* 5-1
- convergence module**
 - flow control, *AsynchronousTM* 9-3
 - MMI, *AsynchronousTM* 7-7
 - queuing guidelines, *AsynchronousTM* 8-3
 - receiving exception notification, *AsynchronousTM* 5-2
 - registering with CMM, *AsynchronousTM* 5-1
 - requesting interface parameters, *AsynchronousTM* 5-3
 - reserving resources, *AsynchronousTM* 5-4
 - structures, *AsynchronousTM* 5-9
 - unregistering with CMM, *AsynchronousTM* 5-3
- conversion of data types**, *CLangRef* 6-27
- copying a directory**, *CommandShellGde* 4-8
- copying a disk**, *SystemAdmin* 5-72
- copying a file**, *CommandShellGde* 3-18
 - to another host, *CommandShellGde* 12-1
- copysign routine**, *CPML* B-6, CPML-21
- cord utility**, *ProgGde* F-4
- cos routine**, *CPML* B-6, CPML-22
- cosd routine**, *CPML* B-6, CPML-22
- cosh routine**, *CPML* B-7, CPML-23
- cot routine**, *CPML* B-7, CPML-24
- cotd routine**, *CPML* B-7, CPML-24
- cp command**, *CommandShellGde* 3-18
- cpio command**, *SystemAdmin* 9-5
- CPML**, *CPML* 1-1
 - data types, *CPML* 1-2
 - entry-point names, *CPML* B-1
 - exceptional arguments, *CPML* 1-4
 - floating-point values, *CPML* A-1

- IEEE Standard 754
 - considerations, *CPML* 1–6
 - routines, *CPML* 2–1
 - X/Open Portability Guide considerations, *CPML* 1–7
 - cpow routine**, *CPML* B–7, CPML–25
 - CPU**
 - improving performance, *SystemTune* 7–8
 - monitoring, *SystemTune* 7–1
 - performance, *SystemTune* 2–4
 - crash data collection**, *KernelDebug* 2–44, A–1
 - crash dump**, *SystemAdmin* 12–16, 14–1
 - crash dump analysis**, *KernelDebug* 1–1
 - collecting data with crashdc, *KernelDebug* 2–44
 - examples of, *KernelDebug* 4–1
 - for SMP systems, *KernelDebug* 4–9
 - guidelines for, *KernelDebug* 4–1
 - specifying location of loadable modules for, *KernelDebug* 2–4
 - viewing user program stack, *KernelDebug* 2–8
 - crash dump file**
 - analyzing, *KernelDebug* 1–5
 - guidelines for analyzing, *KernelDebug* 4–1
 - invoking dbx debugger to examine, *KernelDebug* 2–2
 - invoking kdbx debugger to examine, *KernelDebug* 2–12
 - using dbx to examine, *KernelDebug* 4–2
 - using kdbx to examine, *KernelDebug* 4–3
 - crash recovery**, *SystemAdmin* 12–16
 - crash-data.n file**
 - explanation of contents, *KernelDebug* A–1
 - crashdc command**
 - explanation of output from, *KernelDebug* A–1
 - crashdc utility**, *KernelDebug* 2–44
 - creating a directory**, *CommandShellGde* 4–2
 - creating a volume**, *StorageManager* 4–1
 - for secondary swap, *StorageManager* 4–14
 - with concatenated plex, *StorageManager* 4–7
 - crontab command**, *SystemAdmin* 3–14
 - .cshrc file**, *CommandShellGde* 8–2
 - .cshrc login script**, *CommandShellGde* 7–16
 - modifying for System V habitat, *CommandShellGde* 9–2
 - csin routine**, *CPML* B–8, CPML–26
 - csqrt routine**, *CPML* B–8, CPML–27
 - Curses library**, *InternatProg* 4–1, *TechOver* 10–9
 - Custom Setup utility**, *InstallGde* 7–4
 - customization**
 - workstation environment, *XWinSysEnv* 2–1
 - customizing mailx**, *CommandShellGde* D–1
 - customizing pointer behavior**, *CDECompanion* 8–8
 - cvt_ftof routine**, *CPML* B–8, CPML–28
- ## D
- daemon**
 - autofs, *NetAdmin* 10–2
 - automount, *NetAdmin* 10–2
 - binlogd, *SystemAdmin* 12–3
 - bootpd, *TechOver* 3–28
 - gated, *NetAdmin* 2–8, *TechOver* 3–29

- inetd, *NetProgGde* 4–51,
OncRpcProgram 2–18, 3–25
- joind, *NetAdmin* 5–16
- lpd, *SystemAdmin* 8–32
- LSM, *StorageManager* 6–7
- mountd, *NetAdmin* 10–11
- PC-NFS, *NetAdmin* 10–8
- portmap, *Prestoserve* 2–10
- pppd, *NetAdmin* 6–13
- prestockl_svc, *Prestoserve* 2–11
- routed, *NetAdmin* 2–7
- rsvpd, *NetProgGde* 7–6
- rwhod, *NetAdmin* 2–6
- syslogd, *SystemAdmin* 12–2
- xntpd, *NetAdmin* 12–1
- data**
 - preserving during installation,
InstallGde 6–40
 - receiving on a virtual circuit,
AsynchronousTM 5–2
 - recovering, *SystemAdmin* 9–1
- data access**,
See JDBC, ODBC
- data cache collision**
avoiding, *ProgGde* 8–12
- data cache misses**
profiling for, *ProgGde* 8–12
- data copying routines**,
KernelModules 5–7
- data flow**, *TechOver* 3–23
- Data Link Interface**,
See DLI
- data link interfaces**, *NetProgGde* 2–1
- Data Link Provider Interface**,
See DLPI
- data manipulation**
in calling standard for Alpha
systems, *CallingStandard* 4–1
- data structure**
ATM, *AsynchronousTM* 2–14
- displaying value and format
of with dbx debugger,
KernelDebug 2–6
- global, *AsynchronousTM* 2–14
- kernel thread, *KernelModules* 9–5
- module, *NetProgGde* 5–13
- simple lock, *KernelModules* 7–1
- sockets, *NetProgGde* 4–16
- STREAMS message, *NetProgGde*
5–14
- used by kernel thread routines,
KernelModules 9–5
- data transfer**
in DLI, *NetProgGde* E–20
with sockets, *NetProgGde* 4–26
- data type**, *CLangRef* 3–1
alignment in structures, *ProgGde*
2–5
converting, *CLangRef* 6–27
types supported by Tru64 UNIX,
ProgGde 2–4
types supported in assembly
language, *AsmLangGde* 2–10
- database security**
group, *CommandShellGde* 5–3
- Dataless Management Services**,
See DMS
- date and time**
setting during installation,
InstallGde 6–13
- date command**, *SystemAdmin* 2–21
- date value**
formatting rules in a locale,
InternatProg 7–22
- dbx debugger**, *ProgGde* 5–1,
SystemTune 3–17, *TechOver* 6–3
crash dump analysis with,
KernelDebug 2–2, 4–2, 4–4
debugging kdbx extensions with,
KernelDebug 3–36
debugging kernel threads with,
KernelDebug 4–8

- displaying call stack of user program after kernel crash with, *KernelDebug* 2-8
- displaying preserved message buffer with, *KernelDebug* 2-10
- displaying value and format of variable and data structure with, *KernelDebug* 2-6
- examining exception frames with, *KernelDebug* 2-7
- identifying cause of crash on SMP system, *KernelDebug* 4-9
- identifying hardware exceptions with, *KernelDebug* 4-4
- kernel debugging flag, *KernelDebug* 2-2
- kernel debugging with, *KernelDebug* 2-2
- syntax for examining dump files, *KernelDebug* 2-2
- DDR**, *SystemAdmin* 5-53
- debugging an application**, *SystemTune* 11-1
- debugging the kernel**, *SystemTune* 3-9
- debugging tools**,
 - See also dbx debugger, lint, Third Degree
 - crashdc utility, *KernelDebug* 2-44
 - dbx debugger, *KernelDebug* 2-2
 - kdbx debugger, *KernelDebug* 2-12
 - kdebug debugger, *KernelDebug* 2-37
 - supported by Tru64 UNIX, *ProgGde* 1-5
- DECEvent event management utility**, *SystemAdmin* 12-1
- declaration**, *CLangRef* 4-1, *OncRpcProgram* 2-24
- DECterm software**
 - escape sequences for ruled lines, *InternatProg* D-1
- DECwindows Motif**
 - migrating to CDE, *CDECompanion* 6-1
 - migrating to CDE applications, *CDECompanion* 7-6
- default permissions**
 - setting with umask, *CommandShellGde* 5-13
- deferred mode swapping**, *SystemAdmin* 3-45
- deleting a directory**, *CommandShellGde* 4-10
- desktop**
 - navigating, *CDECompanion* 2-1
- desktop session**
 - managing, *CDECompanion* 4-1
- /dev directory**, *SystemAdmin* 5-40
- Developer's Documentation Kit**, *DocOverview* 1-9
- development environment**, *ProgGde* 1-1
- device**
 - adding to the kernel, *SystemAdmin* 4-20
 - configuring, *SystemAdmin* 5-40
- device driver**
 - ATM structures, *AsynchronousTM* 3-3
 - interface, *AsynchronousTM* 3-1
 - MMI, *AsynchronousTM* 7-6
 - queuing guidelines, *AsynchronousTM* 8-1
 - registering with CMM, *AsynchronousTM* 3-1
 - unregistering with CMM, *AsynchronousTM* 3-2
- device driver documentation**
 - books in set described, *DocOverview* 7-1
- device mnemonics**, *SystemAdmin* B-1
- device name**, *SystemAdmin* 5-40
 - naming conventions, *InstallGde* A-1
- device pathname**
 - explanation of, *SystemAdmin* 8-29

- representation in printcap,
SystemAdmin 8-29
- device request dispatcher**,
ClusTechOver 2-7
- device security**, *Security* 8-1
- device special file**, *NetProgGde* 5-25
 - representation in printcap,
SystemAdmin 8-29
- device special file names**
 - converting old-style and
new-style, *ProgGde* E-1
- DHCP**, *NetAdmin* 5-1
 - and security, *NetAdmin* 5-19
 - configuring a server, *NetAdmin* 5-12
 - monitoring clients, *NetAdmin* 5-18
 - planning for configuration,
NetAdmin 5-2
 - troubleshooting, *NetAdmin* 15-34
- dia command**
 - binary event-logging reports,
SystemAdmin 12-1
- dial-in connection**, *NetAdmin* 6-28
- dial-out connection**, *NetAdmin* 6-31
- Differences application**
 - comparing files with,
CDECompanion 5-6
- directive**
 - assembler directives,
AsmLangGde 5-1
 - pragma assert directives,
ProgGde 3-2
 - pragma environment, *ProgGde* 3-6
 - pragma extern_model directives,
ProgGde 3-7
 - pragma extern_prefix, *ProgGde* 3-11
 - pragma function, *ProgGde* 3-14
 - pragma inline, *ProgGde* 3-13
 - pragma intrinsic, *ProgGde* 3-14
 - pragma linkage, *ProgGde* 3-16
 - pragma member_alignment,
ProgGde 3-19
 - pragma message, *ProgGde* 3-20
 - pragma optimize, *ProgGde* 3-25
 - pragma pack, *ProgGde* 3-27
 - pragma pointer_size, *ProgGde* 3-28
 - pragma use_linkage, *ProgGde* 3-29
 - pragma weak, *ProgGde* 3-30
- directory**, *CommandShellGde* 2-1, 2-7, 4-1
 - backing up, *SystemAdmin* 9-1
 - changing owner of,
CommandShellGde 5-20
 - copying, *CommandShellGde* 4-8
 - creating, *CommandShellGde* 4-2
 - recovering, *SystemAdmin* 9-1
 - removing current,
CommandShellGde 4-12
 - removing empty,
CommandShellGde 4-11
 - removing more than one,
CommandShellGde 4-11
 - renaming, *CommandShellGde* 4-9
- directory permissions**,
CommandShellGde 5-5, 5-10
- dis (object file tool)**, *ProgGde* 2-26
- disk**
 - availability, *SystemTune* 2-17
 - backup, *SystemAdmin* 9-1
 - cloning, *SystemAdmin* 5-71
 - copying, *SystemAdmin* 5-71
 - distributing I/O, *SystemTune* 8-1
 - dynamic partitioning during full
installation, *InstallGde* 4-2
 - high-performance, *SystemTune* 2-9
 - high-performance configuration,
SystemTune 2-12
 - LSM, *StorageManager* 1-2,
SystemTune 8-4
 - managing, *SystemTune* 8-1
 - monitoring, *SystemAdmin* 6-46
 - monitoring I/O distribution,
SystemTune 8-3

- preserving data on during installation, *InstallGde* 6–40
- RAID, *SystemTune* 2–14
- striping, *SystemTune* 2–13
- disk drive**
 - testing with `diskx`, *SystemAdmin* 11–28
- disk group**
 - managing, *StorageManager* 5–5
- disk label**, *SystemAdmin* 5–67, 6–5
- disk partition**, *SystemAdmin* 5–67, 6–4
 - on DMS server, *SharingSW* 10–3
- disk quota**, *SystemAdmin* 6–41
- disk space**
 - DMS, *SharingSW* 10–4
 - planning, *InstallGdeAdvTop* 4–1
 - reallocating, *SystemAdmin* 5–67
 - RIS, *SharingSW* 3–3
- disk usage**, *SystemAdmin* 5–83
- disklabel command**, *SystemAdmin* 5–69
- diskusg command**, *SystemAdmin* 10–31
- diskx exerciser**, *SystemAdmin* 11–28
- dispatch point callback**, *KernelModules* 4–1
- dispatch table**, *OnRpcProgram* 2–18
- DISPLAY environment variable**
 - setting from different shells, *CDECompanion* 5–3
- Display Manager**, *TechOver* 8–6
- displaying a directory**, *CommandShellGde* 4–7
- displaying information**
 - command status, *CommandShellGde* 6–8
 - differences between files, *CommandShellGde* 3–23
 - disk group, *StorageManager* 4–1
 - job status of `uucp`, *CommandShellGde* 14–25
 - process information, *CommandShellGde* 6–14
 - variable values, *CommandShellGde* 7–21
- displaying online reference pages**, *CommandShellGde* 1–9
- distributed lock manager**, *See* DLM
- distributed naming services**, *TechOver* 3–32
 - See also* BIND, NIS
- distributed system services**
 - naming services, *TechOver* 3–32
 - time services, *TechOver* 3–33
- distribution media**
 - producing for kernel products, *ProdKitGde* 5–8
 - producing for user products, *ProdKitGde* 4–1
- division of privileges**, *See* DOP
- DLI**, *NetProgGde* E–1, *TechOver* 3–25
 - and accessing the local area network, *NetProgGde* E–3
 - binding a socket, *NetProgGde* E–17
 - calculating buffer size, *NetProgGde* E–20
 - creating a socket, *NetProgGde* E–16
 - deactivating a socket, *NetProgGde* E–21
 - filling the `sockaddr_dl` structure, *NetProgGde* E–17
 - services, *NetProgGde* E–2
 - setting socket options, *NetProgGde* E–16
 - transferring data, *NetProgGde* E–20
 - using system calls, *NetProgGde* E–15
 - writing programs, *NetProgGde* E–14
- DLI program**
 - including higher-level services, *NetProgGde* E–4

- DLM**, *ClusTechOver* 8-1
- DLPI**, *NetProgGde* 2-2, *TechOver* 3-25
 - addressing, *NetProgGde* 2-6
 - connection mode service, *NetProgGde* 2-5
 - connectionless mode service, *NetProgGde* 2-5
 - local management service, *NetProgGde* 2-4
 - modes of communication, *NetProgGde* 2-3
 - supported primitives, *NetProgGde* 2-8, 8-10
 - types of service, *NetProgGde* 2-4
- DMS**, *SharingSW* 1-1, 9-1, *TechOver* 2-26
 - adding software, *SharingSW* 11-6
 - disk space planning, *SharingSW* 10-4
 - installing software, *SharingSW* 11-2
 - root area, *SharingSW* 9-2
 - setting up a LAN, *SharingSW* 10-3
 - setting up NFS, *SharingSW* 10-3
 - troubleshooting, *SharingSW* 13-1
 - updating software, *SharingSW* D-1
- DMS area**, *SharingSW* 1-1, 9-2
- DMS area maintenance**, *SharingSW* 12-1
- DMS client**, *SharingSW* 1-1, 9-2, 9-5, 12-1
 - area, *SharingSW* 9-5
 - building an Asian kernel, *SharingSW* 11-13
 - compatibility with server, *SharingSW* 11-1
 - preparing, *SharingSW* 10-1
 - registering, *SharingSW* 10-7
 - requirements, *SharingSW* 10-2
 - WLS setup, *SharingSW* 11-13
- DMS environment**, *SharingSW* 9-3, 12-1
 - configuring, *SharingSW* 11-9
 - on DMS server, *SharingSW* 11-1
 - software sharing environment, *SharingSW* 1-2
- DMS server**, *SharingSW* 1-1, 9-2
 - architecture, *SharingSW* 9-2
 - compatibility with client, *SharingSW* 11-1
 - creating DMS environment on, *SharingSW* 11-1
 - disk partitions, *SharingSW* 10-3
 - installing operating system on, *SharingSW* 10-7
 - managing, *SharingSW* 12-1
 - preparing, *SharingSW* 10-1
 - requirements, *SharingSW* 10-1
 - WLS setup, *SharingSW* 11-12
- DNS**, *NetAdmin* 8-1
 - configuring a caching-only server, *NetAdmin* 8-15
 - configuring a client, *NetAdmin* 8-20
 - configuring a forward-only server, *NetAdmin* 8-16
 - configuring a master server, *NetAdmin* 8-9
 - configuring a slave server, *NetAdmin* 8-13
 - configuring a stub server, *NetAdmin* 8-18
 - deconfiguring, *NetAdmin* 8-29
 - enabling authentication, *NetAdmin* 8-6, 8-21
 - enabling dynamic updates, *NetAdmin* 8-5, 8-12, 8-21
 - IPv6 data format, *NetAdmin* 3-9
 - IPv6 record type, *NetAdmin* 3-9
 - named.conf file, *NetAdmin* H-1
 - resource records, *NetAdmin* H-1
 - testing master servers, *NetAdmin* 17-15
 - testing servers, *NetAdmin* 17-1
 - troubleshooting, *NetAdmin* 15-37, 15-39
 - updating server data files, *NetAdmin* 8-5, 8-12, 8-30

doconfig program, *SystemAdmin* 4-20, 4-24, 4-26

documentation,
See also online documentation
in printed form, *DocOverview* 1-8
on line, *DocOverview* 1-5

Documentation CD-ROM,
DocOverview 1-5
mounting, *InstallGde* 8-2

documentation kits,
See Developer's
Documentation Kit,
End User Documentation
Kit, General User
Documentation Kit,
Startup Documentation
Kit, System and
Network Management
Documentation Kit, Tru64
UNIX Documentation Kit

**documentation on the World
Wide Web**, *DocOverview* 1-7

dodisk shell script, *SystemAdmin*
10-31

dohash utility, *NetAdmin* 13-25

Domain Name System,
See DNS

DOP, *Security* H-1

drem routine, *CPML* B-8, *CPML*-33

driver
bridging BSD driver to STREAMS
protocol stack, *NetProgGde* 8-9
bridging STREAMS driver
to sockets protocol stack,
NetProgGde 8-2
Token Ring, *NetProgGde* D-1

driver program
compiler system, *ProgGde* 2-2

dsfcvt* routines, *ProgGde* E-1

dtmail utility, *NetAdmin* 13-38

dtsession, *CDECompanion* 6-2

dump command, *SystemAdmin* 9-5

dump file,
See crash dump file

dxaccounts utility, *SystemAdmin* 7-6

dxpresto command
monitoring Prestoserve with,
Prestoserve 3-8

dxpresto software subset
installing, *Prestoserve* 2-1

Dynamic Device Recognition,
See DDR

dynamic disk partitioning
during full installation,
InstallGde 4-2

**Dynamic Host Configuration
Protocol**,
See DHCP

**dynamically configurable
subsystem**
creating, *ProgGde* C-1

E

**EBM2n and EBM4n single-board
computers**, *SysConfigSup* 1-1

**EBV10 and EBV12 single-board
computers**, *SysConfigSup* 1-13

**EBV14 and EBV16 single-board
computers**, *SysConfigSup* 1-10

ed editor, *CommandShellGde* B-1
append (a) subcommand,
CommandShellGde B-2
change (c) subcommand,
CommandShellGde B-20
copying lines, *CommandShellGde*
B-23
creating and saving text files,
CommandShellGde B-2
delete (d) subcommand,
CommandShellGde B-18
deleting a specific line,
CommandShellGde B-19

- deleting current line,
CommandShellGde B-18
- deleting multiple lines,
CommandShellGde B-19
- displaying the current line,
CommandShellGde B-9
- edit (e) subcommand,
CommandShellGde B-7
- edit (ed) command,
CommandShellGde B-7
- edit buffer, *CommandShellGde* B-1
- global (g) operator,
CommandShellGde B-15
- insert (i) subcommand,
CommandShellGde B-22
- locating text, *CommandShellGde*
B-12
- moving text, *CommandShellGde*
B-19
- print (p) subcommand,
CommandShellGde B-3
- quit (q) subcommand,
CommandShellGde B-6
- read (r) subcommand,
CommandShellGde B-8
- removing characters,
CommandShellGde B-16
- substitute (s) subcommand,
CommandShellGde B-13
- using system commands,
CommandShellGde B-24
- write (w) subcommand,
CommandShellGde B-4
- editor**, *CommandShellGde* 2-1
See also ed editor, emacs
editor, mule editor, vi
editor
- EGP**, *TechOver* 3-4
- egrep**,
See grep utility
- emacs editor**
multilingual, *InternatProg* 6-40,
TechOver 10-7
- enabling realtime preemption**
after full installation, *InstallGde*
7-10
- encapsulating AdvFS file
domains**, *StorageManager* 4-17
- End User Documentation Kit**,
DocOverview 1-8
- endian byte ordering**
supported by Tru64 UNIX,
ProgGde 2-4
- endpoint**
adding, *AsynchronousTM* 6-4
creating, *AsynchronousTM* 5-5
dropping, *AsynchronousTM* 4-3, 5-5
requesting connection
state information,
AsynchronousTM 5-6
requesting information,
AsynchronousTM 4-4
- enhanced security**
in a cluster, *Security* G-1
- enumerations and rpcgen**,
OncRpcProgram 2-23
- environment variable**,
CommandShellGde 7-13
- erf routine**, *CPML* B-9, CPML-34
- erfc routine**, *CPML* B-9, CPML-34
- error**
comparison of XTI and sockets,
NetProgGde 3-39
in sockets, *NetProgGde* 4-34
in XTI, *NetProgGde* 3-56
logging, *SystemAdmin* 12-1
logging in STREAMS,
NetProgGde 5-26
reporting to CMM,
AsynchronousTM 3-2
solving network problem,
NetAdmin 15-1
- error message**
autofs, *NetAdmin* D-10

- autofs mount, *NetAdmin* D-10
- automount, *NetAdmin* D-6
- mail, *NetAdmin* F-1
- NFS, *NetAdmin* D-1
- UUCP, *NetAdmin* E-1
- eSNMP**, *NetProgGde* 1-7, 6-2, *TechOver* 3-25
 - application interface, *NetProgGde* 6-4
 - application programming interface routines, *NetProgGde* 6-18
 - architecture, *NetProgGde* 6-3
 - components, *NetProgGde* 6-2
 - implementing a subagent, *NetProgGde* 6-12
 - method routine calling interface, *NetProgGde* 6-44
 - MIB subtree, *NetProgGde* 6-6
 - object tables, *NetProgGde* 6-8
 - SNMP versions, *NetProgGde* 6-4
 - starting, *NetProgGde* 6-15
 - stopping, *NetProgGde* 6-15
 - support routines, *NetProgGde* 6-55
- /etc/kitcap file**, *ProdKitGde* 4-3, 5-10
- /etc/sysconfigtab file**, *SystemAdmin* 4-14
- Ethernet**, *TechOver* 3-19
 - See also Fast Ethernet, Gigabit Ethernet
 - configuring, *NetAdmin* 2-13
- Ethernet interface**, See vb network
- euro currency symbol**, *InternatProg* 2-14
- event**
 - reporting, *SystemAdmin* 12-1
 - tracking in XTI, *NetProgGde* 3-14
- event logging**
 - crash recovery, *SystemAdmin* 12-16
 - creating daily files, *SystemAdmin* 12-7
 - in STREAMS, *NetProgGde* 5-26
- event management**, *SystemAdmin* 13-1, 13-24
- Event Manager**, *SystemAdmin* 13-1
- event processing**
 - in calling standard for Alpha systems, *CallingStandard* 5-1
- EVM**, *SystemAdmin* 13-1
- exception**
 - frame-based, *ProgGde* 11-5
 - receiving, *AsynchronousTM* 5-2
 - structured, *ProgGde* 11-5
- exception handling**
 - application development considerations, *ProgGde* 11-1
 - header files, *ProgGde* 11-3
 - POSIX Threads, *POSIXThreads* 5-1
- exception processing**
 - in calling standard for Alpha systems, *CallingStandard* 5-1
- executable program**
 - creating, *ProgGde* 2-3, 2-20
 - running, *ProgGde* 2-22
- exp routine**, *CPML* B-9, CPML-35
- expm1 routine**, *CPML* B-9, CPML-35
- exporting a file system**, *NetAdmin* 10-12
- exports file**, *NetAdmin* 10-11, 10-14
- expression**, *CLangRef* 6-1
- extended regular expression**, *ProgSupTools* 1-4
- extensible SNMP**, See eSNMP
- extensions to kdbx debugger**, *KernelDebug* 2-15
- Exterior Gateway Protocol**, See EGP
- External Data Representation**, See XDR routine

F

- fabs routine**, *CPML* B-10, CPML-36
- factory installed software**,
See FIS
- Fast Ethernet**, *TechOver* 3-19
- fcntl.h file**, *NetProgGde* 3-6
- FDDI**, *TechOver* 3-20
configuring, *NetAdmin* 2-13
- fddi_config command**, *NetAdmin*
2-30
- feedback file**
profile-directed optimization,
ProgGde 10-8
- FFM**, *SystemAdmin* 6-2
- fgrep**,
See *grep* utility
- Fiber Distributed Data Interface**,
See FDDI
- file**, *CommandShellGde* 2-1, 2-5, 3-1
backing up, *SystemAdmin* 9-1
comparing file differences,
CommandShellGde 3-23
including, *CLangRef* 8-11
listing contents of subset,
InstallGde 9-5
recovering, *SystemAdmin* 9-1
sorting contents of,
CommandShellGde 3-25
- file (object file tool)**, *ProgGde* 2-25
- file access**, *CommandShellGde* 5-1
- file inclusion**, *CLangRef* 8-11
- File Manager**, *CDECompanion* 4-1
accessing, *CDECompanion* 3-1
managing directories and files,
CDECompanion 4-1
- file name**, *CommandShellGde* 2-5
- file permissions**,
CommandShellGde 5-5
- file synchronization**
realtime, *Realtime* 8-2
- file system**, *CommandShellGde*
2-5, *SystemAdmin* 6-1
accelerating writes to, *Prestoserve*
3-3
checking, *SystemAdmin* 6-46
configuring volumes for,
StorageManager 4-14
corrupted, *SystemAdmin* 6-46
exercising with *fsx*, *SystemAdmin*
11-25
exporting, *NetAdmin* 10-12
free space, *SystemAdmin* 5-83
halting export of, *NetAdmin* 10-13
monitoring, *SystemAdmin* 6-46
monitoring free space,
SystemAdmin 5-84
mounting, *SystemAdmin* 6-20
replicated, *NetAdmin* B-9
restoring, *InstallGdeAdvTop* 3-1
tuning, *SystemAdmin* 6-49
- file system layout**
customizing during installation,
InstallGde 6-34
default, *InstallGde* 4-2
planning manually,
InstallGdeAdvTop 4-1
specifying during installation,
InstallGde 6-26
- file system quota**, *SystemAdmin* 6-41
- File Transfer Protocol**,
See FTP
- file type**
determining, *CommandShellGde*
3-28
- File-on-File Mounting File System**,
See FFM
- finger command**,
CommandShellGde 10-2
- Finger Protocol (FINGER)**,
TechOver 3-9

- finite routine**, *CPML B-10*, *CPML-37*
- firmware**
 - updating, *InstallGde 5-6*
- FIS**, *InstallGde 1-5*
 - documentation included on, *DocOverview 1-4*
- floating-point instruction set**
 - assembly language, *AsmLangGde 4-1*
- floating-point range and processing**
 - IEEE standard, *ProgGde 2-5*
- floor routine**, *CPML B-10*, *CPML-38*
- flow control**
 - convergence module, *AsynchronousTM 9-3*
 - hardware, *AsynchronousTM 9-1*
 - in calling standard for Alpha systems, *CallingStandard 3-1*
 - software, *AsynchronousTM 9-2*
- fmod routine**, *CPML B-10*, *CPML-39*
- font cache**
 - tuning size of, *InternatProg 6-41*
- font renderer**, *InternatProg 6-44*
- font server**, *InternatProg 6-46*
- fonts**
 - bitmap fonts for local languages, *InternatProg 6-46*
 - local-language PostScript, *InternatProg 6-27*
 - PostScript font renderers for X applications, *InternatProg 6-44*
- foreground processes**, *CommandShellGde 6-6*
- foreign language**, *See Asian languages*
- format prefix**, *NetAdmin 3-8*
- fp_class routine**, *CPML B-11*, *CPML-40*
- frame-based exception handling**, *ProgGde 11-5*
- framework**
 - sockets, *NetProgGde 4-1*
 - STREAMS, *NetProgGde 5-1*
- frexp routine**, *CPML B-11*, *CPML-41*
- Front Panel**
 - exiting a session, *CDECompanion 3-1*
 - pausing a session, *CDECompanion 3-1*
 - using, *CDECompanion 3-1*
- fsck command**, *SystemAdmin 6-46*
- fsck program**, *SystemAdmin 6-20*
- fstab file**, *SystemAdmin 6-20*
- fsx exerciser**, *SystemAdmin 11-25*
- FTP**, *TechOver 3-7*
- full installation**, *InstallGde 4-1*
 - boot commands, *InstallGde 6-45*
 - building kernel during, *InstallGde 6-24*
 - CD-ROM boot procedures, *InstallGde 6-4*
 - defined, *InstallGde 1-2*
 - enabling realtime preemption, *InstallGde 7-10*
 - installing LSM during, *InstallGde 4-3*
 - installing WLS, *InstallGde 4-2*
 - preinstallation tasks, *InstallGde 5-1*
 - preserving existing data, *InstallGde 6-40*
 - procedures, *InstallGde 6-1*
 - restarting, *InstallGde 6-43*
 - special processing for LSM, *InstallGde 6-39*
 - system configuration, *InstallGde 7-1*
 - user-supplied files, *InstallGdeAdvTop 5-1*
- function prototype**, *CLangRef 5-8*
- functions**, *CLangRef 5-1*
 - allowed sequence of in XTI, *NetProgGde 3-20*
 - comparison of XTI and sockets, *NetProgGde 3-37*
 - STREAMS, *NetProgGde 5-7*

G

gamma routine, *CPML* CPML-46

gated daemon, *NetAdmin* 2-8,
TechOver 3-29
configuring, *NetAdmin* 2-17

gated.conf file, *NetAdmin* 2-9

gateways file, *NetAdmin* 2-8

General User Documentation Kit, *DocOverview* 1-9

getty command, *SystemAdmin* 2-20, 3-7, 3-8

gettydefs file, *SystemAdmin* 3-3

GID, *SystemAdmin* 7-10

Gigabit Ethernet, *TechOver* 3-19

GIOC_MMI_GETVERSION command, *AsynchronousTM* 7-3

GIOC_MMI_PATH command, *AsynchronousTM* 7-6

global offset table,
See GOT

GOT, *AsmLangGde* 6-2,
CallingStandard 2-4

gprof,
See profiling a program

grep utility, *ProgSupTools* 1-9

group, *SystemAdmin* 7-1

group file, *CommandShellGde* 5-1,
SystemAdmin 7-9
and NIS, *NetAdmin* 9-25

H

halt command, *SystemAdmin* 2-30

hardware

adding to the kernel,
SystemAdmin 4-20

hardware exception

debugging, *KernelDebug* 4-4

hardware management

SystemAdmin 5-1

header file

CLangRef 1-20, 9-1
including, *ProgGde* 2-9
sockets, *NetProgGde* 4-16
STREAMS, *NetProgGde* 5-6

heap memory analyzer

and profiling, *ProgGde* 8-21

help

CommandShellGde 1-9

Help Manager

accessing, *CDECompanion* 3-1

hiprof

See profiling a program

host

configuring for IPv6, *NetAdmin* 3-29
IPv6 configuration variables,
NetAdmin 3-37

Host Resources MIB

NetAdmin G-1

hosts file

NetAdmin 2-11, 2-19

hosts.equiv file

NetAdmin 2-12, 2-20

HSC

controller failures, *SystemAdmin*

C-2

host sharing, *SystemAdmin* C-3

restrictions, *SystemAdmin* C-3

HTML documentation

DocOverview 1-5, *InstallGde* 8-1

hwmgr

SystemAdmin 5-1

hypot routine

CPML B-11,
CPML-42

I

ICMP, *TechOver* 3-17

identifier, *CLangRef* 1–6
assembly language, *AsmLangGde* 2–1

IEEE floating-point,
See floating-point range and processing

ifaccess.conf file, *NetAdmin* 2–29

ifconfig command
enabling access filtering with, *NetAdmin* 2–29

ilogb routine, *CPML* B–11, *CPML*–43

IMAP, *NetAdmin* 13–24, *TechOver* 3–10
troubleshooting, *NetAdmin* 15–73

immediate mode swapping,
SystemAdmin 3–45

inactive page list, *TechOver* 5–6

include file,
See header file

including files, *CLangRef* 8–11

incoming call
accepting, *AsynchronousTM* 5–8
receiving, *AsynchronousTM* 4–2
rejecting, *AsynchronousTM* 5–8

inetd daemon, *NetProgGde* 4–51
rpcgen support for,
OncRpcProgram 2–18
using to start an RPC server,
OncRpcProgram 3–25

init command, *SystemAdmin* 2–7,
2–17

init.d directory, *SystemAdmin* 3–3

init.d directory structure,
SystemAdmin 3–9

initialization, *SystemAdmin* 2–7
tasks, *SystemAdmin* 2–7

inittab file, *SystemAdmin* 2–7,
2–17, 3–2, 3–4, 3–8
customizing for LAT, *NetAdmin* 7–9
initdefault entry, *SystemAdmin* 2–18

input method, *InternatProg* 6–5
handling in X application,
InternatProg 5–19
starting server for, *InternatProg* 6–6
X resource for, *InternatProg* 6–6

input mode (vi editor),
CommandShellGde A–9

input/output multiplexing,
NetProgGde 4–52

Insight Manager,
See Compaq Insight Manager

install.cdf file, *InstallGdeAdvTop* 6–1
attribute-value pairs,
InstallGdeAdvTop A–1

installation, *InstallGde* 1–1
See also full installation,
update installation
customizing, *InstallGdeAdvTop* 5–1

installation cloning,
InstallGdeAdvTop 6–1,
SharingSW 7–1
attribute-value pairs,
InstallGdeAdvTop A–1

installation media, *InstallGde* 1–5

installing a cluster, *ClusTechOver* 9–1

installing the operating system,
InstallGde 1–1

instruction and source line profiling, *ProgGde* 8–11

instruction set
assembly language floating-point,
AsmLangGde 4–1
assembly language main
instruction set, *AsmLangGde* 3–1

instructions
disassembling using kdbx,
KernelDebug 2–21

interface,
See also network interface
ATM, *AsynchronousTM* 1–3

interface parameter

- requesting, *AsynchronousTM* 5-3
- international software,**
 - InstallGde* C-20
 - installing, *InstallGdeAdvTop* 2-1
- internationalization,**
 - SystemAdmin* 3-20, *TechOver* 10-1
 - asort command, *InternatProg* 6-34
 - CDE clients, *InternatProg* 6-41
 - codeset conversion, *InternatProg* 6-38
 - creating locales, *InternatProg* 7-1
 - Curses library, *InternatProg* 4-1
 - file command, *InternatProg* 6-40
 - for graphical applications, *InternatProg* 6-41
 - handling cultural data in programs, *InternatProg* 2-13
 - handling text presentation and input, *InternatProg* 2-17
 - implications for software development, *InternatProg* 1-1
 - mail utilities, *InternatProg* 6-32
 - Motif clients, *InternatProg* 6-41
 - Motif widget support, *InternatProg* 5-6
 - mule editor, *InternatProg* 6-40
 - PC code-page format, *InternatProg* 2-5
 - printing subsystem, *InternatProg* 6-19
 - supported languages, *InternatProg* 6-2
 - system administration, *InternatProg* 6-2
 - terminal subsystem, *InternatProg* 6-8
 - Unicode support, *InternatProg* 1-6
 - user-defined characters, *InternatProg* 6-17
 - working in a native-language environment, *InternatProg* 6-1
 - X Library, *InternatProg* 5-7
 - X/Open Worldwide Portability Interfaces, *InternatProg* A-1
- internationalization features,**
 - CDECompanion* 9-1
 - using, *CommandShellGde* C-1
- Internet,**
 - See TCP
- Internet Boot Protocol daemon,**
 - See BOOTP
- Internet Control Message Protocol,**
 - See ICMP
- Internet Message Access Protocol,**
 - See IMAP
- Internet Protocol,**
 - See IP
- Internet Protocol Version 6,**
 - See IPv6
- InterNIC Registration Services**
 - and IP address, *NetAdmin* 2-4
- interprocess communications,**
 - See IPC
- interrupt driven socket I/O,**
 - NetProgGde* 4-55
- invocation procedure,**
 - CallingStandard* 7-1
- IP,** *TechOver* 3-2, 3-13
- IP address,** *NetAdmin* 2-4
 - and InterNIC Registration Services, *NetAdmin* 2-4
 - obtaining using DNS, *NetAdmin* 8-31
- IP alias,** *NetAdmin* 2-21
- IP multicasting,** *NetProgGde* 4-41
- IP router,** *NetAdmin* 2-9
 - configuring system as, *NetAdmin* 2-18
- IP switching**
 - characteristics, *NetAdmin* 4-4
 - configuring with ATM, *NetAdmin* 4-22

- planning configuration with ATM, *NetAdmin* 4-13
- ip6trrd.conf file**, *NetAdmin* 3-39
- ip6_setup utility**, *NetAdmin* 3-29
- IPC**
 - mechanisms used for, *ProgGde* 1-7
- iptunnel command**, *NetAdmin* 3-35
- IPv4 multicasting**, *TechOver* 3-14
- IPv6**
 - 6bone network, *NetAdmin* 3-33
 - address autoconfiguration, *NetAdmin* 3-8
 - addressing, *NetAdmin* 3-2
 - configuring a host, *NetAdmin* 3-29
 - configuring a router, *NetAdmin* 3-30
 - environment, *NetAdmin* 3-12
 - history, *NetAdmin* 3-1
 - information required for
 - configuration, *NetAdmin* 3-17
 - planning, *NetAdmin* 3-16
 - sample configurations, *NetAdmin* 3-12
 - support required in kernel, *NetAdmin* 3-16
 - terms, *NetAdmin* 3-2
 - troubleshooting, *NetAdmin* 15-8
 - types of addresses, *NetAdmin* 3-3
- IPv6 subsystem**
 - tuning, *NetAdmin* 3-40
- ipv6forwarding attribute**, *NetAdmin* 3-37
- ipv6router attribute**, *NetAdmin* 3-37
- isnan routine**, *CPML* B-12, *CPML*-44
- ISO 10646 standard**, *TechOver* 10-2
- ISO codesets**, *CommandShellGde* C-2
- ISO standards**
 - application development considerations, *ProgGde* 1-2

J

- j0 routine**, *CPML* B-12, *CPML*-12
- j1 routine**, *CPML* B-12, *CPML*-12
- Japanese**,
 - See Asian languages
- Java**
 - documentation for, *DocOverview* 4-6
- JDBC**, *TechOver* 7-2
- jn routine**, *CPML* B-12, *CPML*-12
- jobs command**, *CommandShellGde* 6-8
- joind daemon**, *NetAdmin* 5-16

K

- kdbx debugger**, *KernelDebug* 2-12
 - command aliases, *KernelDebug* 2-15
 - command syntax, *KernelDebug* 2-12
 - commands, *KernelDebug* 2-13
 - compiling custom extensions to, *KernelDebug* 3-35
 - crash dump analysis with, *KernelDebug* 4-3, 4-7
 - debugging extensions to, *KernelDebug* 3-36
 - executing extensions to, *KernelDebug* 2-14
 - extensions to, *KernelDebug* 3-22
 - identifying hardware exceptions with, *KernelDebug* 4-4
 - library functions for extensions to, *KernelDebug* 3-2
 - using extensions to, *KernelDebug* 2-15
 - writing extensions to, *KernelDebug* 3-1
- kdebug debugger**, *KernelDebug* 1-3, 2-37
 - invoking, *KernelDebug* 2-41
 - problems with setup of, *KernelDebug* 2-42
 - requirements for, *KernelDebug* 2-38

- setting up, *KernelDebug* 2–39
- kernel**
 - building during installation, *InstallGde* 6–24
 - configuration file entries, *SystemAdmin* 4–32
 - configuring, *SystemAdmin* 4–1
 - configuring IPv6 routing in, *NetAdmin* 3–37
 - installing ATM options, *NetAdmin* 4–6
 - managing attributes, *SystemTune* 3–10
 - preemptive vs. nonpreemptive, *Realtime* 1–4
 - rebuilding after using setld, *InstallGde* 9–13
 - static configuration, *SystemAdmin* 4–19
 - tuning, *SystemTune* 3–10
 - verifying ATM options, *NetAdmin* 4–6
 - vmunix.n file, *SystemAdmin* 14–3
- kernel attribute**, *SystemTune* 3–10
- kernel configuration file**
 - editing during full installation, *InstallGde* 6–48
- kernel crash**
 - displaying call stack of user program after, *KernelDebug* 2–8
- kernel debugging**, *KernelDebug* 1–1, 1–3, *TechOver* 5–2
 - debugging customized tools, *KernelDebug* 3–36
 - debugging running kernel, *KernelDebug* 1–3, 2–37
 - developing customized tools, *KernelDebug* 3–1
 - linking kernel image for, *KernelDebug* 1–1
 - using dbx debugger, *KernelDebug* 2–2
 - using kdbx debugger, *KernelDebug* 2–12
 - using kdebug debugger, *KernelDebug* 2–37
- kernel-level function**
 - STREAMS, *NetProgGde* 5–12
- kernel module**, *KernelModules* 1–1
 - attributes, *KernelModules* 3–1
 - building, *KernelModules* 10–1
 - choosing resources to lock, *KernelModules* 6–13
 - developing, *KernelModules* 1–6
 - dynamically loading, *KernelModules* 10–8
 - initializing, *KernelModules* 2–1, 2–4
 - making safe in SMP environment
 - using complex locks, *KernelModules* 8–1
 - multithreaded programming, *KernelModules* 9–1
 - statically linking, *KernelModules* 10–6
- kernel product kit**, *ProdKitGde* 5–1
 - kit directory structure, *ProdKitGde* 5–2
- kernel program**
 - debugging, *KernelDebug* 1–3
- kernel routine**
 - ATM, *AsynchronousTMA* 1
- kernel subsystem**
 - configuring STREAMS drivers, *NetProgGde* 5–20
 - configuring STREAMS modules, *NetProgGde* 5–20
- kernel thread**
 - advantages of using, *KernelModules* 9–1
 - blocking, *KernelModules* 9–10
 - creating and starting, *KernelModules* 9–6
 - setting a timer for current, *KernelModules* 9–25

- terminating, *KernelModules* 9–19
 - unblocking, *KernelModules* 9–17
 - kernel thread routine**
 - data structures, *KernelModules* 9–5
 - keyboard**
 - customizing settings, *CDECompanion* 5–8
 - LK-style with PCXAL, *CDECompanion* 8–5
 - LK201/LK401, *CDECompanion* 8–5
 - PC-style with LK201/LK401, *CDECompanion* 8–5
 - window emulation of, *InternatProg* 6–4
 - Keycaps**
 - customizing keyboard, *CDECompanion* 5–9
 - keyword**, *CLangRef* 1–8
 - Korean**,
See Asian languages
 - Korn shell**, *CommandShellGde* 7–1, 8–1
 - .logout script, *CommandShellGde* 7–24
 - redirecting errors, *CommandShellGde* 6–4
 - .kshrc login script**,
CommandShellGde 7–16
- L**
- LAN emulation**,
See LANE
 - LAN setup for DMS**, *SharingSW* 10–3
 - LAN setup for RIS**, *SharingSW* 3–4
 - LANE**
 - characteristics, *NetAdmin* 4–3
 - configuring with ATM, *NetAdmin* 4–20
 - managing the environment, *NetAdmin* 4–27
 - planning configuration with ATM, *NetAdmin* 4–11
 - language announcement in programs**, *InternatProg* 1–4
 - language support**
 - installing, *InstallGdeAdvTop* 2–1
 - lastcomm command**,
SystemAdmin 10–30
 - LAT**, *TechOver* 3–31
 - configuring with latsetup, *NetAdmin* 7–6
 - creating your own service, *NetAdmin* 7–17
 - dedicated tty device on a terminal, *NetAdmin* 7–18
 - devices, *NetAdmin* 7–6
 - gateway service, *NetAdmin* 7–15
 - host-initiated connection, *NetAdmin* 7–13
 - outgoing connections, *NetAdmin* 7–14
 - printer setup, *NetAdmin* 7–10
 - troubleshooting, *NetAdmin* 15–64
 - latsetup command**, *NetAdmin* 7–6
 - layered applications**
 - documentation for, *DocOverview* 1–10
 - layered product kit**, *ProdKitGde* 1–1
 - building subsets and control files, *ProdKitGde* 3–1
 - directory structure, *ProdKitGde* 2–1
 - producing distribution media, *ProdKitGde* 4–1, 5–8
 - ld command**, *ProgGde* 2–20
 - ldexp routine**, *CPML* B–13, CPML–45
 - learp command**, *NetAdmin* 4–27
 - lex program**, *ProgSupTools* 4–1
 - lexicon**, *CLangRef* 1–1
 - lgamma routine**, *CPML* B–13, CPML–46
 - lgamma_max float boundary value**, *CPML* A–4

libc.so default C library, *ProgGde* 2-21

libexc exception library, *ProgGde* 11-1

library,

See also shared library

ANSI C standard, *CLangRef* 9-1

linking programs with, *ProgGde* 2-21

run-time, *ProgGde* 2-21

TLI, *NetProgGde* 3-6

XTI, *NetProgGde* 3-6

library call

sockets, *NetProgGde* 4-10

library functions

for extensions to kdbx debugger,
KernelDebug 3-2

library routines

for writing kdbx extensions,
KernelDebug 3-2

libtli.a library, *NetProgGde* 3-6

libxti.a library, *NetProgGde* 3-6

license

activity, *LicenseManage* 1-5

availability, *LicenseManage* 1-4

canceling, *LicenseManage* 2-10

deleting, *LicenseManage* 2-10

disabling, *LicenseManage* 2-9

enabling, *LicenseManage* 2-9

issuing, *LicenseManage* 2-10

loading, *LicenseManage* 2-6

registering, *LicenseManage* 2-2

unlimited, *LicenseManage* 2-2

unloading, *LicenseManage* 2-8

updating, *LicenseManage* 2-11

license-checking function,

LicenseManage 1-2

license database for LMF,

LicenseManage 1-1

License Management Facility,

See LMF

license terms and conditions,

LicenseManage 1-3

license unit, *LicenseManage* 1-2

License Unit Requirement Table,

See LURT

linkage, *CLangRef* 2-11

linking files, *CommandShellGde* 3-13

lint

coding problem checker, *ProgGde* 6-1

listing directory contents,

CommandShellGde 3-2

.lita section, *AsmLangGde* 6-5

literal characters

using backslash,

CommandShellGde 7-11

using double quotes,

CommandShellGde 7-12

using single quotes,

CommandShellGde 7-12

little-endian

byte ordering, *AsmLangGde* 1-2

LMF, *LicenseManage* 1-1

activity license, *LicenseManage* 1-5

availability license,

LicenseManage 1-4

commands, *LicenseManage* 2-1

license-checking function,

LicenseManage 1-2, 1-9

license database, *LicenseManage* 1-2

license terms and conditions,

LicenseManage 1-3

license units, *LicenseManage* 1-2

LURT, *LicenseManage* 1-2

OSF_USR license, *LicenseManage* 2-2

PAAM, *LicenseManage* 1-6, 2-11

lmf reference page,

LicenseManage 1-2

- lmf utility**, *LicenseManage* 1–2
- lmfsetup script**, *LicenseManage* 1–2
- ln command**, *CommandShellGde* 3–13, 3–15
- ln routine**, *CPML* B–13, *CPML*–47
- Local Area Transport**,
See LAT
- local management service**
in DLPI, *NetProgGde* 2–4
- locale**, *CommandShellGde* C–1,
InternatProg 1–2, *SystemAdmin* 3–16, *TechOver* 10–3
binding to program's run-time
environment, *InternatProg* 2–21
building and testing, *InternatProg* 7–57
categories of, *CommandShellGde* C–8
creating, *InternatProg* 7–1,
TechOver 10–6
determining which locale is set,
CommandShellGde C–6
effect on date and time format,
CommandShellGde C–4
effect on messages,
CommandShellGde C–5
effect on software,
CommandShellGde C–2
numeric and monetary format in,
CommandShellGde C–5
setting, *InternatProg* 6–2
yes/no response strings,
CommandShellGde C–5
- localization**,
See also internationalization
implications for software
development, *InternatProg* 1–2
- location and area**
setting during full installation,
InstallGde 6–14
- lock**
accessing, *CDECompanion* 3–1
complex, *KernelModules* 8–1
- locking methods**
choosing, *KernelModules* 6–9
comparing simple and complex
locks, *KernelModules* 6–5
complex lock, *KernelModules* 6–1
simple lock, *KernelModules* 6–1
- log routine**, *CPML* *CPML*–47
- log10 routine**, *CPML* B–14, *CPML*–47
- log1p routine**, *CPML* B–14, *CPML*–47
- log2 routine**, *CPML* B–13, *CPML*–47
- logarithm**
ilogb, compute unbiased
component, *CPML* *CPML*–43
logb, convert to double-precision
floating-point, *CPML* *CPML*–48
- logb routine**, *CPML* B–14, *CPML*–48
- logging in**, *CommandShellGde* 1–1,
Security 2–1
specifying a language,
CDECompanion 2–7
specifying a session,
CDECompanion 2–8
- logging out**
of a session, *CommandShellGde* 1–4
- logical partition**
configuring, *SystemAdmin* D–3
- Logical Storage Manager**,
See LSM
- login account**, *CommandShellGde* 5–2
- .login login script**
modifying for System V habitat,
CommandShellGde 9–2
- Login Manager**, *CDECompanion* 2–7
- login program**, *CommandShellGde* 7–13
- login screen**
selecting options, *CDECompanion* 1–1
- login script**

- .cshrc script, *CommandShellGde* 7-16
 - .kshrc script, *CommandShellGde* 7-16
 - .login script, *CommandShellGde* 7-16
 - .profile script, *CommandShellGde* 7-16
 - logout script**, *CommandShellGde* 7-23
 - lpd daemon**, *SystemAdmin* 8-32
 - lpq command**, *CommandShellGde* 3-10, 3-12
 - lpr command**, *CommandShellGde* 3-10
 - printing files, *CommandShellGde* 3-10
 - lprm command**, *CommandShellGde* 3-13
 - lprsetup utility**
 - running, *SystemAdmin* 8-17
 - lpctest command**, *SystemAdmin* 8-43
 - ls command**, *CommandShellGde* 3-2
 - LSM**, *TechOver* 2-12
 - See also* Visual Administrator bootable tape utility and, *StorageManager* 3-11n
 - configuring during full installation, *InstallGde* 4-3
 - daemons, *StorageManager* 3-7
 - directories, *StorageManager* 3-7
 - drivers, *StorageManager* 3-7
 - error messages, *StorageManager* 7-1
 - EVM and, *StorageManager* 6-1
 - files, *StorageManager* 3-7
 - improving performance, *SystemTune* 8-4, 8-6
 - initializing, *StorageManager* 3-4
 - installing, *StorageManager* 3-1
 - managing objects, *StorageManager* 5-1
 - managing plexes, *StorageManager* 5-22
 - managing subdisks, *StorageManager* 5-27
 - managing volumes, *StorageManager* 5-14
 - monitoring, *SystemTune* 8-22
 - performance, *SystemTune* 2-13
 - special processing during full installation, *InstallGde* 6-39
 - Storage Administrator, *StorageManager* A-1
 - troubleshooting, *StorageManager* 6-1
 - uninstalling, *StorageManager* 6-25
 - upgrading, *StorageManager* 3-1
 - verifying initialization, *StorageManager* 3-6
 - voldiskadm menu interface, *StorageManager* C-1
 - LSM daemon**
 - monitoring, *StorageManager* 6-7
 - LSM interfaces**, *StorageManager* 1-14
 - LSM object hierarchy**, *StorageManager* 1-2
 - LSM software subset**, *StorageManager* 3-3
 - LURT**, *LicenseManage* 1-2
 - lvalue**, *CLangRef* 2-23
- ## M
- m4 macro preprocessor**, *ProgSupTools* 5-1
 - macro**, *CLangRef* 8-1
 - See also* m4 macro preprocessor
 - predefined, *CLangRef* 8-15

- magic number**, *ProgGde* 2-25
- magnetic tape drive**
 - testing with tapex, *SystemAdmin* 11-34
- mail**, *NetAdmin* 13-1
 - accessing, *CDECompanion* 3-1
 - administering aliases, *NetAdmin* 13-40
 - aliases, *CommandShellGde* 11-16
 - and DECnet, *NetAdmin* 13-6
 - configuring a client, *NetAdmin* 13-15
 - configuring a server, *NetAdmin* 13-16
 - configuring a standalone system, *NetAdmin* 13-14
 - converting to CDE format, *CDECompanion* 10-1
 - customizing mail program, *CommandShellGde* 11-15
 - differences between dtmail and dxmail, *CDECompanion* A-1
 - enhancements for Asian languages, *InternatProg* 6-32
 - error messages, *NetAdmin* F-1
 - exiting from, *CommandShellGde* 11-15
 - gateway, *NetAdmin* 13-4
 - getting help, *CommandShellGde* 11-14
 - IMAP, *NetAdmin* 13-24
 - internationalization, *InternatProg* 6-32
 - POP, *NetAdmin* 13-18
 - troubleshooting, *NetAdmin* 15-71, 15-73
- mail conversion utility**, *CDECompanion* 10-3
- mail utility**, *NetAdmin* 13-38
- mailconfig application**, *NetAdmin* 13-13
- Mailer**,
 - See dtmail utility, mail utility, mailx utility
- mailq command**, *NetAdmin* 13-39
- mailstats command**, *NetAdmin* 13-42
- mailusradm utility**, *NetAdmin* 13-21, 13-25, 13-27
- mailx utility**, *NetAdmin* 13-38
 - commands, *CommandShellGde* F-1
 - escape commands, *CommandShellGde* E-1
- make utility**, *ProgSupTools* 7-1
- makedbm command**, *NetAdmin* 9-21, 9-22
- man command**, *CommandShellGde* 1-9
- manpage**,
 - See reference page
- mapping table**, *TechOver* 3-17
- max_float boundary value**, *CPML* A-1
- memory**
 - allocating for ATM, *AsynchronousTM* 2-8
 - configuring, *SystemTune* 2-5
 - detecting leaks, *ProgGde* 8-21
 - displaying, *SystemTune* 6-16
 - exercising with memx, *SystemAdmin* 11-26
 - increasing, *SystemTune* 6-24
 - operation, *SystemTune* 6-1
 - paging, *SystemTune* 6-12
 - reclaiming pages, *SystemTune* 6-9
 - requirements, *SystemTune* 2-5
 - shared, *SystemTune* 6-34
 - swap space, *SystemTune* 2-6
 - swapping, *SystemTune* 6-13
 - testing shared memory, *SystemAdmin* 11-27
- Memory Channel**, *ClusTechOver* 7-1
- Memory File System**,
 - See MFS
- memory locking**
 - realtime, *Realttime* 4-1

- memory mapped file support,**
 See *mmap*
- memory trolling**
 model, *SystemAdmin* 11-19
- memx exerciser,** *SystemAdmin* 11-26
- message**
 realtime, *Realtime* 10-1
 sending, using write command,
 CommandShellGde 11-21
- message buffer, preserved**
 examining with dbx debugger,
 KernelDebug 2-10
- message catalog**
 creating source files for,
 InternatProg 3-1
 design and maintenance
 considerations, *InternatProg*
 3-20
 editing and translating,
 InternatProg 3-15
 generating from message sources,
 InternatProg 3-16
- message handler (mh),** *NetAdmin*
 13-38
- message queue**
 realtime, *Realtime* 10-1
- MFS,** *SystemAdmin* 6-2, 6-17
- MIB**
 Host Resources, *NetAdmin* G-1
- MIB subtree**
 eSNMP, *NetProgGde* 6-6
- Microsoft NT RAS server,**
 NetAdmin 6-23
- migration**
 from DECwindows Motif to CDE,
 CDECompanion 7-1
- min_float boundary value,** *CPML*
 A-2
- mkdir command,**
 CommandShellGde 3-1
- mmap,** *TechOver* 6-9
- MMI**
 calling conventions,
 AsynchronousTM 7-5
 connecting convergence module
 to, *AsynchronousTM* 5-3
 convergence module,
 AsynchronousTM 7-7
 creating path, *AsynchronousTM* 7-2
 defining ioctl commands,
 AsynchronousTM 7-4
 device driver, *AsynchronousTM* 7-6
 signaling module,
 AsynchronousTM 7-7
 verifying ioctl version,
 AsynchronousTM 7-3
- modem**
 guidelines, *NetAdmin* 6-15, 6-27
 using with SLIP, *NetAdmin* 6-3
- modf routine,** *CPML* B-14, CPML-49
- Module Management Interface,**
 See *MMI*
- monetary value**
 formatting rules in a locale,
 InternatProg 7-19
- Monitoring Performance History
 utility,**
 See *MPH*
- monitoring the system,**
 SystemAdmin 11-1, 11-10,
 SystemTune 3-1
- more command,**
 CommandShellGde 3-5
- Motif,** *TechOver* 8-8
 internationalization,
 InternatProg 5-4
- Motif graphical user interface**
 enhancements for native
 languages, *InternatProg* 6-41
 widget support, *InternatProg* 5-6
- mount command,** *SystemAdmin* 6-20

mountd daemon, *NetAdmin* 10–11

mounting a remote file system,
NetAdmin 10–17

**mounting the online
documentation CD-ROM**,
InstallGde 8–2

moving a file, *CommandShellGde*
3–21

MPH, *TechOver* 2–22

mule editor, *InternatProg* 6–40

multicasting, *NetProgGde* 4–41

multihead graphic support,
TechOver 8–3

multilanguage program
compiling, *ProgGde* 2–16
include files for, *ProgGde* 2–11

multiple adapter support,
NetAdmin 2–22, 2–27

multiple windows
managing, *CDECompanion* 2–4

multiplexing, *NetProgGde* 4–52

multiprocessor system
enabling unattended reboots,
InstallGde 7–10

multithreaded application,
See also POSIX Threads
Library
building, *ProgGde* 12–11
debugging, *POSIXThreads* C–1
developing, *KernelModules* 9–1,
POSIXThreads 1–1
developing libraries for, *ProgGde*
12–1
profiling, *ProgGde* 8–29

multiuser boot, *SystemAdmin* 2–7

mutex, *POSIXThreads* 2–26, 4–3

N

name services configuration file,

See *svc.conf* file

name space, *CLangRef* 2–24

Name/Finger Protocol,

See Finger Protocol (FINGER)

namei cache

tuning, *SystemTune* 9–1

naming services

DNS, *NetAdmin* 8–1

NIS, *NetAdmin* 9–1

naming your system

during installation, *InstallGde* 6–12

national language support,

SystemAdmin 3–16

netconfig application, *NetAdmin*
2–12

NetRAIN

configuring an interface,

NetAdmin 2–22

monitoring the interface,

NetAdmin 2–27

Netscape Navigator

using to view online

documentation, *InstallGde* 8–2

netstat command, *NetAdmin* 2–29,
16–3, A–1

network

administering, *NetAdmin* 1–1

bandwidth management,

NetProgGde 7–1

monitoring, *SystemTune* 10–1

QoS, *NetProgGde* 7–1

QoS architecture, *NetProgGde* 7–2

QoS component operation,

NetProgGde 7–3

reporting problems, *NetAdmin* 18–1

troubleshooting, *NetAdmin* 15–1,

16–1

tuning, *SystemTune* 10–6

vb, *SysConfigSup* 3–1

network adapter,

See also network interface

setting mode during installation,

InstallGde 5–7

- network addresses**
 - and sockets, *NetProgGde* 4–32
- network administration,**
 - NetAdmin* 1–1
- network availability,** *SystemTune* 2–18
- network configuration**
 - broadcasting and determining, *NetProgGde* 4–48
- Network File System,**
 - See NFS
- Network Information Service,**
 - See NIS
- network installation,**
 - InstallGdeAdvTop* 1–1
- network interface,** *NetAdmin* 2–1
 - adding an IPv6 address to, *NetAdmin* 3–35
 - configuring, *NetAdmin* 2–13
 - configuring multiple for failover, *NetAdmin* 2–22
 - deconfiguring, *NetAdmin* 2–15
 - deleting an IPv6 address from, *NetAdmin* 3–36
 - initializing for IPv6, *NetAdmin* 3–34
 - monitoring, *NetAdmin* A–1, *TechOver* 3–32
 - multiple in same subnetwork, *NetAdmin* 2–21, 2–27
 - removing IPv6 from, *NetAdmin* 3–35
- network programming environment,** *TechOver* 6–10
 - application programming interfaces, *TechOver* 6–10
 - data link interface, *TechOver* 6–10
- network security,** *Security* 3–1
- Network Time Protocol,**
 - See NTP
- networks file,** *NetAdmin* 2–12, 2–21
- newfs command,** *SystemAdmin* 6–16
- nextafter routine,** *CPML* B–15, CPML–50
- NFS,** *NetAdmin* 10–1, *TechOver* 3–8
 - and BIND, *NetAdmin* 10–1
 - and NIS, *NetAdmin* 10–1
 - and superuser mail, *NetAdmin* 10–14
 - autofs, *NetAdmin* 10–2
 - automount, *NetAdmin* 10–2
 - displaying, *SystemTune* 9–38
 - environment, *Prestoserve* 1–3
 - error messages, *NetAdmin* D–1
 - improving file security, *NetAdmin* 10–11
 - monitoring system load, *NetAdmin* 10–16
 - mounting a remote file system, *NetAdmin* 10–17
 - network problems, *Prestoserve* 1–4
 - Prestoserve impact on performance, *Prestoserve* 1–8
 - troubleshooting, *NetAdmin* 15–47, 15–50
 - tuning, *SystemTune* 9–40
 - unmounting a remote file system, *NetAdmin* 10–24
- NFS client**
 - configuring, *NetAdmin* 10–9
 - managing, *NetAdmin* 10–17
 - mounting a remote file system, *NetAdmin* 10–17
 - problems, *Prestoserve* 1–5
 - unmounting a remote file system, *NetAdmin* 10–24
- NFS mounted RIS area,** *SharingSW* 4–10
- NFS server**
 - configuring, *NetAdmin* 10–8
 - exporting file systems, *NetAdmin* 10–12
 - halting export of file systems, *NetAdmin* 10–13

- managing, *NetAdmin* 10-11
 - monitoring ports, *NetAdmin* 10-16
 - problems, *Prestoserve* 1-6
 - NFS setup for DMS**, *SharingSW* 10-3
 - nfscfg application**, *NetAdmin* 10-8
 - nfsstat command**, *NetAdmin* 10-16
 - nint routine**, *CPML* B-15, CPML-51
 - NIS**, *NetAdmin* 9-1
 - adding groups to a domain, *NetAdmin* 9-25
 - adding users to a domain, *NetAdmin* 9-23
 - changing a password, *NetAdmin* 9-31
 - databases distributed by, *NetAdmin* 9-2
 - modifying *svc.conf*, *NetAdmin* 9-19
 - obtaining map information, *NetAdmin* 9-31
 - security, *NetAdmin* 9-29
 - troubleshooting, *NetAdmin* 15-40, 15-44
 - updating maps, *NetAdmin* 9-25
 - NIS client**
 - configuring, *NetAdmin* 9-17
 - managing, *NetAdmin* 9-31
 - NIS server**
 - configuring a master server, *NetAdmin* 9-11
 - configuring a slave server, *NetAdmin* 9-15
 - managing, *NetAdmin* 9-20
 - update scripts, *NetAdmin* C-1
 - nissetup command**, *NetAdmin* 9-10
 - nm (object file tool)**, *ProgGde* 2-24
 - nr interface**, *NetAdmin* 2-22
 - nslookup command**, *NetAdmin* 8-31, 17-20
 - NTP**
 - authentication, *NetAdmin* 12-6
 - configuring, *NetAdmin* 12-6
 - displaying status, *NetAdmin* 12-9
 - Internet time servers, *NetAdmin* 12-4
 - reference clock, *NetAdmin* 12-4
 - troubleshooting, *NetAdmin* 15-56
 - ntp command**, *NetAdmin* 12-10
 - ntpdate command**, *NetAdmin* 12-10
 - ntpq command**, *NetAdmin* 12-8
 - ntpsetup command**, *NetAdmin* 12-6
 - numeric value**
 - formatting rules in a locale, *InternatProg* 7-21
- ## O
- object file**
 - determining section sizes, *ProgGde* 2-25
 - disassembling into machine code, *ProgGde* 2-26
 - dumping selected parts of, *ProgGde* 2-24
 - object file tools**, *ProgGde* 2-23
 - object hierarchy**
 - LSM, *StorageManager* 1-2
 - object tables**
 - eSNMP, *NetProgGde* 6-8
 - ODBC**, *TechOver* 7-2
 - odump (object file tool)**, *ProgGde* 2-24
 - OEM platforms**, *SysConfigSup* 1-1
 - vb network configuration, *SysConfigSup* 3-1
 - VMEbus configuration, *SysConfigSup* 2-1
 - ONC RPC**,
 - See *RPC*
 - online documentation**, *InstallGde* 8-1
 - copying to disk, *InstallGde* 8-6
 - onlink prefix**
 - adding a route for, *NetAdmin* 3-36

Open Shortest Path First,

See OSPF

OpenMP directive, *ProgGde* 13-1**OpenVMS**

enabling display, *CDECompanion*
5-3

operating system

list of fixes for, *DocOverview* 5-2
overview of, *CommandShellGde* 1-1

operating system processes,

CommandShellGde 6-1

operator, *CLangRef* 1-9, 6-1**optimization**

compilation options, *ProgGde* 2-20
profile-directed, *ProgGde* 10-8, F-2
techniques, *ProgGde* 10-1
with -om and cord, *ProgGde* F-1
with spike, *ProgGde* 10-6

options

XTI, *NetProgGde* 3-43

options file, *NetAdmin* 6-20, 6-26**orderly release,** *NetProgGde* 3-9**OSF_USR license,** *LicenseManage*
2-2**OSPF,** *TechOver* 3-6**out-of-band data**

handling in the socket framework,
NetProgGde 4-38

overlapping disk partitions

checking for, *SystemAdmin* 5-72

P**PAAM,** *LicenseManage* 1-6

current business policy,
LicenseManage 2-11

pac command, *SystemAdmin* 10-34**page command,**

CommandShellGde 3-5

page faulting, *SystemTune* 6-7**paging,** *SystemTune* 6-12**PAK,** *LicenseManage* 1-6

fields on, *LicenseManage* 1-7e
obtaining, *LicenseManage* 1-6
sample PAK license fields,
LicenseManage 1-7e

PALcode

instruction summaries,
AsmLangGde D-1

pap-secrets file, *NetAdmin* 6-14**parallel processing**

OpenMP directives, *ProgGde* 13-1
pre-OpenMP style, *ProgGde* D-1

passwd command,

CommandShellGde 1-6

passwd file, *SystemAdmin* 7-9

and NIS, *NetAdmin* 9-23

password, *CommandShellGde* 1-6,

SystemAdmin 7-1

changing in NIS, *NetAdmin* 9-31

common, *CommandShellGde* 1-6

file, *CommandShellGde* 5-1

security tips, *Security* 2-3

setting with enhanced security

enabled, *Security* 2-3

patches to operating system

lists of for operating system
versions, *DocOverview* 5-2

PATH environment variable,

CommandShellGde 7-23

setting for System V habitat,

CommandShellGde 9-2

pathname, *CommandShellGde* 2-8**pathname conventions (UUCP),**

CommandShellGde 14-1

pax command, *SystemAdmin* 9-5

- PC code page,**
 - See also* codeset conversion
 - locale, *InternatProg* 2–5
- PC-NFS daemon,** *NetAdmin* 10–8
- PCI/ISA (DMCC) Alpha single-board computer,**
 - SysConfigSup* 1–1
- PCI/ISA Alpha 21264 single-board computer,**
 - SysConfigSup* 1–1
- PCMCIA card**
 - configuring, *SystemAdmin* D–1
- PDF documentation,** *DocOverview*
 - 1–5, *InstallGde* 8–1
- performance,**
 - See also* tuning
 - application, *SystemAdmin* 11–10,
 - SystemTune* 11–4
 - availability, *SystemTune* 1–14
 - characterizing a workload,
 - SystemTune* 2–1
 - configuration and tuning steps,
 - SystemTune* 4–1
 - CPU, *SystemTune* 7–8
 - diagnosing problems, *SystemTune*
 - 3–1
 - hardware, *SystemTune* 2–3, 2–9
 - improving, *SystemTune* 4–1
 - measuring, *SystemTune* 1–1
 - memory operation, *SystemTune* 6–1
 - modifying the kernel, *SystemTune*
 - 3–10
 - monitoring, *SystemTune* 3–1, 3–4,
 - 3–7
 - network, *SystemTune* 10–1
 - system resources, *SystemTune* 5–1
- performance history**
 - monitoring, *SystemAdmin* 11–13
- permanent virtual circuit,**
 - See* PVC
- permissions,** *CommandShellGde* 5–1
 - changing, *CommandShellGde* 5–4
 - setting default,
 - CommandShellGde* 5–13
 - setting file and directory,
 - CommandShellGde* 5–8
 - setting with octal numbers,
 - CommandShellGde* 5–11
- Personal Application subpanel,**
 - CDECompanion* 3–4
- PFS,** *TechOver* 4–10
- pg command,** *CommandShellGde* 3–5
- ping command,** *NetAdmin* 16–2
- pipe character,**
 - CommandShellGde* 7–8
- pipeline**
 - using, *CommandShellGde* 7–8
- pixie,**
 - See* profiling a program
- point-to-multipoint,**
 - See* connection
- point-to-point,**
 - See* connection
- Point-to-Point Protocol,**
 - See* PPP
- pointer size**
 - conversion, *ProgGde* A–1
- POP,** *NetAdmin* 13–18, *TechOver* 3–10
 - troubleshooting, *NetAdmin* 15–73
- port monitoring,** *NetAdmin* 10–16
- Portable Character Set (PCS),**
 - InternatProg* 1–5
- porting applications to XTI,**
 - NetProgGde* 3–33
- portmap daemon**
 - Prestoserve*, *Prestoserve* 2–10
- portmap network service,**
 - OnCRpcProgram* 1–3
- POSIX shell,** *CommandShellGde*
 - 7–1, 8–1
 - .logout script, *CommandShellGde*
 - 7–24
 - redirecting errors,
 - CommandShellGde* 6–4

- POSIX signal functions**, *Realtime* 5-2
- POSIX standards**
 - application development
 - considerations, *ProgGde* 1-2
 - realtime, *Realtime* 1-17
- POSIX Threads exception package**, *POSIXThreads* 5-1
- POSIX Threads Library**,
 - KernelModules* 9-1,
 - POSIXThreads* 1-1
 - condition variables,
 - POSIXThreads* 2-30,
 - 4-3
 - considerations for Tru64 UNIX systems, *POSIXThreads* A-1
 - error reporting, *POSIXThreads* 3-23
 - exceptions, *POSIXThreads* 5-1
 - mutexes, *POSIXThreads* 2-26, 4-3
 - objects, *POSIXThreads* 2-1
 - operations, *POSIXThreads* 2-1
 - programming, *POSIXThreads* 3-1
 - pthread routines, *POSIXThreads* pthread-1
 - thread-safe libraries,
 - POSIXThreads* 4-1
 - tis routines, *POSIXThreads* tis-1
- POSIX Threads Library debugger**, *POSIXThreads* C-1
- Post Office Protocol**,
 - See POP
- postload file**, *InstallGdeAdvTop* 5-1
- postreboot file**, *InstallGdeAdvTop* 5-1
- pow routine**, *CPML* B-15, *CPML*-52
- power management**,
 - SystemAdmin* 3-37
- PPA**
 - adding, *AsynchronousTM* 4-4
 - binding to, *AsynchronousTM* 5-6
 - data structure, *AsynchronousTM* 2-35
 - deleting, *AsynchronousTM* 4-4
 - unbinding, *AsynchronousTM* 5-8
- PPP**, *NetAdmin* 6-11
 - See also connection, SLIP and gateways, *NetAdmin* 6-26
 - configuring dial-in system,
 - NetAdmin* 6-25
 - configuring dial-out system,
 - NetAdmin* 6-19
 - guidelines for running pppd,
 - NetAdmin* 6-23
 - Microsoft NT RAS server,
 - NetAdmin* 6-23
 - security, *NetAdmin* 6-14
 - troubleshooting, *NetAdmin* 15-62
- pppd daemon**, *NetAdmin* 6-13
- pragma**
 - assert directive, *ProgGde* 3-2
 - environment, *ProgGde* 3-6
 - extern_model directive, *ProgGde* 3-7
 - extern_prefix, *ProgGde* 3-11
 - function, *ProgGde* 3-14
 - inline, *ProgGde* 3-13
 - intrinsic, *ProgGde* 3-14
 - linkage, *ProgGde* 3-16
 - member_alignment, *ProgGde* 3-19
 - message, *ProgGde* 3-20
 - optimize, *ProgGde* 3-25
 - pack, *ProgGde* 3-27
 - pointer_size, *ProgGde* 3-28
 - preprocessor directive, *CLangRef* 8-12
 - use_linkage, *ProgGde* 3-29
 - weak, *ProgGde* 3-30
- prdaily shell script**, *SystemAdmin* 10-40
- preinstall file**, *InstallGdeAdvTop* 5-1
- preprocessing**, *CLangRef* 2-24, 8-1
- preprocessor directive**, *CLangRef* 2-24, 8-1
- preserved message buffer**

- examining with dbx debugger, *KernelDebug* 2-10
- presto command**, *Prestoserve* 3-3
- prestoctl_svc daemon**
 - Prestoserve*, *Prestoserve* 2-11
- Prestoserve**
 - adding kernel support, *Prestoserve* 2-4
 - creating generic control device, *Prestoserve* 2-9
 - improving NFS server performance, *Prestoserve* 1-6
 - installing dxpresto subset, *Prestoserve* 2-1
 - managing, *Prestoserve* 3-3
 - monitoring, *Prestoserve* 3-3, 3-8
 - pseudodevice driver, *Prestoserve* 1-2, 3-1
 - recovering from failures, *Prestoserve* 4-1
 - setting up, *Prestoserve* 2-6
 - speeding up synchronous writes, *Prestoserve* 1-1
- prestosetup command**
 - setting up *Prestoserve*, *Prestoserve* 2-6
- Print Manager**
 - accessing, *CDECompanion* 3-1
- printed documentation**, *See* **Tru64 UNIX Documentation Kit**
- printer**, *SystemAdmin* 8-1
 - device special file name, *SystemAdmin* 8-29
 - lpc command, *SystemAdmin* 8-22
 - setting up, *SystemAdmin* 8-12
 - support for local languages, *InternatProg* 6-19
 - troubleshooting, *SystemAdmin* 8-43
 - using with LAT, *NetAdmin* 7-10
- printf routine**, *KernelModules* 5-15
- printing**
 - internationalized, *InternatProg* 6-19
- reference pages, *CommandShellGde* 1-9
- priority**
 - realtime, *Realttime* 2-1
- privileges**, *See* **DOP**
- /proc File System**, *See* **PFS**
- procedure descriptor**, *CallingStandard* 8-1
- procedure invocation**, *CallingStandard* 7-1
- process**, *CommandShellGde* 6-1
 - initializing, *SystemAdmin* 2-7
- process information**, *CommandShellGde* 6-14
- processing text files**, *See* **awk utility**, **m4 macro preprocessor**
- Product Authorization Amendment**, *See* **PAAM**
- Product Authorization Key**, *See* **LMF**, **PAK**
- prof**, *See* **profiling a program**
- .profile login script**, *CommandShellGde* 7-16
 - modifying for System V habitat, *CommandShellGde* 9-2
- profile set**, *SharingSW* 7-1
- profiling a program**, *ProgGde* 8-1
- profiling an application**, *SystemTune* 11-1
- profiling the kernel**, *SystemTune* 3-9
- program number assignment**, *OncRpcProgram* 1-5
- programming languages supported by Tru64 UNIX**, *ProgGde* 1-4

protocol
selecting in sockets, *NetProgGde*
4-36

prototype, *CLangRef* 5-8

providing boot disk redundancy,
StorageManager 3-11

prtacct shell script, *SystemAdmin*
10-40

pseudodevice driver
Prestoserve, *Prestoserve* 1-2, 3-1

pseudoterminal, *NetProgGde* 4-57
and sockets, *NetProgGde* 4-57

pthread routine, *POSIXThreads*
pthread-1

punctuator, *CLangRef* 1-10

PVC
creating, *AsynchronousTM* 6-9

Q

QoS, *NetAdmin* 2-35, *NetProgGde* 7-1
component operation, *NetProgGde*
7-3
components, *NetProgGde* 7-2
modifying, *AsynchronousTM* 5-6

quality of service,
See QoS

queue
convergence module guidelines,
AsynchronousTM 8-3
device driver guidelines,
AsynchronousTM 8-1

Quick Setup utility, *InstallGde*
7-3, *TechOver* 2-8

quickstart, *TechOver* 6-5

quit (q) command
vi editor, *CommandShellGde* A-4

quorum, *ClusTechOver* 3-4

quorum disk, *ClusTechOver* 3-6

quota
AdvFS, *AdvFSAdmin* 2-1
UFS, *SystemAdmin* 6-41

quoting conventions,
CommandShellGde 7-11

R

RAID, *SystemTune* 1-7
improving performance,
SystemTune 8-28
mirroring, *SystemTune* 2-17
parity, *SystemTune* 2-14
striping, *SystemTune* 2-13

random routine, *CPML* B-15,
CPML-53

RAPI, *NetProgGde* 7-6
debugging applications,
NetProgGde 7-8
routines, *NetProgGde* 7-7
support for, *NetProgGde* 7-1
testing applications, *NetProgGde*
7-8

raw RPC, *OncRpcProgram* 3-14

rc directory structure,
SystemAdmin 3-9

rc.config file
IPv6 variables, *NetAdmin* 3-37

rc0 script, *SystemAdmin* 3-3

rc2 script, *SystemAdmin* 3-3

rc3 script, *SystemAdmin* 3-3

rcmgr command, *SystemAdmin* 3-3

rcn.d directory, *SystemAdmin* 3-3

RCS, *ProgSupTools* 6-1

rdump command, *SystemAdmin* 9-5

realtime, *Realtime* 1-1
asynchronous I/O, *Realtime* 7-1

- capabilities of the operating system, *Realtime* 1-4, A-1
- clocks, *Realtime* 6-1
- environments, *TechOver* 6-9
- memory locking, *Realtime* 4-1
- message queues, *Realtime* 10-1
- messages, *Realtime* 10-1
- performance tuning, *Realtime* 11-1
- POSIX standards, *Realtime* 1-17
- preemptive kernel, *Realtime* 1-4
- priorities, *Realtime* 2-1
- scheduling, *Realtime* 2-1
- semaphores, *Realtime* 9-1
- shared memory, *Realtime* 3-1
- signal handling, *Realtime* 5-1
- synchronized I/O, *Realtime* 8-2
- system tuning, *Realtime* 11-3
- timers, *Realtime* 6-1
- realtime preemption**
 - enabling after full installation, *InstallGde* 7-10
- reboot**
 - enabling unattended reboots, *InstallGde* 7-10
- recovering objects**
 - failed boot disk, *StorageManager* 6-23
- redirecting input/output**, *CommandShellGde* 6-2
- reference page**, *CommandShellGde* 1-9
 - in printed books, *DocOverview* 6-2
 - overview of sections, *DocOverview* 6-3
 - processing a translated, *InternatProg* 6-35
 - reading on line, *DocOverview* 6-1
- registerrpc routine**, *OncRpcProgram* 3-4
- regular expression**, *ProgSupTools* 1-1
- remainder routine**, *CPML* B-16, CPML-54
- remote debugging**, *KernelDebug* 2-37
- remote file**, *NetAdmin* 6-32
- remote host**
 - working on, *CommandShellGde* 13-1
- Remote Installation Services**, *See* RIS
- remote procedure call**, *See* RPC
- remote system**
 - requesting connection to, *AsynchronousTM* 5-5
- removing a directory**, *CommandShellGde* 4-10, 4-11
 - current directory, *CommandShellGde* 4-12
- removing a file**, *CommandShellGde* 3-26
- removing LSM software**, *StorageManager* 6-25
- renaming a directory**, *CommandShellGde* 4-9
- renaming a file**, *CommandShellGde* 3-21
- replicated file system**, *NetAdmin* B-9
- resource**
 - releasing, *AsynchronousTM* 5-4
 - reserving, *AsynchronousTM* 5-4
- Resource ReSerVation Protocol**, *See* RSVP
- restart completion**
 - reporting to CMM, *AsynchronousTM* 4-4
- restart installation**, *InstallGde* 6-43
- restart nogui command**, *InstallGde* 6-43
- restore command**, *SystemAdmin* 9-5
- restore configuration**
 - using config.cdf file, *InstallGdeAdvTop* 7-1

- restore procedure**, *SystemAdmin* 9–1
- Restricted Bourne shell**,
CommandShellGde 7–1, 7–4
- Revision Control System**,
See RCS
- rint routine**, *CPML* B–16, CPML–55
- RIP**, *TechOver* 3–5
- RIS**, *SharingSW* 1–1
 - architecture, *SharingSW* 2–1
 - planning disk space, *SharingSW* 3–3
 - product environment, *SharingSW* 2–3
 - setting up a LAN, *SharingSW* 3–4
 - software sharing environment,
SharingSW 1–2
- RIS area**, *SharingSW* 1–1
 - existing area software
installation, *SharingSW* 4–5
 - mounting on NFS, *SharingSW* 4–10
 - new area software installation,
SharingSW 4–1
- RIS client**, *SharingSW* 1–1
 - booting, *SharingSW* 5–1
 - characteristics, *SharingSW* 2–4
 - compatibility with server,
SharingSW 3–1
 - managing, *SharingSW* 6–1
 - registering, *SharingSW* 2–5
- RIS server**, *SharingSW* 1–1
 - compatibility with client,
SharingSW 3–1
 - installing from, *InstallGdeAdvTop* 1–1
 - installing operating system on,
SharingSW 3–3
 - preparing, *SharingSW* 3–1
 - setting up, *SharingSW* 4–1
- RIS troubleshooting**, *SharingSW* 8–1
- rlogin command**,
CommandShellGde 13–1
- using, *CommandShellGde* 13–1
- root password**
 - setting during installation,
InstallGde 6–18
- root user**
 - tasks performed by,
CommandShellGde 5–18
- route**
 - adding for an onlink prefix,
NetAdmin 3–36
 - static, *NetAdmin* 2–10, 2–19
- routed daemon**, *NetAdmin* 2–7
 - configuring, *NetAdmin* 2–16
- router**
 - configuring for IPv6, *NetAdmin* 3–30
 - IPv6 configuration variables,
NetAdmin 3–37
- routes file**, *NetAdmin* 2–10, 2–19
- routine**
 - commonly used by kernel
modules, *KernelModules* 5–1
 - data copying, *KernelModules* 5–7
 - kernel-related, *KernelModules* 5–14
- routing**, *NetAdmin* 2–7, 2–8, 2–10,
2–19
- Routing Information Protocol**,
See RIP
- routing protocols**, *TechOver* 3–4
- RPC**, *OncRpcProgram* 1–1, 3–1
See also rpcgen protocol
compiler
 - broadcast, *OncRpcProgram* 2–21,
3–17
 - debugging, *OncRpcProgram* 2–16
 - language, *OncRpcProgram* 2–22
 - layers, *OncRpcProgram* 3–1
 - raw, *OncRpcProgram* 3–14
 - registration, *OncRpcProgram* 1–5, 1–6
 - supported transports,
OncRpcProgram 1–4

- using TCP transport,
OncRpcProgram 3-28
- RPC language**, *OncRpcProgram* 1-1
- RPC messages**
 - batching, *OncRpcProgram* 3-18
- RPC programming**,
OncRpcProgram 3-1
- rpcgen protocol compiler**,
OncRpcProgram 2-1
 - declarations, *OncRpcProgram* 2-24
 - programming with,
OncRpcProgram 2-17
- rrestore command**, *SystemAdmin* 9-5
- RSVP**, *NetAdmin* 2-35, *NetProgGde* 7-5, *TechOver* 3-10
 - application programming
 - interface, *NetProgGde* 7-6
 - implementing in applications,
NetProgGde 7-8
 - system roles, *NetProgGde* 7-3
- RSVP application programming interface**,
See RAPI
- rsvpd daemon**, *NetProgGde* 7-6
- rsvpstat command**, *NetProgGde* 7-8
- rt_post_callout routine**,
SysConfigSup 2-27, 2-66
- run level**, *SystemAdmin* 2-17
 - defaults, *SystemAdmin* 3-5
- run-time library, supported**,
TechOver 6-6
- runacct shell script**, *SystemAdmin* 10-35
- ruptime command**,
CommandShellGde 10-5
- rvalue**, *CLangRef* 2-23
- rwhod daemon**, *NetAdmin* 2-6
 - configuring, *NetAdmin* 2-15

S

- S compilation option**,
AsmLangGde 6-14
- .s files**, *AsmLangGde* 6-14
- sa command**, *SystemAdmin* 10-26
- SAS**
 - bootable tape, *SystemAdmin* 9-30
- savecore command**, *SystemAdmin* 14-3
- scalb routine**, *CPML* B-16, CPML-56
- SCCS**, *ProgSupTools* 6-1
- sccs command**, *ProgSupTools* 6-17
 - d option, *ProgSupTools* 6-8
- scheduling**
 - realtime, *Realtime* 2-1
- scope**, *CLangRef* 2-3
- SCSI**, *SystemTune* 1-9
 - device name, *SystemAdmin* 5-40
 - standards supported,
SystemAdmin 5-54
- searching for text with grep**,
ProgSupTools 1-9
- security**, *Security* 1-1, *TechOver* 9-1
 - administering accounts, *Security* 9-1
 - administering ACLs, *Security* 11-1
 - administering devices, *Security* 8-1
 - and DHCP, *NetAdmin* 5-19
 - audit subsystem, *Security* 10-1
 - authentication database integrity,
Security 12-1
 - C2 configuration, *Security* F-1
 - CDE, *Security* 4-1
 - connecting to other systems,
Security 3-1
 - considerations,
CommandShellGde 5-21
 - DOP privileges, *Security* H-1
 - group, *CommandShellGde* 5-2
 - logging in, *Security* 2-1
 - policy, *SystemAdmin* 3-24
 - programming concerns with
ACLs, *Security* 21-1

- programming concerns with discretionary access control, *Security* 21-1
- programming with the authentication databases, *Security* 17-1
- security integration architecture (SIA), *Security* 13-1
- setting passwords, *Security* 2-3
- setup, *Security* 7-1
- system administration, *Security* 6-15
- troubleshooting, *Security* 14-1
- user, *CommandShellGde* 5-2
- using ACLs, *Security* 5-1
- security in a cluster**, *Security* G-1
- select system call**
 - using on the server side, *OncRpcProgram* 3-16
- semaphore**
 - realtime, *Realtime* 9-1
- sendmail utility**, *NetAdmin* 13-38
- Serial Line Internet Protocol**, *See* SLIP
- server**
 - NFS daemons, *NetAdmin* 10-4
 - programming of, *OncRpcProgram* 2-21
 - versions of, *OncRpcProgram* 3-25
- server process**, *OncRpcProgram* 1-1
- server/client interaction**, *NetProgGde* 4-8
- service types in DLPI**, *NetProgGde* 2-4
- service, quality of**, *See* QoS
- session**
 - ending, *CDECompanion* 2-9
 - pausing, *CDECompanion* 2-8
 - restoring settings, *CDECompanion* 8-9
 - specifying a language, *CDECompanion* 8-8
- Session Manager**
 - customizing in CDE, *CDECompanion* 8-1
- setld utility**, *InstallGde* 9-1
 - building a new kernel after using, *InstallGde* 9-13
 - removing software, *InstallGde* 9-6
 - removing software from a cluster, *InstallGde* 9-6
 - syntax of, *InstallGde* 9-4
 - testing subsets with, *ProdKitGde* 3-48
- setting a locale**, *CommandShellGde* C-6
- setup utilities**, *TechOver* 2-8
- shared library**, *ProgGde* 4-1, *TechOver* 6-5
 - and TLI, *NetProgGde* 3-6
 - and XTI, *NetProgGde* 3-6
 - loading at run time, *ProgGde* 4-15
 - profiling, *ProgGde* 8-5, 8-26
 - quickstart, *ProgGde* 4-9
- shared memory**
 - realtime, *Realtime* 3-1
 - testing with shm, *SystemAdmin* 11-27
- sharing software on a local area network**, *SharingSW* 1-1
- shell**, *CommandShellGde* 8-1
 - default shell, *CommandShellGde* 7-1
- shell script**, *CommandShellGde* 7-25
 - compatibility with System V, *CommandShellGde* 9-4
 - internationalizing, *InternatProg* 3-23
- shm exerciser**, *SystemAdmin* 11-27
- shutdown**, *SystemAdmin* 2-1

- shutdown command**,
SystemAdmin 2–23
- SIA (security integration architecture)**, *Security* 13–1
- signal**
process groups and IDs,
NetProgGde 4–55
- signaling module**
MMI, *AsynchronousTM* 7–7
registering with CMM,
AsynchronousTM 4–2
- simple lock**
asserting exclusive access on
resource, *KernelModules* 7–4
declaring data structure,
KernelModules 7–1
initializing, *KernelModules* 7–2
releasing previously asserted,
KernelModules 7–6
terminating, *KernelModules* 7–12
trying to obtain, *KernelModules* 7–9
using spl routines, *KernelModules*
7–15
- simple lock routine**,
KernelModules 7–1
- Simple Mail Transfer Protocol**,
See SMTP
- Simple Network Management Protocol**,
See SNMP
- sin routine**, *CPML* B–16, *CPML*–57
- sincos routine**, *CPML* B–17,
CPML–58
- sincosd routine**, *CPML* B–17,
CPML–58
- sind routine**, *CPML* B–17, *CPML*–57
- single-user boot**, *SystemAdmin* 2–7
- sinh routine**, *CPML* B–17, *CPML*–59
- sinhcosh routine**, *CPML* B–18,
CPML–60
- size (object file tool)**, *ProgGde* 2–25
- slhosts file**, *NetAdmin* 6–7
- SLIP**, *NetAdmin* 6–1
See also connection, PPP
and gateways, *NetAdmin* 6–8
configuring dial-in system,
NetAdmin 6–8
configuring dial-out system,
NetAdmin 6–9
modem guidelines, *NetAdmin* 6–3
troubleshooting, *NetAdmin* 15–59
- SMARTengine/Alpha 21264
PCI/ISA single-board
computer**, *SysConfigSup* 1–1
- SMP**, *SystemAdmin* 2–20, *TechOver*
5–3
rebooting failed processor,
SystemAdmin 2–20
unattended reboots,
SystemAdmin 2–20
- SMP environment**, *KernelModules*
6–1
locking, *KernelModules* 5–28, 6–4
making kernel module safe
using complex locks,
KernelModules 8–1
- SMP system**
debugging on, *KernelDebug* 2–10
determining on which CPU a
panic occurred, *KernelDebug*
4–9
- SMTP**, *TechOver* 3–9
- SNMP**, *NetAdmin* 14–1, *TechOver* 3–9
See also eSNMP
Host Resources MIB, *NetAdmin* G–1
supported versions, *NetProgGde* 6–4
- SNMP agent**, *TechOver* 3–28
- sockaddr structure**, *NetProgGde*
9–11
- sockaddr_dl data structure**,
NetProgGde E–6
- sockaddr_dl structure**
and the 802.2 substructure,
NetProgGde E–10

- and the Ethernet substructure, *NetProgGde E-7*
- sockaddr_storage structure**, *NetProgGde 9-11*
- socket interface**
 - supported types, *NetProgGde 4-1*
- sockets**
 - advanced topics, *NetProgGde 4-35*
 - and handling out-of-band data, *NetProgGde 4-38*
 - application programming
 - interface, *NetProgGde 4-6*
 - binding in DLI, *NetProgGde E-17*
 - binding names to, *NetProgGde 4-22*
 - BSD, *NetProgGde 4-31*
 - calculating buffer size in DLI, *NetProgGde E-20*
 - closing, *NetProgGde 4-30*
 - coexistence with STREAMS, *NetProgGde 8-1*
 - common errors, *NetProgGde 4-34*
 - communication properties, *NetProgGde 4-3*
 - comparison with XTI, *NetProgGde 3-36*
 - creating, *NetProgGde 4-20*
 - creating in DLI, *NetProgGde E-15*
 - deactivating in DLI, *NetProgGde E-21*
 - establishing client connections, *NetProgGde 4-23*
 - establishing new server connections, *NetProgGde 4-24*
 - filling the sockaddr_dl structure, *NetProgGde E-17*
 - getting socket options, *NetProgGde 4-26*
 - header files, *NetProgGde 4-16*
 - I/O multiplexing, *NetProgGde 4-52*
 - increasing buffer size limit, *NetProgGde C-2*
 - library calls, *NetProgGde 4-10*
 - modes of communication, *NetProgGde 4-7*
 - process groups and IDs, *NetProgGde 4-55*
 - programming TCP socket buffer sizes, *NetProgGde C-1*
 - rewriting applications for XTI, *NetProgGde 3-36*
 - selecting protocols, *NetProgGde 4-36*
 - setting DLI options, *NetProgGde E-16*
 - setting socket options, *NetProgGde 4-25*
 - shutting down, *NetProgGde 4-30*
 - system calls, *NetProgGde 4-9*
 - TCP-specific programming
 - information, *NetProgGde C-1*
 - transferring data, *NetProgGde 4-26*
- sockets client**
 - connection-oriented program, *NetProgGde B-6*
 - connectionless program, *NetProgGde B-22*
- sockets framework**, *NetProgGde 1-3, 4-1*
 - components, *NetProgGde 4-2*
 - interaction with STREAMS, *NetProgGde 1-7*
 - relationship to XTI, *TechOver 4-1*
- sockets I/O**
 - interrupt driven, *NetProgGde 4-55*
- sockets protocol stack**
 - bridging to STREAMS driver, *NetProgGde 8-2*
- sockets server**
 - connection-oriented program, *NetProgGde B-2*
 - connectionless program, *NetProgGde B-18*
- software**
 - base operating system subsets, *InstallGde C-1*
 - installing, *InstallGde 6-20*
 - installing after an installation, *InstallGde 9-1*

- listing files in a subset, *InstallGde* 9-5
- listing installed, *InstallGde* 9-5
- managing with setld utility, *InstallGde* 9-1
- managing with SysMan Menu, *InstallGde* 9-1
- removing after an installation, *InstallGde* 9-6
- removing from a cluster, *InstallGde* 9-6
- worldwide language support, *InstallGde* C-20
- Software Product Description**, *See* SPD
- software subset**
 - LSM, *StorageManager* 3-3
- sort (asort) utility**, *TechOver* 10-7
- sorting file contents**, *CommandShellGde* 3-25
- Source Code Control System**, *See* SCCS
- source files**
 - controlling access to, *ProgGde* 1-5
- source line and instruction profiling**, *ProgGde* 8-11
- source routing**
 - enabling, *NetProgGde* D-1
- SPD**, *DocOverview* 5-2
- specifying default run shell**, *CommandShellGde* 7-27
- sqrt routine**, *CPML* B-18, CPML-61
- srconfig command**, *NetAdmin* 2-32
- stack limit**, *CallingStandard* 6-1
- stack of user program**
 - examining in crash dump, *KernelDebug* 2-8
- stack organization**, *AsmLangGde* 6-7
- standard error**, *CommandShellGde* 6-1
- standard input**, *CommandShellGde* 6-1
- standard library, ANSI C**, *CLangRef* 9-1
- standard output**, *CommandShellGde* 6-1
- standards**, *See also* ANSI standards, POSIX standards, X/Open standards and XTI, *NetProgGde* 3-1
 - programming considerations, *ProgGde* 1-2
- starting the ed editor**, *CommandShellGde* B-2
- startppp command**, *NetAdmin* 6-26
- startslip command**, *NetAdmin* 6-5
- startup**, *SystemAdmin* 2-6
- Startup Documentation Kit**, *DocOverview* 1-8
- state**
 - comparing XTI and sockets, *NetProgGde* 3-39
 - managing in XTI, *NetProgGde* 3-22
- statement**
 - assembly language, *AsmLangGde* 2-5
- static route**, *NetAdmin* 2-10, 2-19
- status enquiry**
 - reporting to CMM, *AsynchronousTM* 4-4
- stdump (object file tool)**, *ProgGde* 2-27
- stopping a command**, *CommandShellGde* 1-6
- Storage Administrator**
 - managing disk groups, *StorageManager* A-14
 - managing disks, *StorageManager* A-6

- managing subdisks, *StorageManager* A-21
- managing volumes, *StorageManager* A-25
- storage class**, *CLangRef* 2-13
- strcmp routine**, *KernelModules* 5-2
- strcpy routine**, *KernelModules* 5-4
- STREAMS**
 - application programming
 - interface, *NetProgGde* 5-6
 - coexistence with sockets, *NetProgGde* 8-1
 - components, *NetProgGde* 5-2
 - configuring drivers, *NetProgGde* 5-20
 - configuring modules, *NetProgGde* 5-20
 - device special files, *NetProgGde* 5-25
 - driver and module processing routines, *NetProgGde* 5-15
 - error logging, *NetProgGde* 5-26
 - event logging, *NetProgGde* 5-26
 - functions, *NetProgGde* 5-7
 - header files, *NetProgGde* 5-6
 - kernel-level functions, *NetProgGde* 5-12
 - message data structures, *NetProgGde* 5-14
 - messages, *NetProgGde* 5-5
 - module data structures, *NetProgGde* 5-13
 - synchronization mechanism, *NetProgGde* 5-19
- STREAMS driver**, *NetProgGde* 8-3
 - bridging to sockets protocol stack, *NetProgGde* 8-2
- STREAMS framework**, *NetProgGde* 1-3, 5-1, *TechOver* 3-24
 - interaction with sockets, *NetProgGde* 1-7
- STREAMS protocol stack**
 - bridging to BSD driver, *NetProgGde* 8-9
- string literal**, *CLangRef* 1-12
- string routine**, *KernelModules* 5-1
- strlen routine**, *KernelModules* 5-6
- strncmp routine**, *KernelModules* 5-3
- strncpy routine**, *KernelModules* 5-5
- strong symbol**, *ProgGde* 2-27
- structured exception handling**, *ProgGde* 11-5
- Style Manager**, *CDECompanion* 4-1
 - accessing, *CDECompanion* 3-1
 - customizing environment, *CDECompanion* 4-6
- subagent**
 - implementing, *NetProgGde* 6-12
- subdirectory**, *CommandShellGde* 2-7
- subnet mask**, *NetAdmin* 2-5
- subset control program**, *ProdKitGde* 3-9
- substitution, global**
 - in vi editor, *CommandShellGde* A-19
- subsystem**
 - configuring, *SystemAdmin* 4-1
 - traffic control, *NetProgGde* 7-2
- superuser**, *CommandShellGde* 5-17
- superuser authority**
 - tasks, *CommandShellGde* 5-18
- Supplementary Documentation**, *DocOverview* 5-1
- svc.conf file**, *NetAdmin* 9-19, *TechOver* 3-32
- svcsetup command**, *NetAdmin* 8-30
- swap space**
 - displaying with kdbx, *KernelDebug* 2-31
 - estimating, *SystemAdmin* 3-43

swap space allocation

deferred mode, *SystemAdmin* 3–45
immediate mode, *SystemAdmin*
3–45

swap space planning,

InstallGdeAdvTop 4–1

swapping, *SystemTune* 6–13**symbol table**

ANSI name space cleanup,
ProgGde 2–27

symmetric multiprocessing,

See SMP

synchronization

hardware issues related to,
KernelModules 6–1

synchronization mechanism

in STREAMS, *NetProgGde* 5–19

synchronized I/O

realtime, *Realtime* 8–2

synchronous writes

speeding up with Prestoserve,
Prestoserve 1–1

sysconfig command,

SystemAdmin 4–7, *SystemTune*
3–10

sysconfigdb command,

SystemAdmin 4–15

syslogd daemon, *SystemAdmin* 12–2**SysMan,** *SystemAdmin* 1–1, 1–11

utilities, *SystemAdmin* A–6

SysMan applications,

CDECompanion 5–9
accessing, *CDECompanion* 3–1

SysMan Menu, *SystemAdmin* 1–18,

TechOver 2–14
installing software using,
InstallGde 9–1

SysMan Station, *SystemAdmin*

1–1, 1–23
using, *SystemAdmin* 1–25
views, *SystemAdmin* 1–25

system

crash dump information created
during reboot, *SystemAdmin*
14–3
customizing environment,
SystemAdmin 3–1
displaying information about
with kdbx, *KernelDebug* 2–30
initialization, *SystemAdmin* 2–18
initialization files, *SystemAdmin* 3–2
monitoring, *SystemAdmin* 11–1,
11–10
monitoring utilities,
SystemAdmin 11–4
requesting connection to remote,
AsynchronousTM 5–5
security, *SystemAdmin* 3–24
startup files, *SystemAdmin* 3–2
testing, *SystemAdmin* 11–1

system administration

I18N Configuration tool, *TechOver*
10–9
internationalization and,
InternatProg 6–2
methods, *SystemAdmin* 1–1
security considerations, *Security*
6–15
SysMan, *SystemAdmin* 1–1
tools, *SystemAdmin* 1–1
tools and utilities, *SystemAdmin*
A–2

System and Network**Management Documentation**

Kit, *DocOverview* 1–9

system call

and DLI, *NetProgGde* E–15
sockets, *NetProgGde* 4–9

system clock

setting, *SystemAdmin* 2–21

System Communication**Architecture (SCA),**

SystemAdmin C–1

system configuration

after full installation, *InstallGde* 7–1

- dynamic, *SystemAdmin* 4-7,
TechOver 2-26
 - restoring with config.cdf file,
InstallGdeAdvTop 7-1
 - static, *SystemAdmin* 4-19
 - system crash**
 - process of, *KernelDebug* 1-5
 - reasons for, *KernelDebug* 1-5
 - using crashdc command to collect
data from, *KernelDebug* 2-44
 - using dbx to find the cause of,
KernelDebug 2-2
 - using kdbx to find the cause of,
KernelDebug 2-12
 - system event**
 - reporting, *SystemAdmin* 12-1
 - system exerciser**, *SystemAdmin*
11-23
 - system memory**, *SystemAdmin* 11-26
 - system partition**, *SystemAdmin* D-3
 - system setup**
 - after full installation, *InstallGde* 7-1
 - System Setup utility**, *InstallGde* 7-1
 - system shutdown**, *SystemAdmin* 2-1
 - system startup**, *SystemAdmin* 2-6
 - system time**
 - working with, *KernelModules* 5-23
 - System V habitat**,
 - CommandShellGde* 9-1
 - accessing, *CommandShellGde* 9-2
 - command summary,
CommandShellGde 9-4
 - location of, *CommandShellGde* 9-3
 - modifying .cshrc file for,
CommandShellGde 9-2
 - modifying .login file for,
CommandShellGde 9-2
 - modifying .profile file for,
CommandShellGde 9-2
 - setting PATH for,
CommandShellGde 9-2
 - System V IPC**, *ProgGde* 1-7
- T**
- tan routine**, *CPML* B-18, CPML-62
 - tand routine**, *CPML* B-18, CPML-62
 - tanh routine**, *CPML* B-19, CPML-63
 - tape**
 - backup, *SystemAdmin* 9-1
 - bootable, *SystemAdmin* 9-5
 - tapex exerciser**, *SystemAdmin* 11-34
 - tar command**, *SystemAdmin* 9-5
 - taso (truncated address support
option)**, *ProgGde* A-2
 - TCP**, *TechOver* 3-2, 3-8, 3-12
and RPC, *OncRpcProgram* 3-28
programming information,
NetProgGde C-1
throughput, *NetProgGde* C-1
window size, *NetProgGde* C-1
 - tcpdump command**, *NetAdmin* 16-7
 - TELNET**, *TechOver* 3-8
using, *CommandShellGde* 13-3
 - terminal communications system**
testing with cmx, *SystemAdmin*
11-41
 - terminal driver subsystem**,
TechOver 10-6
 - terminal emulator**,
CDECompanion 9-2
 - terminal interface**
enhancements for Asian
languages, *InternatProg* 6-8
 - termination handler**
how to code, *ProgGde* 11-12
 - TERMINFO environment
variable**, *SystemAdmin* 3-8

- testing kernel programs,**
KernelDebug 2–37
- testing subsets with the setld utility,** *ProdKitGde* 3–48
- testing the system,** *SystemAdmin* 11–1
- text editor,** *CommandShellGde* 2–1
accessing, *CDECompanion* 3–1
- TFTP,** *TechOver* 3–9
- Thai,**
See Asian languages
- Third Degree,** *ProgGde* 7–1
- Thread Independent Services,**
ProgGde 12–6
- thread operation,** *POSIXThreads* 2–1
- thread-safe code**
how to write, *ProgGde* 12–5
- thread-safe library,**
POSIXThreads 4–1
- thread-safe routine**
characteristics, *ProgGde* 12–3
- threads,** *ProgGde* 12–1
See also POSIX Threads
Library
profiling multithreaded applications, *ProgGde* 8–29
programming with,
POSIXThreads 3–1
visual, *TechOver* 6–8
- tic command,** *SystemAdmin* 3–8
- time**
setting, *SystemAdmin* 2–21
- time value**
formatting rules in a locale,
InternatProg 7–22
- time zone,** *SystemAdmin* 3–20
setting during full installation,
InstallGde 6–14
SVID, *SystemAdmin* 3–20
- timeout change,** *OncRpcProgram* 2–20
- timeout routine,** *KernelModules* 5–17
- timer**
realtime, *Realtime* 6–1
- tip command,** *NetAdmin* 6–19, 6–28
- tis routine,** *POSIXThreads* tis–1
- tiuser.h file,** *NetProgGde* 3–6
- TLI**
and XTI, *NetProgGde* 3–1
compatibility with XTI,
NetProgGde 3–35
contrast with XTI, *NetProgGde* 3–35
library and header files,
NetProgGde 3–6
- Token Ring**
configuring, *NetAdmin* 2–13
- Token Ring driver**
and canonical addresses,
NetProgGde D–2
enabling source routing,
NetProgGde D–1
- traceroute command,** *NetAdmin* 16–4
- traffic control,** *NetAdmin* 2–36
- traffic control subsystem,**
NetProgGde 7–2
tasks, *NetProgGde* 7–5
- translation**
of message text, *InternatProg* 3–16
- Transmission Control Protocol,**
See TCP
- Transport Layer Interface,**
See TLI
- Transport-Level Protocols,**
TechOver 3–11
- Trash Can**
accessing, *CDECompanion* 3–1
- Trivial File Transfer Protocol,**
See TFTP

troubleshooting

- ATM, *NetAdmin* 15-23
- DHCP, *NetAdmin* 15-34
- DMS, *SharingSW* 13-1
- DNS client, *NetAdmin* 15-39
- DNS server, *NetAdmin* 15-37
- IMAP, *NetAdmin* 15-73
- IPv6, *NetAdmin* 15-8
- LAT, *NetAdmin* 15-64
- LSM, *StorageManager* 6-1
- mail, *NetAdmin* 15-71, 15-73, F-1
- network, *NetAdmin* 15-1, 16-1
- NFS client, *NetAdmin* 15-50, D-1
- NFS server, *NetAdmin* 15-47, D-1
- NIS client, *NetAdmin* 15-44
- NIS server, *NetAdmin* 15-40
- NTP, *NetAdmin* 15-56
- POP, *NetAdmin* 15-73
- PPP, *NetAdmin* 15-62
- printer, *SystemAdmin* 8-43
- RIS, *SharingSW* 8-1
- security, *Security* 14-1
- SLIP, *NetAdmin* 15-59
- UUCP, *NetAdmin* 15-53, E-1

Tru64 UNIX Documentation Kit,
DocOverview 1-8

trunc routine, *CPML* B-19, CPML-64

truncated address support option,
See taso

try...except statement
use in exception handler, *ProgGde*
11-5

try...finally statement
use in termination handler,
ProgGde 11-13

tty subsystem, *TechOver* 10-6

tunefs command, *SystemAdmin* 6-49

tuning
class scheduler, *SystemAdmin* 3-24
Internet servers, *SystemTune* 4-3
large-memory systems,
SystemTune 4-3

memory, *SystemTune* 6-1
namei cache, *SystemTune* 9-1
networks, *SystemTune* 10-6
NFS, *SystemTune* 9-40
realtime performance, *Realtime*
11-1
UBC, *SystemTune* 9-1
UFS, *SystemTune* 9-32

tunnel

creating, *NetAdmin* 3-35

type conversion, *CLangRef* 6-27

typedef
using with rpcgen,
OncRpcProgram 2-23

U

UBC, *TechOver* 5-5
least recently used page list,
TechOver 5-6
tuning, *SystemTune* 9-1

UBR, *AsynchronousTM* 2-13

UCS-4 encoding format, *TechOver*
10-2
See also Unicode

UDP, *TechOver* 3-2, 3-8, 3-11

uerf command
using with system exercisers,
SystemAdmin 11-25

UFS, *SystemAdmin* 6-1
creating a file system,
SystemAdmin 6-1
displaying, *SystemTune* 9-30
improving performance,
SystemTune 9-27
setting file system quotas,
SystemAdmin 6-41
tuning, *SystemTune* 9-32

UID, *SystemAdmin* 7-10

UIL compiler, *TechOver* 10-10

- uiomove routine**, *KernelModules*
5-13
- umount command**, *SystemAdmin*
6-20
- Unicode**, *InternatProg* 1-6, 2-5,
TechOver 10-8
- Unified Buffer Cache**,
See UBC
- uninstalling LSM**,
StorageManager 6-25
- Universal Character Set**,
InternatProg 1-6
- UNIX File System**,
See UFS
- UNIX shell**, *InstallGdeAdvTop* 3-1
- UNIX-to-UNIX Copy Program**,
See UUCP
- unlimited license**
registering after installation or
upgrade, *LicenseManage* 2-2
- unordered routine**, *CPML* B-19,
CPML-65
- unspecified bit rate**,
See UBR
- untimeout routine**, *KernelModules*
5-17
- upadmin utility**, *InstallGde* 3-24
- update installation**, *InstallGde* 2-1
defined, *InstallGde* 1-2
layered products, *InstallGde* 3-12
procedures, *InstallGde* 3-1
update paths, *InstallGde* 2-3
user-supplied files,
InstallGdeAdvTop 5-1
- update installation cleanup
utility**, *InstallGde* 3-24
- update_postload file**,
InstallGdeAdvTop 5-1
- update_preinstall file**,
InstallGdeAdvTop 5-1
- uprofile**,
See profiling a program
- User Datagram Protocol**,
See UDP
- user-defined character**,
InternatProg 6-17
- user environment**,
CommandShellGde 7-12
- user information**
preserving data on during
installation, *InstallGde* 6-40
- User Interface Language compiler**,
See UIL compiler
- user mask**, *CommandShellGde* 5-13
- user product kit**, *ProdKitGde* 4-1
- user-supplied file**
customizing an installation,
InstallGdeAdvTop 5-1
- using commands**,
CommandShellGde 1-4
- using mailx utility**,
CommandShellGde F-1
- using variables**,
CommandShellGde 7-18
- UTF-8 encoding format**, *TechOver*
10-2
See also Unicode
- utilupdate utility**, *SharingSWC*-1
- uucico command**, *NetAdmin* 11-15
- UUCP**, *NetAdmin* 11-1, *TechOver* 3-31
cleaning spooling directories,
NetAdmin 11-18
cleaning system log files,
NetAdmin 11-22
configuring, *NetAdmin* 11-12
error messages, *NetAdmin* E-1
initiating calls to remote hosts,
NetAdmin 11-24
limiting remote executions,
NetAdmin 11-23

- monitoring the transfer queue,
NetAdmin 11-16
- polling remote hosts, *NetAdmin*
11-25
- required hardware, *NetAdmin* 11-2
- scheduling jobs, *NetAdmin* 11-23
- transmitting files,
CommandShellGde 14-20
- troubleshooting, *NetAdmin* 15-53
- viewing log files, *NetAdmin* 11-21
- uucpsetup command**, *NetAdmin*
11-12
- uudemon.admin script**, *NetAdmin*
11-17
- uudemon.cleantu script**,
NetAdmin 11-20
- uudemon.hour script**, *NetAdmin*
11-23, 11-24
- uudemon.poll script**, *NetAdmin*
11-25
- uulog command**,
CommandShellGde 14-28,
NetAdmin 11-22
- uumonitor command**,
CommandShellGde 14-29
- uusched command**, *NetAdmin* 11-23
- uustat command**,
CommandShellGde 14-25,
NetAdmin 11-17
- uuto command**
using with uupick,
CommandShellGde 14-23
- uutry command**, *NetAdmin* 16-7
- uux command**
run from remote host (UUCP),
CommandShellGde 14-16

V

- variable**
displaying with dbx debugger,
KernelDebug 2-6
- VAX C extension**, *CLangRefE*-1
- vb interface**,
See vb network
- vb network**
configuration, *SysConfigSup* 3-1
driver, *SysConfigSup* 3-1
Ethernet interface, *SysConfigSup*
3-1
- VC**
activating, *AsynchronousTM* 4-2
controlling aging of,
AsynchronousTM 5-6
creating permanent,
AsynchronousTM 6-9
creating signaling,
AsynchronousTM 6-10
modifying parameters,
AsynchronousTM 5-6
modifying QoS parameters,
AsynchronousTM 5-6
requesting status for,
AsynchronousTM 4-5
restarting, *AsynchronousTM* 4-3
transmitting data on,
AsynchronousTM 5-6
- VC status**
reporting to CMM,
AsynchronousTM 4-4
- versioning**,
See shared library
- vi editor**, *CommandShellGde* 2-2, A-1
customizing your environment,
CommandShellGde A-21
editing text, *CommandShellGde*
A-12
ex line editor commands,
CommandShellGde A-18

- global substitution,
 - CommandShellGde* A-19
 - moving within a file,
 - CommandShellGde* A-6
 - opening text files,
 - CommandShellGde* A-4
 - quit (q) command,
 - CommandShellGde* A-4, A-15
 - saving part of a file,
 - CommandShellGde* A-20
 - saving your customizations,
 - CommandShellGde* A-23
 - undo (u) command,
 - CommandShellGde* A-14
 - using advanced techniques,
 - CommandShellGde* A-15
 - viewing documents**,
 - CDECompanion* 5-7
 - virtual address space**, *SystemTune* 6-5
 - virtual circuit**,
 - See* VC
 - virtual memory subsystem**,
 - See* VM subsystem
 - virus**, *CommandShellGde* 5-21
 - visibility**, *CLangRef* 2-6
 - Visual Administrator**,
 - StorageManager* D-1
 - analysis, *StorageManager* E-42
 - disk group management,
 - StorageManager* E-36
 - disk management,
 - StorageManager* E-27
 - plex management,
 - StorageManager* E-16
 - projection analysis,
 - StorageManager* E-40
 - subdisk management,
 - StorageManager* E-21
 - UFS management,
 - StorageManager* E-45
 - volume management,
 - StorageManager* E-1
 - Visual Threads**, *ProgGde* 8-29
 - VM subsystem**, *TechOver* 5-5
 - paging operation, *TechOver* 5-7
 - swapping operation, *TechOver* 5-8
 - vmcore.n file**, *SystemAdmin* 14-3
 - VMEbus**
 - configuring, *SysConfigSup* 2-2, 2-28
 - interrupt handling with
 - rt_post_callout*,
 - SysConfigSup* 2-27, 2-66
 - master block transfers,
 - SysConfigSup* 2-24, 2-63
 - networking over, *SysConfigSup* 3-1
 - operating system support,
 - SysConfigSup* 2-1
 - slave block transfers,
 - SysConfigSup* 2-23, 2-63
 - VMEbus backplane network**,
 - See* vb network
 - vmunix.n file**, *SystemAdmin* 14-3
 - voldiskadm menu**
 - managing disk groups,
 - StorageManager* C-12
 - managing disks, *StorageManager* C-2
 - managing volumes,
 - StorageManager* C-14
 - volume**
 - creating, *StorageManager* 4-5
 - for secondary swap space,
 - StorageManager* 4-14
 - recovering, *StorageManager* 6-8
 - recovering a RAID 5 plex,
 - StorageManager* 6-14
- ## W
- wakeup routine**, *KernelModules* 5-16
 - wchar_t data type**, *TechOver* 10-2
 - weak symbol**, *ProgGde* 2-27
 - Web-Based Enterprise Services**,
 - See* WEBES
 - WEBES**, *SystemAdmin* 13-51

what command, *ProgSupTools* 6–21

who command, *CommandShellGde* 10–1

whois command, *NetAdmin* 8–32

wide character and wide-character string,
InternatProg 1–5

wildcard character
removing multiple directories
using, *CommandShellGde* 4–11

window
using, *CDECompanion* 2–3

windowing environment,
See CDE

Windows 2000 Single Sign-On,
SystemAdmin 7–41

Windows NT for Alpha
migrating to Tru64 UNIX,
InstallGde 5–4

wired page list, *TechOver* 5–6

WLS

DMS client setup for, *SharingSW* 11–13

DMS server setup for, *SharingSW* 11–12

installing, *InstallGdeAdvTop* 2–1

installing during full installation,
InstallGde 4–2

software subsets, *InstallGde* C–20

working on a remote host,
CommandShellGde 13–1

workspace
accessing, *CDECompanion* 3–1

World Wide Web,
See documentation on the
World Wide Web

worldwide language support,
See WLS

Worldwide Portability Interfaces (WPI), *InternatProg* A–1

WWW,
See documentation on the
World Wide Web

X

X client, *CDECompanion* 6–1,
TechOver 8–8

X client library, *TechOver* 8–3

X server, *CDECompanion* 6–1,
TechOver 8–3
font-cache tuning, *InternatProg* 6–41

X server extensions, *TechOver* 8–3,
XWinSysEnv 3–1

X window
configuration, *XWinSysEnv* 1–1
managing the environment,
XWinSysEnv 1–1

X Window System,
CDECompanion 6–1
documentation for developers,
DocOverview 4–10

X/Open standards
and internationalization,
InternatProg 1–1
application development
considerations, *ProgGde* 1–2

X/Open Transport Interface,
See XTI

X11 shared libraries, *TechOver* 6–5

X11R6 software
internationalization features in,
InternatProg 5–1

X11R6.3
internationalization,
InternatProg 5–7

xdm utility, *XWinSysEnv* 1–6

XDM-AUTHORIZATION-1

Display Manager, *TechOver* 8-7

XDR library, *OncRpcProgram* A-5

XDR library primitive,
OncRpcProgram A-7, A-18

XDR routine, *OncRpcProgram* 2-9,
A-1
enumerations, *OncRpcProgram*
2-23
generating with *rpcgen*,
OncRpcProgram 2-9

XDR stream, *OncRpcProgram* A-19

XDR structure, *OncRpcProgram* 2-25

XDR union, *OncRpcProgram* 2-26

xhost program

using to enable access to display,
CDECompanion 5-2

xjoin command, *NetAdmin* 5-12

xmodmap keymap format

Display Manager, *TechOver* 8-6

xntpd daemon, *NetAdmin* 12-1

xntpd command, *NetAdmin* 12-9

Xsession, *CDECompanion* 6-2

XTI, *NetProgGde* 3-1, *ProgGde* 1-7,
TechOver 3-22

and network programming
environment, *NetProgGde* 3-2

and standards, *NetProgGde* 3-1

and TLI, *NetProgGde* 3-1

application programming
interface, *NetProgGde* 3-4

code migration XNS4.0 to XNS5.0,
NetProgGde 3-41

code migration XPG3 to XNS4.0,
NetProgGde 3-41

configuring *xtiso*, *NetProgGde* 3-57

contrast with TLI, *NetProgGde* 3-35

differences between XNS4.0 and
XNS5.0, *NetProgGde* 3-39

differences between XPG3 and
XNS4.0, *NetProgGde* 3-39

execution modes, *NetProgGde* 3-4

handling errors, *NetProgGde* 3-56

interoperability of XNS4.0 and
XNS5.0, *NetProgGde* 3-43

interoperability of XPG3 and
XNS4.0, *NetProgGde* 3-43

library and header files,
NetProgGde 3-6

phase-independent functions,
NetProgGde 3-32

porting applications to,
NetProgGde 3-33

rewriting socket applications for,
NetProgGde 3-36

sequencing functions,
NetProgGde 3-20

service modes, *NetProgGde* 3-4

synchronization of multiple
processes, *NetProgGde* 3-19

writing connection-oriented
applications, *NetProgGde* 3-22

XTI client

connection-oriented program,
NetProgGde B-14

connectionless program,
NetProgGde B-29

XTI event, *NetProgGde* 3-10

map of, *NetProgGde* 3-16

tracking, *NetProgGde* 3-14

XTI functions, *NetProgGde* 3-7

map of, *NetProgGde* 3-16

XTI options, *NetProgGde* 3-43

XTI server

connection-oriented program,
NetProgGde B-9

connectionless program,
NetProgGde B-25

XTI states, *NetProgGde* 3-13

management by transport
providers, *NetProgGde* 3-22

map of, *NetProgGde* 3-16

xti.h header file, *NetProgGde* 3-6

and *t_errno* variable, *NetProgGde*
3-56

xtiso option

configuring, *NetProgGde* 3–57

Y

y0 routine, *CPML* B–19, CPML–12

y1 routine, *CPML* B–20, CPML–12

yacc program, *ProgSupTools* 4–16

year

setting, *SystemAdmin* 2–21

Yellow Pages,

See NIS

yn routine, *CPML* B–20, CPML–12

ypcat command, *NetAdmin* 9–31

ypmatch command, *NetAdmin* 9–31

yppasswd command,
CommandShellGde 1–6,
NetAdmin 9–31

ypwhich command, *NetAdmin* 9–31

How to Order Tru64 UNIX Documentation

You can order documentation for the Tru64 UNIX operating system and related products at the following Web site:

<http://www.businesslink.digital.com/>

If you need help deciding which documentation best meets your needs, see the Tru64 UNIX *Documentation Overview* or call **800-344-4825** in the United States and Canada. In Puerto Rico, call **787-781-0505**. In other countries, contact your local Compaq subsidiary.

If you have access to Compaq's intranet, you can place an order at the following Web site:

<http://asmorder.nqo.dec.com/>

The following table provides the order numbers for the Tru64 UNIX operating system documentation kits. For additional information about ordering this and related documentation, see the *Documentation Overview* or contact Compaq.

Name	Order Number
Tru64 UNIX Documentation CD-ROM	QA-6ADAA-G8
Tru64 UNIX Documentation Kit	QA-6ADAA-GZ
End User Documentation Kit	QA-6ADAB-GZ
Startup Documentation Kit	QA-6ADAC-GZ
General User Documentation Kit	QA-6ADAD-GZ
System and Network Management Documentation Kit	QA-6ADAE-GZ
Developer's Documentation Kit	QA-6ADAG-GZ
Reference Pages Documentation Kit	QA-6ADAF-GZ

Reader's Comments

Tru64 UNIX
Master Index
AA-RH94B-TE

Compaq welcomes your comments and suggestions on this manual. Your input will help us to write documentation that meets your needs. Please send your suggestions using one of the following methods:

- This postage-paid form
- Internet electronic mail: readers_comment@zk3.dec.com
- Fax: (603) 884-0120, Attn: UBPG Publications, ZKO3-3/Y32

If you are not using this form, please be sure you include the name of the document, the page number, and the product name and version.

Please rate this manual:

	Excellent	Good	Fair	Poor
Accuracy (software works as manual says)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Clarity (easy to understand)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Organization (structure of subject matter)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Figures (useful)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Examples (useful)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Index (ability to find topic)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Usability (ability to access information quickly)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please list errors you have found in this manual:

Page	Description
_____	_____
_____	_____
_____	_____
_____	_____


Additional comments or suggestions to improve this manual:

What version of the software described by this manual are you using? _____


Name, title, department _____
Mailing address _____
Electronic mail _____
Telephone _____
Date _____

----- Do Not Cut or Tear - Fold Here and Tape -----

COMPAQ



NO POSTAGE
NECESSARY IF
MAILED IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 33 MAYNARD MA

POSTAGE WILL BE PAID BY ADDRESSEE

COMPAQ COMPUTER CORPORATION
UBPG PUBLICATIONS MANAGER
ZKO3-3/Y32
110 SPIT BROOK RD
NASHUA NH 03062-2698



----- Do Not Cut or Tear - Fold Here -----

Cut on This Line